

Product Configuration

Docker MinIO module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#) | [n8n](#)

Add new product to WHMCS

Navigate to: **System Settings** → **Products/Services** → **Create a New Product**

In the **Module Settings** section, select the "**PUQ Docker MinIO**" module.

Configuration parameters

Parameter	Description
License key	A pre-purchased license key for the PUQ Docker MinIO module. For the module to work correctly, the key must be active
Disk space (GB)	Allocated disk space for the Docker container in GB
CPU	CPU cores allocated for the Docker container (e.g., 0.1, 1, 2)
RAM (GB)	RAM allocated to the Docker container in GB (e.g., 0.1, 1, 2)
Main domain	The primary domain for the web interface of the application. If not set, the main domain will be taken from the hostname parameter in the server settings
Subdomain	A personal subdomain assigned to each service. If left empty or if the subdomain is already taken, it will be automatically generated
Link to instruction	URL to a guide that will be displayed in the client panel if provided

Parameter	Description
Notification at %	The percentage threshold for disk space usage that triggers a notification to the client. Set 0 to disable
Notification email template	The email template for the notification that will be sent when the threshold is reached

Supported Macros for Subdomain

Macro	Description
{user_id}	Client ID
{service_id}	Service ID
{random_digit_x}	Random number (x defines the length)
{random_letter_x}	Random letter (x defines the length)
{unixtime}	Unix timestamp
{year}	Year
{month}	Month
{day}	Day
{hour}	Hour
{minute}	Minute
{second}	Second

Default subdomain template: {user_id}-{service_id}-{second}

License key
success: 2027-04-09T17:58:30+02:00

Docker Settings

Disk space (GB)

Allocated disk space for Docker container in GB. Ex: 1

CPU

CPU cores allocated. Ex: 0.1

RAM (GB)

RAM allocated in GB. Ex: 0.1

Client Area

Link to instruction

A link to the instruction will be reflected in the client area.

Domain Settings

Main domain

The main domain to which the container subdomain will be added.
If not filled in, the server domain will be used.

Subdomain

The app subdomain template using macros.

`{user_id}`, `{service_id}`, `{random_digit_x}`, `{random_letter_x}`
`{unixtime}`, `{year}`, `{month}`, `{day}`, `{hour}`, `{minute}`, `{second}`

Service Notifications

Notification at %

Threshold to notify the user about disk space usage. Set 0 to disable.

Notification email template

Email template for disk limit notifications

Revision #9

Created 14 March 2025 11:58:32 by Ruslan

Updated 2 March 2026 13:07:43 by Ruslan