

# Product Configuration

## Docker MinIO module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#) | [n8n](#)

## Add new product to WHMCS

Navigate to: **System Settings** → **Products/Services** → **Create a New Product**

In the **Module Settings** section, select the "**PUQ Docker MinIO**" module.

## Configuration parameters

Parameter	Description
<b>License key</b>	A pre-purchased license key for the PUQ Docker MinIO module. For the module to work correctly, the key must be active
<b>Disk space (GB)</b>	Allocated disk space for the Docker container in GB
<b>CPU</b>	CPU cores allocated for the Docker container (e.g., 0.1, 1, 2)
<b>RAM (GB)</b>	RAM allocated to the Docker container in GB (e.g., 0.1, 1, 2)
<b>Main domain</b>	The primary domain for the web interface of the application. If not set, the main domain will be taken from the <b>hostname</b> parameter in the server settings
<b>Subdomain</b>	A personal subdomain assigned to each service. If left empty or if the subdomain is already taken, it will be automatically generated
<b>Link to instruction</b>	URL to a guide that will be displayed in the client panel if provided

Parameter	Description
Notification at %	The percentage threshold for disk space usage that triggers a notification to the client. Set 0 to disable
Notification email template	The email template for the notification that will be sent when the threshold is reached

# Supported Macros for Subdomain

Macro	Description
{user_id}	Client ID
{service_id}	Service ID
{random_digit_x}	Random number (x defines the length)
{random_letter_x}	Random letter (x defines the length)
{unixtime}	Unix timestamp
{year}	Year
{month}	Month
{day}	Day
{hour}	Hour
{minute}	Minute
{second}	Second

Default subdomain template: {user\_id}-{service\_id}-{second}

License key   
success: 2027-04-09T17:58:30+02:00

#### Docker Settings

##### Disk space (GB)

Allocated disk space for Docker container in GB. Ex: 1

##### CPU

CPU cores allocated. Ex: 0.1

##### RAM (GB)

RAM allocated in GB. Ex: 0.1

#### Domain Settings

##### Main domain

The main domain to which the container subdomain will be added.  
If not filled in, the server domain will be used.

##### Subdomain

The app subdomain template using macros.

`{user_id}`, `{service_id}`, `{random_digit_x}`, `{random_letter_x}`  
`{unixtime}`, `{year}`, `{month}`, `{day}`, `{hour}`, `{minute}`, `{second}`

#### Service Notifications

##### Notification at %

Threshold to notify the user about disk space usage. Set 0 to disable.

##### Notification email template

Email template for disk limit notifications

#### Client Area

##### Link to instruction

A link to the instruction will be reflected in the client area.

Revision #9

Created 14 March 2025 11:58:32 by Ruslan

Updated 2 March 2026 13:07:43 by Ruslan