

Product Configuration

Docker MinIO module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#) | [n8n](#)

Add new product to WHMCS

System Settings->Products/Services->Create a New Product

In the **Module settings** section, select the "**PUQ Docker MinIO**" module

Edit Product

Details Pricing **Module Settings** Custom Fields Configurable Options Upgrades Free Domain Cross-sells Other Links

Module Name: PUQ Docker MinIO
Server Group: None

License key success: 2025-04-09T17:58:30+02:00	Disk space 1 GB Ex: 1	CPU 1 Ex: 0.1	RAM 1 GB Ex: 0.1	Link to instruction https://puq.info/ A link to the instruction will be reflected in the client area.	Main domain The main domain to which the container subdomain will be added If not filled in, the server domain will be used
Client Area	Domain {unixtime} The app subdomain {user_id}, {service_id}, {random_digit_x}, {random_letter_x} Unix time: (unixtime) Year: (year), Month: (month), Day: (day), Hour: (hour), Minute: (minute), Second: (second)	Notification, used disk space X % 60	Service Notification disk limit email template puqDockerMinIO Notification disk limit	Switch to Advanced Mode	

Metric Billing

Traffic IN (GB) Configure Pricing	<input checked="" type="checkbox"/>	Traffic OUT (GB) Configure Pricing	<input checked="" type="checkbox"/>
--------------------------------------	-------------------------------------	---------------------------------------	-------------------------------------

- **License key** - A pre-purchased license key for the "**PUQ Docker MinIO**" module. For the module to work correctly, the key must be active
- **Disk space** - defines the allocated disk size for the Docker container.
- **CPU** - sets the CPU usage limit for the Docker container.
- **RAM** - specifies the amount of RAM allocated to the Docker container.
- **Link to instruction** - URL to a guide that will be displayed in the client panel if provided.
- **Main domain** - defines the primary domain for the web interface of the application. If not set, the main domain will be taken from the **hostname** parameter in the server

settings.

- **Subdomain** – a personal subdomain assigned to each service. If left empty or if the subdomain is already taken, it will be automatically generated in the format **{user_id}-{service_id}**.

Supported Macros for **App** **Subdomain:**

- **{user_id}** – Client ID
- **{service_id}** – Service ID
- **{random_digit_x}** – Random number (x defines the length)
- **{random_letter_x}** – Random letter (x defines the length)
- **{unixtime}** – Unix timestamp
- **{year}, {month}, {day}, {hour}, {minute}, {second}** – Date and time values
- **Notification, used disk space X %** – The percentage value that sets the threshold for the container's disk space usage will trigger a notification message to the client once the threshold is reached.
- **Notification disk limit email template** – The email template for the notification that will be sent when the threshold is reached.

Revision #2

Created 14 March 2025 17:58:32 by Ruslan

Updated 21 March 2025 14:22:18 by Yuliia Noha