

Product Configuration

Docker MinIO module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#) | [n8n](#)

Add new product to WHMCS

System Settings->Products/Services->Create a New Product

In the **Module settings** section, select the **"PUQ Docker MinIO"** module

Edit Product

Details Pricing **Module Settings** Custom Fields Configurable Options Upgrades Free Domain Cross-sells Other Links

Module Name: PUQ Docker MinIO

Server Group: None

License key: [REDACTED]
success: 2025-04-09T17:58:30+02:00

Disk space: 1
GB Ex: 1

CPU: 1
Ex: 0.1

RAM: 1
GB Ex: 0.1

Link to instruction: https://puq.info/
A link to the instruction will be reflected in the client area.

Main domain: [REDACTED]
The main domain to which the container subdomain will be added
If not filled in, the server domain will be used

Subdomain: {unixtime}
The app subdomain
{user_id}, {service_id}, {random_digit_x}, {random_letter_x}
Unix time: (unixtime) Year: (year), Month: (month), Day: (day), Hour: (hour), Minute: (minute), Second: (second)

Notification, used disk space X %: 60

Notification disk limit email template: puqDockerMinIO Notification disk limit

Switch to Advanced Mode

Metric Billing: Traffic IN (GB) ☒ Configure Pricing Traffic OUT (GB) ☒ Configure Pricing

- **License key** – A pre-purchased license key for the **"PUQ Docker MinIO"** module. For the module to work correctly, the key must be active
- **Disk space** – defines the allocated disk size for the Docker container.
- **CPU** – sets the CPU usage limit for the Docker container.
- **RAM** – specifies the amount of RAM allocated to the Docker container.
- **Link to instruction** – URL to a guide that will be displayed in the client panel if provided.
- **Main domain** – defines the primary domain for the web interface of the application. If not set, the main domain will be taken from the **hostname** parameter in the server

settings.

- **Subdomain** – a personal subdomain assigned to each service. If left empty or if the subdomain is already taken, it will be automatically generated in the format **{user_id}-{service_id}**.
-

Supported Macros for **App Subdomain**:

- **{user_id}** – Client ID
- **{service_id}** – Service ID
- **{random_digit_x}** – Random number (x defines the length)
- **{random_letter_x}** – Random letter (x defines the length)
- **{unixtime}** – Unix timestamp
- **{year}, {month}, {day}, {hour}, {minute}, {second}** – Date and time values
- **Notification, used disk space X %** – The percentage value that sets the threshold for the container's disk space usage will trigger a notification message to the client once the threshold is reached.
- **Notification disk limit email template** – The email template for the notification that will be sent when the threshold is reached.

Revision #2

Created 14 March 2025 17:58:32 by Ruslan

Updated 21 March 2025 14:22:18 by Yuliia Noha