

Product Configuration

Docker n8n module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#) | [n8n](#)

Add new product to WHMCS

System Settings->Products/Services->Create a New Product

In the **Module settings** section, select the "**PUQ Docker n8n**" module

Products/Services

Edit Product

Details

Pricing

Module Settings

Custom Fields

Configurable Options

Upgrades

Free Domain

Cross-sells

Other

Links

Module Name

PUQ Docker MiniO

Server Group

None

License key

success: 2025-04-09T17:58:30+02:00

Disk space

1

GB Ex: 1

CPU

1

Ex: 0.1

RAM

1

GB Ex: 0.1

Link to instruction

https://puq.info/

A link to the instruction will be reflected in the client area.

Main domain

The main domain to which the container subdomain will be added
If not filled in, the server domain will be used

Subdomain

{unixtime}

The app subdomain
{user_id}, {service_id}, {random_digit_x}, {random_letter_x}
Unix time: {unixtime} Year: {year}, Month: {month}, Day: {day}, Hour: {hour}, Minute: {minute},
Second: {second}

Notification, used disk space X %

60

Notification disk limit email template

puqDockerMiniO Notification disk limit

Domain

Service

Switch to Advanced Mode

Metric Billing

Traffic IN (GB)

Configure Pricing

ON

Traffic OUT (GB)

Configure Pricing

ON

- **License key** - A pre-purchased license key for the "**PUQ Docker n8n**" module. For the module to work correctly, the key must be active
- **Disk space** - defines the allocated disk size for the Docker container.
- **CPU** - sets the CPU usage limit for the Docker container.
- **RAM** - specifies the amount of RAM allocated to the Docker container.
- **Link to instruction** - URL to a guide that will be displayed in the client panel if provided.
- **Main domain** - defines the primary domain for the web interface of the application. If not set, the main domain will be taken from the **hostname** parameter in the server settings.

- **Subdomain** – a personal subdomain assigned to each service. If left empty or if the subdomain is already taken, it will be automatically generated in the format **{user_id}-{service_id}**.
-

Supported Macros for **App**

Subdomain:

- **{user_id}** – Client ID
- **{service_id}** – Service ID
- **{random_digit_x}** – Random number (x defines the length)
- **{random_letter_x}** – Random letter (x defines the length)
- **{unixtime}** – Unix timestamp
- **{year}, {month}, {day}, {hour}, {minute}, {second}** – Date and time values
- **Notification, used disk space X %** – The percentage value that sets the threshold for the container's disk space usage will trigger a notification message to the client once the threshold is reached.
- **Notification disk limit email template** – The email template for the notification that will be sent when the threshold is reached.

Revision #4

Created 5 March 2025 04:15:10 by Ruslan

Updated 21 March 2025 13:39:53 by Yuliia Noha