

Product Information

Docker n8n module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#) | [n8n](#)

Admin Panel - Container Management Overview

The **admin panel** is structured into two main sections with additional control buttons for container management.

Control Buttons

- **Container Start / Stop** – Start or stop the running container.
- **Mount Disk / Unmount Disk** – Attach or detach the container's disk to the host system. This modifies the **fstab** file to ensure proper mounting.

Container Status & Resource Monitoring

- **Status** – Displays the current state (Running / Stopped).
- **Name** – Unique identifier and domain of the container.
- **CPU Usage** – Shows current CPU load.
- **Memory Usage** – Displays RAM consumption in real-time.
- **Disk IO & Disk Mounted** – Tracks disk input/output operations.
- **Disk File** – Indicates the actual disk image size.
- **Network IO** – Shows network traffic statistics.
- **Log Button** – Loads and displays the container logs for debugging and monitoring.

Application Information

- **Version** – Displays the installed application version.
- **Owner** – Administrator managing the application.
- **Users** – List of assigned users with access to the application.

Module Commands

CreateSuspendUnsuspendTerminateChange PackageContainer StartContainer StopMount diskUnmount disk

API Connection status

API Connection OK

RefreshLog

StatusRunning

Name

n8n-1-5324.app.d01-test.uuq.pl (8ba1fad6a946)

CPU usage

100%

Memory usage

135MiB / 1GiB

13.19%

86.81%

Disk IO

143kB / 42.5MB

Disk mounted

440K/2.0G

99%

Disk file

69M

Network IO

13.5kB / 16kB

Refresh

Version

1.78.1

Owner

it@puq.pl

Users

test1@puqcloud.com, test@puqcloud.com

Module Commands

CreateSuspendUnsuspendTerminateChange PackageContainer StartContainer StopMount diskUnmount disk

API Connection status

API Connection OK

RefreshLog

Permissions 0644 for n8n settings file /home/node/.n8n/config are too wide. This is ignored for now, but in the future n8n will attempt to change the permissions automatically. To automatically enforce correct permissions now set N8N_ENFORCE_SETTINGS_FILE_PERMISSIONS=true (recommended), or turn this check off set N8N_ENFORCE_SETTINGS_FILE_PERMISSIONS=false.
User settings loaded from: /home/node/.n8n/config
Initializing n8n process
n8n ready on 0.0.0.0, port 5678
Version: 1.78.1

Editor is now accessible via:
http://localhost:5678/

Refresh

Version

1.78.1

Owner

it@puq.pl

Users

test1@puqcloud.com, test@puqcloud.com

Addons

| Reg Date | Name | Pricing | Status | Next Due Date |
|------------------|------|---------|--------|---------------|
| No Records Found | | | | |

Subscription ID

Override Auto-Suspend

☐ Do not suspend until

Metric Statistics

Metric Statistics

| Metric | Enabled | Current Usage | Last Update |
|------------------|---------|---------------|-------------|
| Traffic IN (GB) | ✓ | 0.00 GB | 4 hours ago |
| Traffic OUT (GB) | ✓ | 0.01 GB | 4 hours ago |

Refresh Now

Addons

| Reg Date | Name | Pricing | Status | Next Due Date |
|----------|------|---------|--------|---------------|
|----------|------|---------|--------|---------------|

