

# Product Information

Docker n8n module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#) | [n8n](#)

## Admin Panel - Container Management Overview

The **admin panel** is structured into two main sections with additional control buttons for container management.

### Control Buttons

- **Container Start / Stop** – Start or stop the running container.
- **Mount Disk / Unmount Disk** – Attach or detach the container's disk to the host system. This modifies the **fstab** file to ensure proper mounting.

### Container Status & Resource Monitoring

- **Status** – Displays the current state (Running / Stopped).
- **Name** – Unique identifier and domain of the container.
- **CPU Usage** – Shows current CPU load.
- **Memory Usage** – Displays RAM consumption in real-time.
- **Disk IO & Disk Mounted** – Tracks disk input/output operations.
- **Disk File** – Indicates the actual disk image size.
- **Network IO** – Shows network traffic statistics.
- **Log Button** – Loads and displays the container logs for debugging and monitoring.

### Application Information

- **Version** – Displays the installed application version.
- **Owner** – Administrator managing the application.
- **Users** – List of assigned users with access to the application.

Module Commands

CreateSuspendUnsuspendTerminateChange PackageContainer StartContainer StopMount diskUnmount disk

API Connection status

API Connection OK

Container

RefreshLog

StatusRunning

Namen8n-1-5324.app.d01-test.uuq.pl(8ba1fad6a946)

CPU usage100%

Memory usage135MiB / 1GiB13.19%86.81%

Disk IO143kB / 42.5MB

Disk mounted440K/2.0G99%

Disk file69M

Network IO13.5kB / 16kB

App

Refresh

Version1.78.1

Ownerit@puq.pl

Users test1@puqcloud.com, test@puqcloud.com

Module Commands

CreateSuspendUnsuspendTerminateChange PackageContainer StartContainer StopMount diskUnmount disk

API Connection status

API Connection OK

Container

RefreshLog

Permissions 0644 for n8n settings file /home/node/.n8n/config are too wide. This is ignored for now, but in the future n8n will attempt to change the permissions automatically. To automatically enforce correct permissions now set N8N\_ENFORCE\_SETTINGS\_FILE\_PERMISSIONS=true (recommended), or turn this check off set N8N\_ENFORCE\_SETTINGS\_FILE\_PERMISSIONS=false.  
User settings loaded from: /home/node/.n8n/config  
Initializing n8n process  
n8n ready on 0.0.0.0, port 5678  
Version: 1.78.1  
  
Editor is now accessible via:  
http://localhost:5678/

App

Refresh

Version1.78.1

Ownerit@puq.pl

Users test1@puqcloud.com, test@puqcloud.com

Addons

Reg DateNamePricingStatusNext Due Date

No Records Found

Subscription ID

Override Auto-Suspend

☐ Do not suspend until

Metric Statistics

Metric Statistics

Metric	Enabled	Current Usage	Last Update
Traffic IN (GB)	✓	0.00 GB	4 hours ago
Traffic OUT (GB)	✓	0.01 GB	4 hours ago

Refresh Now

Addons

Reg DateNamePricingStatusNext Due Date

Revision #4  
Created 6 March 2025 20:42:48 by Ruslan

