


Add server (Emby server)

Emby Family module **WISECP**


[Order now](#) | [Download](#) | [FAQ](#)

1. Log in to the administrative area of your **WISECP**.
2. Go to module configuration.

Services -> Service Management -> Module Settings -> Other -> All Modules -> PUQ Emby Family



Module Settings



Other

Initial Settings All Modules

Search Within Modules

Write something...

PUQ Digital Product	PUQ Emby Family	PUQ Emby	PUQ Jellyfin	PUQ Mikrotik WireGuard Business-VPN
PUQ Mikrotik WireGuard VPN	PUQ MiniIO S3	PUQ Nextcloud	PUQ Nextcloud	PUQ ownCloud
PUQ Proxmox KVM	PUQ WireGuard Business-VPN	PUQ WireGuard VPN		

3. In the opened page, click the 'Add Server' button.

Initial Settings All Modules

PUQ Emby Family

License key: [Redacted] 2024-08-02T13:49:53+02:00 [Check and Save](#)

Version: 1.0 [Web Site](#) [Documentation](#) [Changelog](#)

[+ Add New Server](#) [Server Groups](#)

4. On the opened page, enter all the necessary information:

- **Name:** Displayed name of the server.
- **Maximum Number of Accounts:** The number of services that can be on this server.
- **Server Group:** Optionally, choose the server group.
- **IP Address or Domain:** The address of the Emby server you are connecting to.
- **Username:** is the username for the account on [Emby](#).
- **Password:** is the password for the account on [Emby](#).
- **Access Hash:** API key that you created in the previous step on the Emby server.
- Check the **SSL** box if you want to use SSL-encrypted connection. If necessary, specify the port and perform a connection test.

Add New Server

Name	emby-test.uuq.pl
Maximum Number of Accounts	100
Server Group	Default ▼
Default	<input type="checkbox"/> Set as default server in group
IP Address or Domain	emby-test.uuq.pl
Username	admin
Password	<div style="background-color: #4CAF50; color: white; padding: 2px; display: inline-block;">✓ Connection test Successful ✕</div> cf [REDACTED] 04
Access Hash	<input type="text"/>
SSL	<input checked="" type="checkbox"/> Connect using SSL
Port	443 <input type="checkbox"/> Change standard port
Test Connection	<input type="button" value="Test Connection"/>

Revision #2

Created 4 July 2024 03:54:20 by Yuliia Noha

Updated 4 July 2024 04:11:31 by Yuliia Noha