

# Admin Area

- [Order Detail](#)

# Order Detail

## Emby module **WISECP**

[Order now](#) | [Download](#) | [FAQ](#)

Navigate to the service you want to manage, then go to the '**Core**' tab.

emby-test.uuq.pl Order Detail

Dashboard / Orders / emby-test.uuq.pl Order

[Detail](#) [Core](#) [Blocks](#) [Order Addons](#) [Requirements](#) [Upgrade / Downgrade](#) [History](#) [Cancellation / Refund](#)

API Module PUQ Emby

[Drop All Devices](#)

API answer OK

Username: em-4-188-by Is Disabled : NO

Emby Connect Username	Active Devices	Streaming bitrate limit
yuliiiano@gmail.com	2	50 Mbps

10 [Show Record](#)

Device Name	App Name	Last Activity
Google Chrome Windows	Emby Web	2024-07-03T09:18:10.000000Z
Microsoft Edge Windows	Emby Web	2024-07-03T09:18:45.000000Z

Showing records from 2 to 1 - 2 Prev 1 Next

Username  Password  Server

Overwrite package settings Overwriting the package settings is necessary to personalize the service if you need it.

Send changes to server To apply the changes on the server, it is necessary to check this checkbox.

[Update](#)

In the opened tab, you have a view of the online status of the service. The available online information includes:

- Connection status to the API
- Information about the Emby account on the **Emby** server
- Information about the account

Also, below are fields with the client's personal data.

You can also individually override package options for the client by checking the '**Overwrite package settings**' box.

After modifying the configuration options, check the '**Send changes to server**' box to save the data to the [Emby](#) server.

Username	<input type="text" value="em-4-120-by"/>	Password	<input type="password" value=""/>	Server	<input type="text" value="emby-test.uuq.pl123"/>
Server Group	<input type="text" value="Default (Servers: 1)"/>	Use All Libraries	<input type="checkbox"/>	select all libraries together	
Username prefix	<input type="text" value="em-"/> <small>Will be attached to the beginning of username. Only small letters and numbers and symbol "-"</small>	Libraries	<input type="text" value="Movies"/>		
Username suffix	<input type="text" value="-by"/> <small>Will be appended to the end of username. Only small letters and numbers and symbol "-"</small>	Streaming bitrate limit	<input type="text" value="50"/> Mbps		
Remote control	<input checked="" type="checkbox"/> Remote control of shared devices	Media downloads	<input checked="" type="checkbox"/> Users can download media and store it on their devices. This is not the same as a sync feature. Book libraries require this enabled to function properly.		
Allow Playback Media	<input checked="" type="checkbox"/>	Allow Playback Audio	<input type="checkbox"/> audio that requires transcoding		
Allow Playback Video	<input type="checkbox"/> video that requires transcoding	Allow Playback Video	<input type="checkbox"/> video that requires conversion without re-encoding		
Allow Live TV access	<input type="checkbox"/>	Allow Live TV recording management	<input type="checkbox"/>		
Force transcoding of remote media sources such as Live TV	<input type="checkbox"/>	Link to instruction	<input type="text" value="https://doc.puq.info/books/emby-wisecp-module"/> <small>A link to the instruction will be reflected in the client area.</small>		
Overwrite package settings	<input checked="" type="checkbox"/> Overwriting the package settings is necessary to personalize the service if you need it.				
Send changes to server	<input checked="" type="checkbox"/> To apply the changes on the server, it is necessary to check this checkbox.				

**Update**