

Client Area

- [Home screen](#)
- [WEB section](#)
- [FTP user management section](#)
- [DNS section](#)
- [DNS Records section](#)
- [MAIL section](#)
- [MAIL Account section](#)
- [DB section](#)
- [Cron Job section](#)
- [BACKUP section](#)

Home screen

[Order now](#) | [Download](#) | [FAQ](#)

The end customer, after logging in to his own customer panel, has access to the following information and options:

1. The Manage tab

- A strip with information about free space as well as a button for updating information about free space at the request of the user (if this functionality is enabled in the settings)
- Navigation bar and status information on each card.
- Button to go to the site specified during the registration of the service (if it was specified)
- Button to go to HestiaCP (if button setting is active)
- Button to go to phpPgAdmin (if button setting is active)
- Button to go to phpMyAdmin (if button setting is active)
- Button to go to File manager (if button setting is active)
- Basic hosting service data

Manage

Resource Usage

↺↻

📊 Resource Usage: 0 MB of 10 GB

100%

🌐

WEB

1 / 15

🌐

DNS

1 / 15

✉️

MAIL

1 / 15

🗄️

DB

0 / 15

🕒

CRON

1 / 15

📄

BACKUP

0 / 5

🔗 Go to domain.com

🔗 Go to HestiaCP

🔗 Go to phpPgAdmin

🔗 Go to phpMyAdmin

📁 File manager

🏠 <https://hestiacp-test.uuq.pl:8083/>

👤 Username:

domainco

🔑 Password:

tjf;r9S16bZK7X

🔑 SSH Access:

yes

👤 FTP Access:

[FTP users management](#)

🖨️ Server:

hestiacp-test.uuq.pl (77.87.125.211)

🖨️ FTP server:

hestiacp-test.uuq.pl (77.87.125.211)

🖨️ SSH Server:

hestiacp-test.uuq.pl (77.87.125.211)

👥 Name Servers:

ns1.puq.pl
ns1.puq.pl

Powered by WHMCompleteSolution

2. The Resource Usage tab

- Displays service usage statistics



Manage


Resource Usage

WEB section

[Order now](#) | [Download](#) | [FAQ](#)

The end client, having entered the WEB section of the client panel, has access to the following information and parameters:

- Navigation bar and status information on each card.
- Button to go to add a new domain
- Button to go to FTP user management
- Cards with information about the client's WEB domains
 - Domain name
 - SSL certificate status 
 - Domain name status in the system HestiaCP is suspended or not suspended (Active) 
 - IP Address
 - Aliases
 - Backend
 - Disk Space (Size)
 - Bandwidth (Traffic)
 - Button to go to domain DNS zone settings
 - Button to go to the root of the site (if you have enabled and configured the file manager)
 - Button to go to the mail domain management section
 - Buttons for managing WEB domain
 - Edit
 - Suspend / Unsuspend
 - Delete




Adding a new WEB domain

After clicking on the button in the pop-up window, you must enter the name of the domain that you want to add. DNS Zones and Mail Domain will also be created

WEB domain editing

After clicking on the button, the following configuration is available in the pop-up window:



Attention! Web domains are the main setting. When creating a new web domain, a DNS zone will be created as well as a Mail domain. Also, if you delete the Web domain, the DNS zone of this domain will be deleted as well as the Mail domain. It also works when Suspend / Unsuspend.

WEB domain suspend

Alias:

After clicking on the button, confirmation of the action is available in a pop-up window.

www.test.com

WEB domain unsuspend

Do you want to suspend your site test.com

×

After clicking on the button, confirmation of the action is available in a pop-up window.

WEB domain delete

Do you want to unsuspend your site test.com

×

After clicking on the button, confirmation of the action is available in a pop-up window.

Are you sure you want to delete the domain


×

FTP user management section


[Order now](#) | [Download](#) | [FAQ](#)

1. Simple configuration of FTP users


The end client, having entered the FTP user management section of the client panel, has access to the following information and parameters:

- Navigation bar and status information on each card.
- Button to go to add a new user
- Button to go to File manager
- Cards with information about each FTP user
 - Username
 - Domain name status to which this user is associated in the system HestiaCP is suspended or not suspended (Active) 
 - The domain name to which this user is associated
 - Link to go to the site
 - Link to access users settings for a specific domain
 - IP Address
 - Buttons for managing FTP user
 - Edit
 - Delete


Attention! If the WEB domain is suspended, users of the domain name will also be suspended.




WEB
1 / 15




DNS
1 / 15




MAIL
1 / 15



DB
0 / 15



CRON
1 / 15




BACKUP
0 / 5


FTP accounts for all domains

Add a new user


File manager



domainco_85y1mxnc8rs6



WEB Domain: domain.com



Path: /home/domainco/web/domain.com/

Edit

Delete

Powered by WHMCompleteSolution

Adding a new FTP user

After clicking on the button in the pop-up window, you must select the domain name to which you want to add a new FTP user. The username and password will be randomly generated.

FTP user editing

Enter the FTP user details for the domain below

After clicking on the button, the following configuration is available in the pop-up window:

FTP user delete

Are you sure you want to change your FTP user details

After clicking on the button, confirmation of the action is available in a pop-up window.


2. For each domain User FTP Configuration


Are you sure you want to delete the FTP user


The section that displays FTP users for each domain has a little more settings and options. In this section, it is possible to enter a username and password, as well as specify the target folder to which this FTP user will have access. The end client, having entered the FTP user management advanced section of the client panel, has access to the following information and parameters:


- Navigation bar and status information on each card
- Button to go to add a new user
- Cards with information about each FTP user
 - Username
 - The domain name to which this user is associated
 - Destination folder path for user
 - Edit


◦ Delete


**WEB**
1 / 15

**DNS**
1 / 15

**MAIL**
1 / 15

**DB**
0 / 15

**CRON**
1 / 15

**BACKUP**
0 / 5

[+ Add a new user](#)

 domainco_85y1mxnc8rs6

 **Username:** domainco_85y1mxnc8rs6

 **Path:** /home/domainco/web/domain.com/

Edit

Delete

Adding a new FTP user (Advanced)

After clicking on the button in the pop-up window, you must enter the username and password, as well as specify the final path (optional).

Attention! If the folder does not exist, the user will not be able to connect to the system, so the entered path is checked for compliance, and if the path is not found, the user will be deleted immediately after the creation attempt.

FTP user editing (Advanced)

Enter the FTP user details for the domain below

After clicking on the button, the following configuration is available in the pop-up window:

test.com

- Password change
- Change of path

Attention! If the path is not found, then the folder path for the user will be automatically reset to the root of the domain.

FTP user delete (Advanced)


Are you sure you want to change your FTP user details serv1_jqle_2_4877_jtrv1iue

After clicking on the button, confirmation of the action is available in a pop-up window.

DNS section

[Order now](#) | [Download](#) | [FAQ](#)

The end client, having entered the DNS section of the client panel, has access to the following information and parameters:

- Navigation bar and status information on each card.
- Button to go to add a new domain
- Button to go to FTP user management
- Cards with information about the client's WEB domains
 - DNS zone name
 - DNS zone status in the system HestiaCP is suspended or not suspended (Active) 
 - IP Address
 - SOA
 - TTL
 - Number of records in the domain zone
 - Expiration Date
 - Time and date the entry was created
 - Buttons for managing DNS zone
 - Button to go to the page with domain zone records
 - Edit
 - Suspend / Unsuspend
 - Delete

Adding a new DNS zone



WEB
1 / 15



DNS
1 / 15



MAIL
1 / 15



DB
0 / 15



CRON
1 / 15



BACKUP
0 / 5

After clicking on the button in the pop-up window, you must enter the name of the domain for which you want to create a domain zone, IP Address, Nameservers (up to 10).

DNS zone editing

Enter the details of the new DNS zone

After clicking on the button, the following configuration is available in the pop-up window:

- IP Address
- SOA
- DNS zone domain:
- TTL
- Expiration Date

DNS zone suspend

Are you sure you want to change the DNS Zone

mytest.com

After clicking on the button, confirmation of the action is available in a pop-up window.

DNS zone unsuspend

Do you want to suspend entire zone for a domain

After clicking on the button, confirmation of the action is available in a pop-up window.

mytest.com

DNS zone delete

Do you want to unsuspend entire zone for a domain

After clicking on the button, confirmation of the action is available in a pop-up window.


mytest.com


If when creating domain zones you see: **Error: DNS_RECORDS limit is reached :: upgrade user package**. This means that a limit has been set. When setting limits, take into account the number of standard DNS records, by default this value is 15 records.


DNS Records section


[Order now](#) | [Download](#) | [FAQ](#)


The end client, having entered the DNS Records section of the client panel, has access to the following information and parameters:


- Navigation bar and status information on each card.
- Button to go to add a new DNS record
- Cards with information about the client's DNS records
 - Record
 - DNS record status in the system HestiaCP is suspended or not suspended (Active) 
 - Value
 - Type
 - TTL
 - Time and date the entry was created
 - Buttons for managing DNS record
 - Edit
 - Suspend / Unsuspend
 - Delete



WEB
1 / 15


DNS
1 / 15


MAIL
1 / 15


DB
0 / 15


CRON
1 / 15


BACKUP
0 / 5

DNS Records for: domain.com

+ Add the new DNS record

@.domain.com

Value: ns1.puq.pl.

Type: NS | TTL: 14400

@.domain.com

Value: ns1.puq.pl.

Type: NS | TTL: 14400

@.domain.com

Value: 77.87.125.211

Type: A | TTL: 14400

Adding a new DNS record

After clicking on the button in the pop-up window, you must enter the record, type, value that you want to add.

DNS record editing

Enter the details of the new DNS record ?

After clicking on the button, the following configuration is available in the pop-up window:

Record

Type

Value

test.com



- TTL


DNS record suspend Are you sure you want to change the record After clicking on the button, confirmation of the action is available in a pop-up window. @.mytest.com	×
DNS record unsuspend Are you sure you want to suspend the record After clicking on the button, confirmation of the action is available in a pop-up window. @.mytest.com	×
DNS record delete Are you sure you want to unsuspend the record After clicking on the button, confirmation of the action is available in a pop-up window. @.mytest.com	×
Are you sure you want to delete the record	×

MAIL section

[Order now](#) | [Download](#) | [FAQ](#)

The end client, having entered the MAIL section of the client panel, has access to the following information and parameters:

- Navigation bar and status information on each card.
- Button to go to add a new mail domain
- Cards with information about the client's mail domains
 - Mail domain name
 - Button to go to WebMail
 - SSL certificate status 
 - Mail domain name status in the system HestiaCP is suspended or not suspended (Active) 
 - Number of email accounts in the domain
 - Antivirus
 - Antispam
 - Reject Spam
 - DKIM
 - Disk Space (Size)
 - Time and date the entry was created
 - Buttons for managing mail domain
 - Button to go to the domain mail account management page
 - Edit
 - Suspend / Unsuspend
 - Delete




Adding a new mail domain

After clicking on the button in the pop-up window, you must enter the name of the email domain you want to add, as well as set additional parameters.

Mail domain editing

Enter the details of the new mail domain ?

After clicking on the button, the following configuration is available in the pop-up window:




Mail domain suspend

Mail domain configuration test.com?

After clicking on the button, confirmation of the action is available in a pop-up window.

Mail domain unsuspend

After clicking on the button, confirmation of the action is available in a pop-up window.





MAIL Account section


[Order now](#) | [Download](#) | [FAQ](#)


The end client, having entered the MAIL account section of the client panel, has access to the following information and parameters:


- Navigation bar and status information on each card.
- Button to go to add a new mail account
- Button to go to show domain settings for client connection
- Cards with information about the client's mail account
 - Mail account name
 - Mail account name status in the system HestiaCP is suspended or not suspended (Active) ●
 - Additional account information
 - Buttons for managing mail account
 - Edit
 - Suspend / Unsuspend
 - Delete



WEB
1 / 15


DNS
1 / 15


MAIL
1 / 15



DB
0 / 15



CRON
1 / 15


BACKUP
0 / 5




eMail accounts for: domain.com


+ Add new mail account

 Mail configurations

 test@domain.com ✚ Size: 0 MB

@ Mail address: test@domain.com

 Automatic reply: ✖

Powered by [WHMCompleteSolution](#)

Adding a new mail account

After clicking on the button in the pop-up window, you must enter the name of the email domain you want to add, as well as set additional parameters.

Mail account editing

Enter the details of the new mail account

After clicking on the button, the following configuration is available in the pop-up window:

• Forward to...for e-mail account

• Aliases for e-mail account

• Add auto reply for

Username:

test@domain.com

Mail account suspend

Mail account configuration test@domain.com

After clicking on the button, confirmation of the action is available in a pop-up window.

Mail account unsuspend

Do you want to suspend e-mail account test@puq.pl

After clicking on the button, confirmation of the action is available in a pop-up window.

Mail account suspend delete

Do you want to unsuspend e-mail account

test@puq.pl


After clicking on the button, confirmation of the action is available in a pop-up window.

Are you sure you want to delete the mail account

DB section

[Order now](#) | [Download](#) | [FAQ](#)

The end client, having entered the DB section of the client panel, has access to the following information and parameters:

- Navigation bar and status information on each card.
- Button to go to add a new database
- Button to go to phpPgAdmin / phpMyAdmin
- Cards with information about the client's databases
 - Database name
 - Database status in the system HestiaCP is suspended or not suspended (Active) 
 - Username
 - Type
 - Charset
 - Host
 - Disk Space (Size)
 - Time and date the entry was created
 - Buttons for managing database
 - Edit
 - Suspend / Unsuspend
 - Delete

Adding a new database



WEB
3 / 15



DNS
3 / 15



MAIL
1 / 15



DB
2 / 15



CRON
0 / 15



BACKUP
5 / 5

After clicking on the button, a pop-up window will offer random data to create a database, as well as the user has the opportunity to enter their own values in the advanced section.

Database editing

Enter the details of the new database ?

After clicking on the button, the following configuration is available in the pop-up window:

- Database Username

Database Name: hotyuwra_7ny4dt5r

Database Password

Database suspend

Are you sure you want to change the Database


After clicking on the button, confirmation of the action is available in a pop-up window.

serv1 iqle 2 4877 bmlzxusq

Database unsuspend

Are you sure you want to suspend the Database


After clicking on the button, confirmation of the action is available in a pop-up window.



Cron Job section

[Order now](#) | [Download](#) | [FAQ](#)

The end client, having entered the MAIL section of the client panel, has access to the following information and parameters:

- Navigation bar and status information on each card.
- Button to go to add a new Cron Job
- Cards with information about the client's Cron Jobs
 - Cron Job number
 - Cron Job status in the system HestiaCP is suspended or not suspended (Active) 
 - Command
 - Minute
 - Hour
 - Day
 - Month
 - Day of Week
 - Time and date the entry was created
 - Buttons for managing Cron Jobs
 - Edit
 - Suspend / Unsuspend
 - Delete

Adding a new Cron Job

After clicking on the button in the pop-up window, you must enter the command to be executed, as well as the time interval, to facilitate the execution of the action, a convenient generator is provided.

Cron Job editing

Enter the details of the new Cron Job ?

After clicking on the button, the following configuration is available in the pop-up window:

- Scheduled Task Generator
- Command
- Minute
- Hour
- Day
- Month
- Day of Week

How often to complete the task?

Minutes

Hourly

Daily

Weekly

Monthly

Run Command:

Feb

Cron Job suspend

After clicking on the button, confirmation of the action is available in a pop-up window.

Cron Job unsuspend

Are you sure you want to suspend the Cron Job 1

After clicking on the button, confirmation of the action is available in a pop-up window.

Cron Job delete

Are you sure you want to unsuspend the Cron Job 1

After clicking on the button, confirmation of the action is available in a pop-up window.

BACKUP section


[Order now](#) | [Download](#) | [FAQ](#)


The end client, having entered the BACKUP section of the client panel, has access to the following information and parameters:


- Navigation bar and status information on each card.
- Button to go to add a new backup
- Cards with information about the client's backups
 - Backup name
 - User directories
 - Web sites
 - DNS zones
 - Databases
 - Disk Space (Size)
 - Time and date the entry was created
 - Buttons for managing backups
 - Download
 - Restore
 - Delete


Adding a new backup


After clicking on the button, confirmation of the action is available in a pop-up window.


**WEB**

**DNS**

**MAIL**

**DB**

**CRON**

**BACKUP**

Backup restore

Create a new backup ?

After clicking on the button, confirmation of the action is available in a pop-up window.

Backup delete

Are you sure you want to Restore the Backup

After clicking on the button, confirmation of the action is available in a pop-up window.

serv1_fzlv_2_4861.2023-03-07_14-05-02.tar