

Email Template (puqHestiaCP Reset email password)

HestiaCP module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#)

Create an email template for customer notifications.

System Settings->Email Templates->Create New Email Template

- **Email Type:** Product/service

Unique Name: puqHestiaCP Reset email password

Subject:
Create New Email Template

Password has been change for e-Mail Account {\$email}

Email Type
Product/Service

Body:

Dear {\$client_name},

Yor password has been change for e-Mail account {\$email} on Product/Service: {\$service_product_name}.

Below is the user logging data.

Hostname: {\$hostname}
Email: {\$email}
Password: {\$password}

Webmail: [http://webmail.{\\$hostname}](http://webmail.{$hostname})

Hostname: mail.{\$hostname}

IMAP SETTINGS

Authentication: Normal Password

SSL/TLS: Port 993

STARTTLS: Port 143

No encryption: Port 143

POP3 SETTINGS

Authentication: Normal Password

SSL/TLS: Port 995

STARTTLS: Port 110

No encryption: Port 110

SMTP SETTINGS

Authentication: Normal Password

SSL/TLS: Port 465





STARTTLS: Port 587



















No encryption: Port 25

{signature}

Subject: Password has been change for e-Mail Account {\$email}

File ▾ Edit ▾ View ▾ Insert ▾ Format ▾ Table ▾ Help ▾

Paragraph ▾ Verdana ▾ 11pt ▾ **B** *I* ~~S~~ U A ▾ **A** ▾    

Dear **{\$client_name}**,

Yor password has been change for e-Mail account **{\$email}** on Product/Service: **{\$service_product_name}**.
Below is the user logging data.

Hostname: **{\$hostname}**
Email: **{\$email}**
Password: **{\$password}**
Webmail: **http://webmail.{\$hostname}**
Hostname: **mail.{\$hostname}**

IMAP SETTINGS
Authentication: **Normal Password**
SSL/TLS: **Port 993**
STARTTLS: **Port 143**
No encryption: **Port 143**

POP3 SETTINGS
Authentication: **Normal Password**
SSL/TLS: **Port 995**
STARTTLS: **Port 110**
No encryption: **Port 110**

SMTP SETTINGS
Authentication: **Normal Password**
SSL/TLS: **Port 465**
STARTTLS: **Port 587**
No encryption: **Port 25**

{\$signature}

89 WORDS POWERED BY TINYMCE

Revision #6

Created 24 October 2022 04:48:09 by Dmytro Kravchenko

Updated 11 June 2024 02:50:13 by Yuliia Noha