

Charts Section Description

Hetzner Datacenter module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#)

The "Charts" section provides visual representations of various performance metrics of your server over different time periods. This section is useful for monitoring and analyzing the server's resource usage and performance trends.

Available Time Frames:

At the top of the section, there are buttons that allow you to select the time frame for the displayed metrics:

- **Last hour**
- **Last day**
- **Last week**
- **Last month**
- **Last year**

Performance Metrics:

1. **CPU Usage:**

- **Description:** This chart shows the CPU usage over time, represented by a blue line. The vertical axis indicates the percentage of CPU usage, while the horizontal axis represents time.
- **Purpose:** Monitoring CPU usage helps to understand the server's processing load and identify periods of high or low activity.

2. **Disk IOPS (Input/Output Operations Per Second):**

- **Description:** This chart displays the disk IOPS, split into **Read IOPS** (blue) and **Write IOPS** (red). The vertical axis indicates the number of IOPS, and the horizontal axis represents time.
- **Purpose:** Tracking disk IOPS is important for understanding how frequently the disk is being accessed, which can affect the overall performance of the server, especially under high read/write operations.

3. **Disk Bandwidth:**

- **Description:** This chart shows the disk bandwidth usage, differentiated into **Read Bandwidth (MB)** (blue) and **Write Bandwidth (MB)** (red). The vertical axis

shows the bandwidth in megabytes, and the horizontal axis represents time.

- **Purpose:** This metric helps to monitor the amount of data being read from or written to the disk, which is crucial for assessing the impact of disk operations on the server's performance.

4. **Network Packets:**

- **Description:** This chart displays the number of network packets processed by the server, with **Packets In** (blue) and **Packets Out** (red). The vertical axis shows the number of packets, and the horizontal axis represents time.
- **Purpose:** Tracking network packets allows you to monitor the volume of incoming and outgoing network traffic, which is essential for understanding network load and identifying any potential issues with connectivity or bandwidth.

5. **Network Bandwidth:**

- **Description:** This chart shows the network bandwidth usage, with **Bandwidth In (MB)** (green) and **Bandwidth Out (MB)** (blue). The vertical axis indicates the bandwidth in megabytes, while the horizontal axis represents time.
- **Purpose:** Monitoring network bandwidth usage helps to evaluate the server's network performance and ensure that it can handle the necessary data throughput without bottlenecks.

- ★ Overview ^
- i Information
- 📊 Charts
- 🔄 Reinstall
- 📷 Snapshots
- 🔍 Backups
- ⊕ ISO mount
- 🔧 Actions ^
- 🔑 Reset password
- ☰ Upgrade/Downgrade Options

Dev License: This installation of WHMCS is running under a Development License and is not authorized to be used for production use. Please report any cases of abuse to abuse@whmcs.com


Last hour

Last day

Last week

Last month

Last year



Disk IOPS

Read IOPS

Write IOPS



Time

Disk Bandwidth

Read Bandwidth (MB)

Write Bandwidth (MB)



Time

Network Packets

Packets In

Packets Out



Time

Network Bandwidth

Bandwidth In (MB)

Bandwidth Out (MB)



Time

Revision #4

Created 1 September 2024 20:13:41 by Dmytro Kravchenko

Updated 4 September 2024 11:09:40 by Yuliia Noha