


Jak skonfigurować aplikację Thunderbird?

Aby skonfigurować aplikację Thunderbird na swoim urządzeniu, wykonaj następujące:

1. Uruchom aplikację, po czym możesz wprowadzić dane logowania do swojej skrzynki pocztowej.



Set Up Your Existing Email Address

Use your current email address

Your name: test.uuq.pl ⓘ

Email address: test@uuq.pl ⓘ


Password: ⓘ

Remember password

Cancel Configure manually... Continue

- 2.

Wybierz "Dodatkowa konfiguracja" i następnie wpisz dane do połączenia z serwerem.

- 

- Dane otrzymasz w panelu klienta lub od administratora.

3. Następnie spróbuj przetestować połączenia (jeśli na tym etapie masz problem, pomiń

go).

Set Up Your Existing Email Address

Use your current email address

Your name: test.uuq.pl

Email address: test@uuq.pl

Password:

Remember password

✓ The following settings were found by probing the given server

| | INCOMING | OUTGOING |
|-----------------|-----------------|-----------------|
| Protocol: | IMAP | SMTP |
| Server: | mx.uuq.pl | mx.uuq.pl |
| Port: | 143 | 587 |
| SSL: | STARTTLS | None |
| Authentication: | Normal password | Normal password |
| Username: | test@uuq.pl | test@uuq.pl |

[Advanced config](#)

Cancel Re-test Done

4. Dalej wybierz "Dalej", po czym zaakceptuj i korzystaj z mail w Thunderbird.
 - Uwaga! W niektórych przypadkach dostаточно wpisać **poprawne** dane i wybrać "Zaawansowana konfiguracja", to **utwórz konto natychmiast**, wybierz tą opcję, jeśli masz problem na etapie trzy i jesteś pewien że dane są poprawne.

Set Up Your Existing Email Address

Use your current email address

Your name: test.uuq.pl

Email address: test@uuq.pl

Password:


Remember password

✓ The following settings were found by probing the given server

| | INCOMING | OUTGOING |
|-----------------|-----------------|-----------------|
| Protocol: | IMAP | SMTP |
| Server: | mx.uuq.pl | mx.uuq.pl |
| Port: | 143 | 587 |
| SSL: | STARTTLS | None |
| Authentication: | Normal password | Normal password |
| Username: | test@uuq.pl | test@uuq.pl |

[Advanced config](#)

Cancel Re-test Done

A screenshot of a software window titled "Set Up Your Existing Email Address". The window has a dark theme. At the top, it says "Set Up Your Existing Email Address" and "Use your current email address". Below this are three input fields: "Your name:" with "test.uuq.pl", "Email address:" with "test@uuq.pl", and "Password:" with ".....". There is a "Remember password" checkbox which is checked. Below the password field, a green checkmark and text state "The following settings were found by probing the given server". This is followed by a table with two columns: "INCOMING" and "OUTGOING". The table contains settings for Protocol, Server, Port, SSL, Authentication, and Username. At the bottom right of the table area, there is a blue link "Advanced config" which is highlighted with a red rectangle. A red arrow points from the "Remember password" checkbox area down to the "Advanced config" link. At the very bottom of the window are three buttons: "Cancel", "Re-test", and "Done".

Revision #2

Created 5 November 2021 09:20:02 by Dmytro Kravchenko

Updated 3 January 2022 11:29:36 by Dmytro Kravchenko