Image Not Found or type unknown

How to manage modules

- How to Activate a Module
- How to Deactivate a Module
- How to Clean Up (Remove) a Module
- How to Update or Refresh a Module

How to Activate a Module

PUQcloud Panel

Order Now | Download | FAQ

Overview

This guide explains how to **activate** a module in PUQcloud Panel.
Activation makes a module available in the system and automatically creates all required database tables and configuration entries.

Navigation:
`Dashboard → Modules`


Steps to Activate a Module

1. Open the **Modules** section in the admin panel.
2. Find the desired module in the list.
3. If its status shows **INACTIVE**, click the **green button ()**.
4. The system will:
   - Run the `Activate` function.
   - Create or update the database tables required by the module.
   - Initialize default settings.
   - Change the module status to **ACTIVE**.

Result

The module is now active and can be configured or used immediately in other parts of the system (for example, as a payment gateway or product integration).

Example


PUQcloud
MENU
Dashboard
Clients
Services
Finance
Products
Monitoring
SETTINGS
Staff
Automation
Email & Notifications
DNS Manager
General
Add-ons
Marketplace
Modules
CUSTOMIZATION
Admin Template
Client Template
PUQ Proxmox
PUQ Nextcloud
Modules
Dashboard / Modules
Show 10 entries
Search
Name
Status
Type
Description
PUQ Bank Transfer
1dd18764-b14c-4614-b83e-26adc13d2715
ACTIVE
1.0.0
Payment
This is the default Bank Transfer payment gateway
Author: Ruslan Polovyi
PUQ Bell
76b795c0-1ddf-446c-802f-6c6bcc4131e4
ACTIVE
1.0.0
Notification
This is the default Bell notification
Author: Ruslan Polovyi
PUQ Docker
f6331916-0691-444a-af97-6c9b3633f9bf
INACTIVE
1.0.0
Product
This is Docker Product Module
Author: Ruslan Polovyi
PUQ Monobank
d7a6a696-53b0-4894-87d3-ec7c542f682f
INACTIVE
1.0.0
Payment
Monobank Payment Gateway Module for Ukrainian market with support for cards, Apple Pay, Google Pay, and QR codes
Author: PUQ sp. z o.o.
PUQ Nextcloud
4335b930-221e-4579-a9f0-24b785efac6f
ACTIVE
1.0.0
Product
This is Nextcloud Product Module
Author: Ruslan Polovyi
PUQ PayPal
d18d14b6-39aa-4ec8-88ad-8ed91b64a6df
ACTIVE
1.0.0
Payment
This is the default PayPal payment gateway
Author: Ruslan Polovyi
PUQ PHPmail
0a0a012b-18a8-46eb-a568-a49705e3c13c
ACTIVE
1.0.0
Notification
This is the default PHP mail sender
Author: Ruslan Polovyi
PUQ PowerDNS
0a4441ff-409d-492c-8b4a-899981a3324f
ACTIVE
1.0.0
DnsServer
This is the default PowerDNS integration
Author: Ruslan Polovyi
PUQ Proxmox
2d3be0a2-1333-4b73-9d92-6916209cf94d
ACTIVE
0.0.27
Product
This is Proxmox Product Module
Author: Ruslan Polovyi
PUQ Przelewy24
ACTIVE
Payment
This is the default przelewy24.pl payment gateway

How to Deactivate a Module

PUQcloud Panel

Order Now | Download | FAQ

Overview

Deactivation temporarily turns off a module while keeping its core data and configuration intact. It’s useful if you want to pause a module without uninstalling it.

Steps to Deactivate a Module

1. Go to **Dashboard → Modules**.
2. Locate the active module (marked as **ACTIVE**).
3. Click the **red cross (□)** button to deactivate it.
4. The system executes the `Deactivate` function, which:
   - Stops the module’s background tasks and integrations.
   - Removes temporary tables and runtime data.
   - Keeps the configuration in place for future reactivation.


Note

Deactivation does **not** delete the module from the system — it simply disables its functionality until reactivated.

Result

The module becomes **INACTIVE** but can be reactivated anytime with the green arrow button.

Example


PUQcloud
MENU
Dashboard
Clients
Services
Finance
Products
Monitoring
SETTINGS
Staff
Automation
Email & Notifications
DNS Manager
General
Add-ons
Marketplace
Modules
CUSTOMIZATION
Admin Template
Client Template
PUQ Proxmox
PUQ Nextcloud
Modules
Dashboard / Modules
Show 10 entries
Search
Name
Status
Type
Description
PUQ Bank Transfer
1dd18764-b14c-4614-b83e-26adc13d2715
ACTIVE
1.0.0
Payment
This is the default Bank Transfer payment gateway
Author: Ruslan Polovyi
PUQ Bell
76b795c0-1ddf-446c-802f-6c6bcc4131e4
ACTIVE
1.0.0
Notification
This is the default Bell notification
Author: Ruslan Polovyi
PUQ Docker
f6331916-0691-444a-af97-6c9b3633f9bf
INACTIVE
1.0.0
Product
This is Docker Product Module
Author: Ruslan Polovyi
PUQ Monobank
d7a6a696-53b0-4894-87d3-ec7c542f682f
INACTIVE
1.0.0
Payment
Monobank Payment Gateway Module for Ukrainian market with support for cards, Apple Pay, Google Pay, and QR codes
Author: PUQ sp. z o.o.
PUQ Nextcloud
4335b930-221e-4579-a9f0-24b785efac6f
ACTIVE
1.0.0
Product
This is Nextcloud Product Module
Author: Ruslan Polovyi
PUQ PayPal
d18d14b6-39aa-4ec8-88ad-8ed91b64a6df
ACTIVE
1.0.0
Payment
This is the default PayPal payment gateway
Author: Ruslan Polovyi
PUQ PHPmail
0a0a012b-18a8-46eb-a568-a49705e3c13c
ACTIVE
1.0.0
Notification
This is the default PHP mail sender
Author: Ruslan Polovyi
PUQ PowerDNS
0a4441ff-409d-492c-8b4a-899981a3324f
ACTIVE
1.0.0
DnsServer
This is the default PowerDNS integration
Author: Ruslan Polovyi
PUQ Proxmox
2d3be0a2-1333-4b73-9d92-6916209cf94d
ACTIVE
0.0.27
Product
This is Proxmox Product Module
Author: Ruslan Polovyi
PUQ Przelewy24
ACTIVE
Payment
This is the default przelewy24.pl payment gateway

How to Clean Up (Remove) a Module

PUQcloud Panel

Order Now | Download | FAQ

Overview

The **Clean Up** function completely removes a module from the PUQcloud system.
This includes deleting all related database records, configurations, and references.

Use this only for **non-activated modules**.

Steps to Clean Up a Module

1. Navigate to **Dashboard → Modules**.
2. Make sure the module is **INACTIVE**.
3. Click the **trash can (🗑)** icon next to it.
4. The system performs a **Clean Up**, which:
   - Deletes all module-related tables and data.
   - Removes configuration and system references.
   - Clears the registry of the module completely.

Important


If the same module is installed again later, it will:

- Receive a **new unique ID**.
- Be treated as a **fresh installation**.

Result

The module is permanently removed from PUQcloud.
No data remains in the system.

Example



How to Update or Refresh a Module

PUQcloud Panel

Order Now | Download | FAQ

Overview

The **Refresh (Update)** button allows you to safely upgrade or downgrade a module version.
This function ensures all database tables and settings are synchronized with the new configuration file.

When to Use Refresh

- When the module's version number in the configuration file changes.
- When the module stops appearing in the list after updating its files.
- When switching to an older version (downgrade).


Steps to Update a Module

1. Replace the module files with the new (or old) version.
2. Go to **Dashboard → Modules**.
3. Click the **blue Refresh (□□) button** next to the affected module.
4. The system runs the `Update` function, which:
   - Compares installed and config versions.
   - Updates database structure and settings.
   - Re-registers the module in the system.

Result

The module becomes visible and active again under the correct version.
This process ensures safe, **controlled updates** without breaking dependencies.

Example


PUQcloud
MENU
Dashboard
Clients
Services
Finance
Products
Monitoring
SETTINGS
Staff
Automation
Email & Notifications
DNS Manager
General
Add-ons
Marketplace
Modules
CUSTOMIZATION
Admin Template
Client Template
PUQ Proxmox
PUQ Nextcloud
Modules
Dashboard / Modules
Show 10 entries
Search
Name
Status
Type
Description
PUQ Bank Transfer
1dd18764-b14c-4614-b83e-26adc13d2715
ACTIVE
1.0.0
Payment
This is the default Bank Transfer payment gateway
Author: Ruslan Polovyi
PUQ Bell
76b795c0-1ddf-446c-802f-6c6bcc4131e4
ACTIVE
1.0.0
Notification
This is the default Bell notification
Author: Ruslan Polovyi
PUQ Docker
f6331916-0691-444a-af97-6c9b3633f9bf
INACTIVE
1.0.0
Product
This is Docker Product Module
Author: Ruslan Polovyi
PUQ Monobank
d7a6a696-53b0-4894-87d3-ec7c542f682f
INACTIVE
1.0.0
Payment
Monobank Payment Gateway Module for Ukrainian market with support for cards, Apple Pay, Google Pay, and QR codes
Author: PUQ sp. z o.o.
PUQ Nextcloud
4335b930-221e-4579-a9f0-24b785efac6f
ACTIVE
1.0.0
Product
This is Nextcloud Product Module
Author: Ruslan Polovyi
PUQ PayPal
d18d14b6-39aa-4ec8-88ad-8ed91b64a6df
ACTIVE
1.0.0
Payment
This is the default PayPal payment gateway
Author: Ruslan Polovyi
PUQ PHPmail
0a0a012b-18a8-46eb-a568-a49705e3c13c
ACTIVE
1.0.0
Notification
This is the default PHP mail sender
Author: Ruslan Polovyi
PUQ PowerDNS
0a4441ff-409d-492c-8b4a-899981a3324f
ACTIVE
1.0.0
DnsServer
This is the default PowerDNS integration
Author: Ruslan Polovyi
PUQ Proxmox
2d3be0a2-1333-4b73-9d92-6916209cf94d
ACTIVE
0.0.27
Product
This is Proxmox Product Module
Author: Ruslan Polovyi
PUQ Przelewy24
ACTIVE
Payment
This is the default przelewy24.pl payment gateway