

How to manage modules

- [How to Activate a Module](#)
- [How to Deactivate a Module](#)
- [How to Clean Up \(Remove\) a Module](#)
- [How to Update or Refresh a Module](#)

How to Activate a Module

PUQcloud Panel

[Order Now](#) | [Download](#) | [FAQ](#)

Overview

This guide explains how to **activate** a module in PUQcloud Panel. Activation makes a module available in the system and automatically creates all required database tables and configuration entries.

Navigation:

[Dashboard](#) → [Modules](#)

Steps to Activate a Module

1. Open the **Modules** section in the admin panel.
 2. Find the desired module in the list.
 3. If its status shows **INACTIVE**, click the **green button ()**.
 4. The system will:
 - Run the `Activate` function.
 - Create or update the database tables required by the module.
 - Initialize default settings.
 - Change the module status to **ACTIVE**.
-

Result

The module is now active and can be configured or used immediately in other parts of the system (for example, as a payment gateway or product integration).

Example

- MENU
- Dashboard
- Clients
- Services
- Finance
- Products
- Monitoring
- SETTINGS
- Staff
- Automation
- Email & Notifications
- DNS Manager
- General
- Add-ons
- Marketplace
- Modules
- CUSTOMIZATION
- Admin Template
- Client Template
- PUQ Proxmox
- PUQ Nextcloud

Modules

Dashboard / Modules

Show 10 entries

Search

Name	Status	Type	Description
PUQ Bank Transfer 1dd18764-b14c-4614-b83e-26adc13d2715	ACTIVE 1.0.0	Payment	This is the default Bank Transfer payment gateway Author: Ruslan Poloviyi
PUQ Bell 76b795c0-1ddf-446c-802f-6c6bcc4131e4	ACTIVE 1.0.0	Notification	This is the default Bell notification Author: Ruslan Poloviyi
PUQ Docker f6331916-0691-444a-af97-6c9b3633f9bf	INACTIVE 1.0.0	Product	This is Docker Product Module Author: Ruslan Poloviyi
PUQ Monobank d7a6a696-53b0-4894-87d3-ec7c542f682f	INACTIVE 1.0.0	Payment	Monobank Payment Gateway Module for Ukrainian market with support for cards, Apple Pay, Google Pay, and QR codes Author: PUQ sp. z o.o.
PUQ Nextcloud 4335b930-221e-4579-a9f0-24b785efac6f	ACTIVE 1.0.0	Product	This is Nextcloud Product Module Author: Ruslan Poloviyi
PUQ PayPal d10d14b6-39aa-4ec0-88ad-8ed91b64a6df	ACTIVE 1.0.0	Payment	This is the default PayPal payment gateway Author: Ruslan Poloviyi
PUQ PHPmail 0a0a012b-18a8-46eb-a56b-a49705e3c13c	ACTIVE 1.0.0	Notification	This is the default PHP mail sender Author: Ruslan Poloviyi
PUQ PowerDNS 0a4441ff-409d-492c-8b4a-899981a3324f	ACTIVE 1.0.0	DnsServer	This is the default PowerDNS integration Author: Ruslan Poloviyi
PUQ Proxmox 2d3be0a2-1333-4b73-9d92-6916209cf94d	ACTIVE 0.0.27	Product	This is Proxmox Product Module Author: Ruslan Poloviyi
PUQ Przelewy24 01d49a99-96a1-d899-9b0d-45759713611d	ACTIVE 1.0.0	Payment	This is the default przelewy24.pl payment gateway Author: Ruslan Poloviyi

How to Deactivate a Module

PUQcloud Panel

[Order Now](#) | [Download](#) | [FAQ](#)

Overview

Deactivation temporarily turns off a module while keeping its core data and configuration intact. It's useful if you want to pause a module without uninstalling it.

Steps to Deactivate a Module

1. Go to **Dashboard** → **Modules**.
 2. Locate the active module (marked as **ACTIVE**).
 3. Click the **red cross** (✖) button to deactivate it.
 4. The system executes the `Deactivate` function, which:
 - Stops the module's background tasks and integrations.
 - Removes temporary tables and runtime data.
 - Keeps the configuration in place for future reactivation.
-

Note

Deactivation does **not** delete the module from the system — it simply disables its functionality until reactivated.

Result

The module becomes **INACTIVE** but can be reactivated anytime with the green arrow button.

Example

- MENU
- Dashboard
- Clients
- Services
- Finance
- Products
- Monitoring
- SETTINGS
- Staff
- Automation
- Email & Notifications
- DNS Manager
- General
- Add-ons
- Marketplace
- Modules
- CUSTOMIZATION
- Admin Template
- Client Template
- PUQ Proxmox
- PUQ Nextcloud

Modules

Dashboard / Modules

Show 10 entries

Search

Name	Status	Type	Description
PUQ Bank Transfer 1dd18764-b14c-4614-b83e-26adc13d2715	ACTIVE 1.0.0	Payment	This is the default Bank Transfer payment gateway Author: Ruslan Poloviyi
PUQ Bell 76b795c0-1ddf-446c-802f-6c6bcc4131e4	ACTIVE 1.0.0	Notification	This is the default Bell notification Author: Ruslan Poloviyi
PUQ Docker f6331916-0691-444a-af97-6c9b3633f9bf	INACTIVE 1.0.0	Product	This is Docker Product Module Author: Ruslan Poloviyi
PUQ Monobank d7a6a696-53b0-4894-87d3-ec7c542f682f	INACTIVE 1.0.0	Payment	Monobank Payment Gateway Module for Ukrainian market with support for cards, Apple Pay, Google Pay, and QR codes Author: PUQ sp. z o.o.
PUQ Nextcloud 4335b930-221e-4579-a9f0-24b785efac6f	ACTIVE 1.0.0	Product	This is Nextcloud Product Module Author: Ruslan Poloviyi
PUQ PayPal d10d14b6-39aa-4ec0-88ad-8ed91b64a6df	ACTIVE 1.0.0	Payment	This is the default PayPal payment gateway Author: Ruslan Poloviyi
PUQ PHPmail 0a0a012b-18a8-46eb-a56b-a49705e3c13c	ACTIVE 1.0.0	Notification	This is the default PHP mail sender Author: Ruslan Poloviyi
PUQ PowerDNS 0a4441ff-409d-492c-8b4a-899981a3324f	ACTIVE 1.0.0	DnsServer	This is the default PowerDNS integration Author: Ruslan Poloviyi
PUQ Proxmox 2d3be0a2-1333-4b73-9d92-6916209cf94d	ACTIVE 0.0.27	Product	This is Proxmox Product Module Author: Ruslan Poloviyi
PUQ Przelewy24 01d49a99-96a1-d899-9b0d-45759713611d	ACTIVE 1.0.0	Payment	This is the default przelewy24.pl payment gateway Author: Ruslan Poloviyi

How to Clean Up (Remove) a Module

PUQcloud Panel


[Order Now](#) | [Download](#) | [FAQ](#)

Overview

The **Clean Up** function completely removes a module from the PUQcloud system. This includes deleting all related database records, configurations, and references.

Use this only for **non-activated modules**.

Steps to Clean Up a Module

1. Navigate to **Dashboard → Modules**.
 2. Make sure the module is **INACTIVE**.
 3. Click the **trash can** () next to it.
 4. The system performs a **Clean Up**, which:
 - Deletes all module-related tables and data.
 - Removes configuration and system references.
 - Clears the registry of the module completely.
-

Important


If the same module is installed again later, it will:

- Receive a **new unique ID**.
 - Be treated as a **fresh installation**.
-

Result

The module is permanently removed from PUQcloud.
No data remains in the system.

Example



The screenshot displays the PUQcloud interface, specifically the 'Modules' section. The left sidebar contains navigation menus for 'MENU', 'SETTINGS', 'Add-ons', and 'CUSTOMIZATION'. The main content area shows a table of installed modules, each with a 'Name', 'Status', 'Type', and 'Description'. The status of each module is indicated by a green 'ACTIVE' or grey 'INACTIVE' badge. The table includes modules like PUQ Bank Transfer, PUQ Bell, PUQ Docker, PUQ Monobank, PUQ Nextcloud, PUQ PayPal, PUQ PHPmail, PUQ PowerDNS, PUQ Proxmox, and PUQ Przelewy24.

Name	Status	Type	Description
PUQ Bank Transfer 1dd18764-b14c-4614-b83e-26adc13d2715	ACTIVE	Payment	This is the default Bank Transfer payment gateway Author: Ruslan Poloviyi
PUQ Bell 76b795c0-1ddf-446c-802f-6c6bcc4131e4	ACTIVE	Notification	This is the default Bell notification Author: Ruslan Poloviyi
PUQ Docker f6331916-0691-444a-a9f7-6c9b3633f9bf	INACTIVE	Product	This is Docker Product Module Author: Ruslan Poloviyi
PUQ Monobank d7a6a696-53bd-4894-87d3-ec7c542f682f	INACTIVE	Payment	Monobank Payment Gateway Module for Ukrainian market with support for cards, Apple Pay, Google Pay, and QR codes Author: PUQ sp. z o.o.
PUQ Nextcloud 4335b930-221e-4579-a9f0-24b785efac6f	ACTIVE	Product	This is Nextcloud Product Module Author: Ruslan Poloviyi
PUQ PayPal d18d14b6-39aa-4ec8-88ad-8ed91b64a6df	ACTIVE	Payment	This is the default PayPal payment gateway Author: Ruslan Poloviyi
PUQ PHPmail 0a0a012b-18a8-46eb-a568-a49705e3c13c	ACTIVE	Notification	This is the default PHP mail sender Author: Ruslan Poloviyi
PUQ PowerDNS 0a4441ff-409d-492c-8b4a-899981a3324f	ACTIVE	DnsServer	This is the default PowerDNS integration Author: Ruslan Poloviyi
PUQ Proxmox 2d3be0a2-1333-4b73-9d92-6916209cf94d	ACTIVE	Product	This is Proxmox Product Module Author: Ruslan Poloviyi
PUQ Przelewy24 0ad29a6d0-b8a1-4c7c-9ba4-457507176114	ACTIVE	Payment	This is the default przelewy24.pl payment gateway Author: Ruslan Poloviyi

How to Update or Refresh a Module

PUQcloud Panel

[Order Now](#) | [Download](#) | [FAQ](#)

Overview

The **Refresh (Update)** button allows you to safely upgrade or downgrade a module version. This function ensures all database tables and settings are synchronized with the new configuration file.

When to Use Refresh

- When the module's version number in the configuration file changes.
 - When the module stops appearing in the list after updating its files.
 - When switching to an older version (downgrade).
-

Steps to Update a Module

1. Replace the module files with the new (or old) version.
 2. Go to **Dashboard → Modules**.
 3. Click the **blue Refresh** (🔄) button next to the affected module.
 4. The system runs the `|Update|` function, which:
 - Compares installed and config versions.
 - Updates database structure and settings.
 - Re-registers the module in the system.
-

Result

The module becomes visible and active again under the correct version. This process ensures safe, **controlled updates** without breaking dependencies.

Example

PUQcloud

MENU

- Dashboard
- Clients
- Services
- Finance
- Products
- Monitoring

SETTINGS

- Staff
- Automation
- Email & Notifications
- DNS Manager
- General
- Add-ons
 - Marketplace
 - Modules

CUSTOMIZATION

- Admin Template
- Client Template
- PUQ Proxmox
- PUQ Nextcloud

Modules

Dashboard / Modules

Show 10 entries

Search

Name	Status	Type	Description	
PUQ cloud PUQ Bank Transfer 1dd18764-b14c-4614-b83e-26adc13d2715	ACTIVE 1.0.0	Payment	This is the default Bank Transfer payment gateway Author: Ruslan Poloviy	
PUQ cloud PUQ Bell 76b795c0-1ddf-446c-802f-6c6bcc4131e4	ACTIVE 1.0.0	Notification	This is the default Bell notification Author: Ruslan Poloviy	
PUQ cloud PUQ Docker f631916-0691-444a-af97-5c9b3633f9bf	INACTIVE 1.0.0	Product	This is Docker Product Module Author: Ruslan Poloviy	
PUQ cloud PUQ Monobank d7a6a696-53b0-4894-87d3-ec7c542f682f	INACTIVE 1.0.0	Payment	Monobank Payment Gateway Module for Ukrainian market with support for cards, Apple Pay, Google Pay, and QR codes Author: PUQ sp. z o.o.	
PUQ cloud PUQ Nextcloud 4335b930-221e-4579-a9f0-24b785efac6f	ACTIVE 1.0.0	Product	This is Nextcloud Product Module Author: Ruslan Poloviy	
PUQ cloud PUQ PayPal d18d14b6-39aa-4ec8-88ad-8ed91b64a6df	ACTIVE 1.0.0	Payment	This is the default PayPal payment gateway Author: Ruslan Poloviy	
PUQ cloud PUQ PHPmail 0a0a012b-18a8-46eb-a568-a49705e3c13c	ACTIVE 1.0.0	Notification	This is the default PHP mail sender Author: Ruslan Poloviy	
PUQ cloud PUQ PowerDNS 0a4441ff-409d-492c-8b4a-899981a3324f	ACTIVE 1.0.0	DnsServer	This is the default PowerDNS integration Author: Ruslan Poloviy	
PUQ cloud PUQ Proxmox 2d3be0a2-1333-4b73-9d92-6916209cf94d	ACTIVE 0.0.27	Product	This is Proxmox Product Module Author: Ruslan Poloviy	
PUQ cloud PUQ Przelewy24 0d49ab69-b8a1-4c7c-8f9ba4-657597126114	ACTIVE 1.0.0	Payment	This is the default przelewy24.pl payment gateway Author: Ruslan Poloviy	