Add a Jellyfin server in WHMCS


Jellyfin Family module **WHMCS**

Order now | Download | Community

Configure the connection to your Jellyfin server under **System Settings → Servers → Add New Server**.

Field	Value
Name	A label for the server.
Hostname / IP Address	The Jellyfin server hostname or IP.
Module	`PUQ Jellyfin Family`.
Username	A Jellyfin **administrator** username.
Password	That administrator's password.
Access Hash	A Jellyfin **API key** (Jellyfin Dashboard → API Keys).
Secure (SSL)	Enable if Jellyfin is served over HTTPS.
Port	Jellyfin port (default `8096`, or `443` when SSL is enabled).

In the **Server Details** section select **Module → PUQ Jellyfin Family**, fill in the **Username**, **Password** and **Access Hash** (API key), tick **Secure** for SSL and set the **Port**.



Use **Test Connection** to confirm WHMCS can reach Jellyfin and authenticate. The module authenticates with the username / password + API key to obtain an access token, then calls `System/Info` to verify connectivity. On success some fields are auto-filled and the status shows **Connection successful**.

Finally, assign the server (or a server group that contains it) to your Jellyfin Family product under the product's **Module Settings**.

Revision #2
Created 1 July 2026 19:03:19 by Ruslan
Updated 1 July 2026 19:03:35 by Ruslan