

# Add server (Jellyfin server)

## Jellyfin Family module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#)

Add a new server to the system WHMCS.

System Settings->Servers->Add New Server

- Enter the correct **Name** and **Hostname**

Name	<input type="text" value="jellyfin [REDACTED]"/>
Hostname	<input type="text" value="jellyfi [REDACTED]"/>
IP Address	<input type="text"/>
Assigned IP Addresses (One per line)	<div style="border: 1px solid #ccc; height: 100px;"></div>
Monthly Cost	<input type="text"/>
Datacenter/NOC	<input type="text"/>
Maximum No. of Accounts	<input type="text" value="200"/>
Server Status Address	<input type="text"/> <small>To display this server on the server status page, enter the full path to the folder (required to be uploaded to each server you want to monitor) - e.g. https://www.example.com/status/</small>
Enable/Disable	<input type="checkbox"/> Check to disable this server

- In the **Server Details** section, select the "**PUQ Jellyfin Family**" module and enter the

correct **username**, **password** and **access hash (API key)** for the **Jellyfin web interface**.

- To check, click the "**Test connection**" button

Module	PUQ Jellyfin Family	<input type="button" value="Test Connection"/>
	✓ Connection successful. Some values have been auto-filled.	
Username	admin	
Password	.....	
Access Hash	5 [REDACTED]	
Secure	<input checked="" type="checkbox"/> Check to use SSL Mode for Connections	
Port	443	<input type="checkbox"/> Override with Custom Port

Revision #1

Created 6 May 2024 09:45:59 by Yuliia Noha

Updated 6 May 2024 09:47:25 by Yuliia Noha