

Product Configuration

Jellyfin module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#)

Create a new Products/Services

System Settings->Products/Services->Create a New Product

In the **Module settings** section, select the "**PUQ Jellyfin**" module

| | |
|-------------------------|---|
| License key | 9T9AEM[REDACTED]2WDHP success: 2024-01-26T12:25:14+01:00 |
| Libraries Configuration | <p>Use All Libraries: <input type="checkbox"/> select all libraries together</p> <div><div>Movies</div><div>Clips</div></div> <p>Write down the libraries you want to make available to customers of this product. (IMPORTANT! Start a new line for each new library) Example: "Movies Beginner's Programming Course Comedy"</p> <p>IMPORTANT! If you have a folder named "-", please enter it not as the first one or rename it. If you don't want any folder to be accessible, type "-".</p> |
| Allow playback | <p>media: <input checked="" type="checkbox"/></p> <p>audio that requires transcoding: <input checked="" type="checkbox"/></p> <p>video that requires transcoding: <input type="checkbox"/></p> <p>video that requires conversion without re-encoding: <input type="checkbox"/></p> |
| Links | <p>Instruction: <input type="text" value="https://doc.puq.info/books/jellyfin-whmcs-r"/></p> <p>A link to the instruction will be reflected in the client area.</p> |
| User Configuration | <p>Streaming bitrate limit: <input type="text" value="50"/> Mbps</p> <p>SyncPlay access: <input type="text" value="Allow user to create and join groups"/> Sync playback with other devices</p> <p>Remote control: <input checked="" type="checkbox"/> Remote control of shared devices (DLNA devices are considered shared until a user begins controlling them)</p> <p>Media downloads: <input checked="" type="checkbox"/> Users can download media and store it on their devices. This is not the same as a sync feature. Book libraries require this enabled to function properly.</p> <p>User sessions: <input type="text" value="10"/> A value of 0 will disable the feature.</p> <p>Failed login attempts: <input type="text" value="3"/> before user is locked out. Setting this to -1 will disable the feature.</p> <p>Username prefix: <input type="text" value="jelly-"/> Will be attached to the beginning of username. Only small letters and numbers and symbol "-"</p> <p>Username suffix: <input type="text" value="-fin"/> Will be appended to the end of username. Only small letters and numbers and symbol "-"</p> |
| Feature access | <p>Allow Live TV access: <input checked="" type="checkbox"/></p> <p>Allow Live TV recording management: <input type="checkbox"/></p> <p>Force transcoding of remote media sources such as Live TV: <input type="checkbox"/></p> |

- **License key:** A pre-purchased license key for the "**PUQ Jellyfin**" module. For the module to work correctly, the key must be active

Libraries:

- **Use All Libraries:** Choosing all of libraries from your Jellyfin server
- **Libraries:** The libraries you want to make available to customers of this product.
(IMPORTANT! Start a new line for each new library)

Example:

"Movies

Beginner`s Programming Course

Comedy"

IMPORTANT!

If you have a folder named "-", please enter it not as the first one or rename it.

If you don't want any folder to be accessible, type "-".

User Configuration:

- **Streaming bitrate limit:** An optional per-stream bitrate limit for all out of network devices. This is useful to prevent devices from requesting a higher bitrate than your internet connection can handle. This may result in increased CPU load on your server in order to transcode videos on the fly to a lower bitrate.
- **SyncPlay access:** The SyncPlay feature enables to sync playback with other devices. Select the level of access this user has to the SyncPlay
- **Remote control:** Remote control of shared devices (DLNA devices are considered shared until a user begins controlling them)
- **Media downloads:** Users can download media and store it on their devices. This is not the same as a sync feature. Book libraries require this enabled to function properly.
- **User sessions:** Set the maximum number of simultaneous user sessions.
A value of 0 will disable the feature.
- **Failed login attempts:** Determine how many incorrect login tries can be made before lockout occurs.
A value of zero means inheriting the default of three tries for normal users and five for administrators. Setting this to -1 will disable the feature.
- **Username prefix/Username suffix:** Necessary in order to generate a username for the service, in the format: **prefix<client_id>-<service_id>suffix**

Allow playback (Restricting access to transcoding may cause playback failures in clients due to unsupported media formats)

- **media**
- **audio that requires transcoding**
- **video that requires transcoding**
- **video that requires conversion without re-encoding**

Feature access:

- **Allow Live TV access**
- **Allow Live TV recording management**
- **Force transcoding of remote media sources such as Live TV**

Links

- **Link to instruction:** Link to the instruction, if filled out, it will be reflected in the client area
-

Revision #9

Created 2 November 2023 13:46:50 by Yuliia Noha

Updated 18 December 2023 10:56:49 by Yuliia Noha