

Product Configuration

Jellyfin module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#)

Create a new Products/Services

System Settings->Products/Services->Create a New Product

In the **Module settings** section, select the "**PUQ Jellyfin**" module

Edit Product

Details Pricing Module Settings Custom Fields Configurable Options Upgrades Free Domain Cross-sells Other Links

Module Name: PUQ Jellyfin
Server Group: jellyfin-test.uuq.pl

License key: XBN2Y5-XXCXBC-8LHPGS-CJVTY5-SMSJ2P
success: 2025-07-08T16:03:33+02:00

Use All Libraries: ☐ select all libraries together

Libraries Configuration

Libraries:

Write down the libraries you want to make available to customers of this product.
(IMPORTANT! Start a new line for each new library)
Example:
"Movies
Beginner's Programming Course
Comedy"

IMPORTANT!
If you have a folder named "-", please enter it not as the first one or rename it.
If you don't want any folder to be accessible, type "-".

media: ☐
audio that requires transcoding: ☒
video that requires transcoding: ☐
video that requires conversion without re-encoding: ☐

Links

Instruction: <https://doc.puq.info/books/jellyfin-whmcs-r>
A link to the instruction will be reflected in the client area.

User Configuration

Streaming bitrate limit: 60
Mbps. Please provide number from 1 to 60

SyncPlay access: ☐ Allow user to create and join groups Sync playback with other devices

Remote control: ☐ Remote control of shared devices (DLNA devices are considered shared until a user begins controlling them)

Media downloads: ☒ Users can download media and store it on their devices. This is not the same as a sync feature. Book libraries require this enabled to function properly.

User sessions: 3 A value of 0 will disable the feature.

Failed login attempts: 3 before user is locked out. Setting this to -1 will disable the feature.

Username prefix: jelly-
Will be attached to the beginning of username. Only small letters and numbers and symbol "-"

Username suffix: -fin
Will be appended to the end of username. Only small letters and numbers and symbol "-"

Feature access

Allow Live TV access: ☐
Allow Live TV recording management: ☒
Force transcoding of remote media sources such as Live TV: ☐

Client Area

Show Password: Plain text
Show service password in the client area

- **License key:** A pre-purchased license key for the "**PUQ Jellyfin**" module. For the module to work correctly, the key must be active

Libraries:

- **Use All Libraries:** Choosing all of libraries from your Jellyfin server
- **Libraries:** The libraries you want to make available to customers of this product.
(IMPORTANT! Start a new line for each new library)

Example:

"Movies

Beginner`s Programming Course

Comedy"

IMPORTANT!

If you have a folder named "-", please enter it not as the first one or rename it.

If you don't want any folder to be accessible, type "-".

User Configuration:

- **Streaming bitrate limit:** An optional per-stream bitrate limit for all out of network devices. This is useful to prevent devices from requesting a higher bitrate than your internet connection can handle. This may result in increased CPU load on your server in order to transcode videos on the fly to a lower bitrate.
- **SyncPlay access:** The SyncPlay feature enables to sync playback with other devices. Select the level of access this user has to the SyncPlay
- **Remote control:** Remote control of shared devices (DLNA devices are considered shared until a user begins controlling them)
- **Media downloads:** Users can download media and store it on their devices. This is not the same as a sync feature. Book libraries require this enabled to function properly.
- **User sessions:** Set the maximum number of simultaneous user sessions.
A value of 0 will disable the feature.
- **Failed login attempts:** Determine how many incorrect login tries can be made before lockout occurs.
A value of zero means inheriting the default of three tries for normal users and five for administrators. Setting this to -1 will disable the feature.
- **Username prefix/Username suffix:** Necessary in order to generate a username for the service, in the format: **prefix<client_id>-<service_id>suffix**

Allow playback (Restricting access to transcoding may cause playback failures in clients due to unsupported media formats)

- **media**
- **audio that requires transcoding**
- **video that requires transcoding**
- **video that requires conversion without re-encoding**

Feature access:

- **Allow Live TV access**
- **Allow Live TV recording management**
- **Force transcoding of remote media sources such as Live TV**

Links

- **Link to instruction:** Link to the instruction, if filled out, it will be reflected in the client area
-

Revision #10

Created 2 November 2023 13:46:50 by Yuliia Noha

Updated 16 July 2024 08:29:14 by Yuliia Noha