

# Admin Area

- [Order Detail](#)

# Order Detail

## Jellyfin module **WISECP**

[Order now](#) | [Download](#) | [FAQ](#)

Navigate to the service you want to manage, then go to the '**Core**' tab.

Jellyfin Order Detail

Dashboard / Orders / Jellyfin Order Detail

Detail

Core

Blocks

Order Addons

Requirements

Upgrade / Downgrade

History

Cancellation / Refund

API Module

PUQ Jellyfin

Drop All Devices

Unlock User

API answer OK

Username: jelly-4-194-fin

Is Disabled : NO

Beginner's Programming Course

Streaming bitrate limit	Active Sessions	Failed Login Attempt	Sync Play Access
60 Mbps	1/3	2/3	Allow user to join groups

10

Show Record

Search

Device Name	App Name	Last Activity
Edge Chromium	Jellyfin Web	2024-07-08T12:36:43.9502049Z

Showing records from 1 to 1 - 1

Prev

1

Next

Username

jelly-4-194-fin

Password

XEAKTINJ

Server

Jellyfin

Overwrite package settings

Overwriting the package settings is necessary to personalize the service if you need it.

Send changes to server

To apply the changes on the server, it is necessary to check this checkbox.

Update

In the opened tab, you have a view of the online status of the service. The available online information includes:

- Connection status to the API
- Information about the Jellyfin account on the **Jellyfin** server
- Information about the account

Also, below are fields with the client's personal data.

You can also individually override package options for the client by checking the '**Overwrite package settings**' box.

After modifying the configuration options, check the '**Send changes to server**' box to save the data to the Jellyfinserver.



Username	<input type="text" value="jelly-4-133-fin"/>	Password	<input type="text" value="Js46hzq4kF1b"/>	Server	<input type="text" value="jellyfin-test.uuq.pl"/>
Server Group	<input type="text" value="Default (Servers: 1)"/>	Use All Libraries	<input type="checkbox"/> select all libraries together		
Username prefix	<input type="text" value="jelly-"/> <small>Will be attached to the beginning of username. Only small letters and numbers and symbol "-"</small>	Libraries	<input type="text" value="Movies"/>		
Username suffix	<input type="text" value="-fin"/> <small>Will be appended to the end of username. Only small letters and numbers and symbol "-"</small>	Streaming bitrate limit	<input type="text" value="50"/> Mbps		
SyncPlay access	<input type="text" value="Allow user to create and join groups"/> <small>Sync playback with other devices</small>	User sessions	<input type="text" value="3"/> <small>A value of 0 will disable the feature.</small>		
Failed login attempts	<input type="text" value="3"/> <small>before user is locked out. Setting this to -1 will disable the feature</small>	Remote control	<input checked="" type="checkbox"/> Remote control of shared devices		
Media downloads	<input checked="" type="checkbox"/> Users can download media and store it on their devices. This is not the same as a sync feature. Book libraries require this enabled to function properly.	Allow Playback Media	<input checked="" type="checkbox"/>		
Allow Playback Audio	<input checked="" type="checkbox"/> audio that requires transcoding	Allow Playback Video	<input type="checkbox"/> video that requires transcoding		
Allow Playback Video	<input checked="" type="checkbox"/> video that requires conversion without re-encoding	Allow Live TV access	<input type="checkbox"/>		
Allow Live TV recording management	<input checked="" type="checkbox"/>	Force transcoding of remote media sources such as Live TV	<input type="checkbox"/>		
Link to instruction	<input type="text" value="https://doc.puq.info/books/jellyfin-wisecp-m"/> <small>A link to the instruction will be reflected in the client area.</small>				
Overwrite package settings	<input checked="" type="checkbox"/> Overwriting the package settings is necessary to personalize the service if you need it.				
Send changes to server	<input checked="" type="checkbox"/> To apply the changes on the server, it is necessary to check this checkbox.				

Update

