

# Order Detail

Jellyfin module **WISECP**

[Order now](#) | [Download](#) | [FAQ](#)

Navigate to the service you want to manage, then go to the '**Core**' tab.

 Drop All Devices Unblock User

✓ API answer OK

Username: jelly-4-133-fin Is Disabled : NO

Movies

Streaming bitrate limit

Active Sessions

Failed Login Attempt

Sync Play Access

50 Mbps

0/3

0/3

Allow user to create and join groups

10



Show Record

Search

Device  
Name

App Name

Last Activity

No data available in table

No Records

Prev

Next

Username jelly-4-133-fin

Password Js46hzq4kF1b

Server

jellyfin-test.uuq.pl ▼

Overwrite package settings

☐

Overwriting the package settings is necessary to personalize the service if you need it.

Send changes to server

☐

To apply the changes on the server, it is necessary to check this checkbox.

Update

In the opened tab, you have a view of the online status of the service. The available online information includes:

- Connection status to the API
- Information about the Jellyfin account on the **Jellyfin** server
- Information about the account

Also, below are fields with the client's personal data.

You can also individually override package options for the client by checking the '**Overwrite package settings**' box.

After modifying the configuration options, check the '**Send changes to server**' box to save

the data to the Jellyfinserver.



<b>Username</b>	<input type="text" value="jelly-4-133-fin"/>	<b>Password</b>	<input type="text" value="Js46hzq4kF1b"/>	<b>Server</b>	<input type="text" value="jellyfin-test.uuq.pl"/>
<b>Server Group</b>	<input type="text" value="Default (Servers: 1)"/>	<b>Use All Libraries</b>	<input type="checkbox"/> select all libraries together		
<b>Username prefix</b>	<input type="text" value="jelly-"/> <small>Will be attached to the beginning of username. Only small letters and numbers and symbol "-"</small>	<b>Libraries</b>	<input type="text" value="Movies"/>		
<b>Username suffix</b>	<input type="text" value="-fin"/> <small>Will be appended to the end of username. Only small letters and numbers and symbol "-"</small>	<b>Streaming bitrate limit</b>	<input type="text" value="50"/> Mbps		
<b>SyncPlay access</b>	<input type="text" value="Allow user to create and join groups"/> Sync playback with other devices	<b>User sessions</b>	<input type="text" value="3"/> <small>A value of 0 will disable the feature.</small>		
<b>Failed login attempts</b>	<input type="text" value="3"/> <small>before user is locked out. Setting this to -1 will disable the feature</small>	<b>Remote control</b>	<input checked="" type="checkbox"/> Remote control of shared devices		
<b>Media downloads</b>	<input checked="" type="checkbox"/> Users can download media and store it on their devices. This is not the same as a sync feature. Book libraries require this enabled to function properly.	<b>Allow Playback Media</b>	<input checked="" type="checkbox"/>		
<b>Allow Playback Audio</b>	<input checked="" type="checkbox"/> audio that requires transcoding	<b>Allow Playback Video</b>	<input type="checkbox"/> video that requires transcoding		
<b>Allow Playback Video</b>	<input checked="" type="checkbox"/> video that requires conversion without re-encoding	<b>Allow Live TV access</b>	<input type="checkbox"/>		
<b>Allow Live TV recording management</b>	<input checked="" type="checkbox"/>	<b>Force transcoding of remote media sources such as Live TV</b>	<input type="checkbox"/>		
<b>Link to instruction</b>	<input type="text" value="https://doc.puq.info/books/jellyfin-wisecp-m"/> <small>A link to the instruction will be reflected in the client area.</small>				
<b>Overwrite package settings</b>	<input checked="" type="checkbox"/> Overwriting the package settings is necessary to personalize the service if you need it.				
<b>Send changes to server</b>	<input checked="" type="checkbox"/> To apply the changes on the server, it is necessary to check this checkbox.				

Update

---

Revision #3

Created 1 December 2023 13:40:13 by Yuliia Noha

Updated 4 December 2023 11:13:05 by Yuliia Noha