Image not found or type unknown

Add server (Mikrotik) in WISECP

Mikrotik WireGuard Business-VPN module


WISECP


Order now | Download | FAQ


1. Log in to the administrative area of your **WISECP**.


2. Go to module configuration.

```
Services -> Service Management -> Module Settings -> Other -> All Modules -> PUQ Mikrotik WireGuard Business- VPN
```










3. In the opened page, click the '**Add Server**' button.



4. On the opened page, enter all the necessary information:

- **Name**: Displayed name of the server.
- **Maximum Number of Accounts**: The number of services that can be on this server.
- **Server Group**: Optionally, choose the server group.
- **DNS 1 and DNS 2**: are DNS servers that will be specified in the configuration of WireGuard clients.
- **Assigned IP Addresses**: a list of Interface fot public IP, Public IP, Private Net that will be assigned to WireGuard VPN clients, with each address on a new line. Format:

```
<interface>| <public_ip>/<mask>| <private_network>/<mask>
```

- **IP Address or Domain**: The address of the MikroTik router you are connecting to.
- **Username:** is the username for the account on MikroTik.
- **Password:** is the password for the account on MikroTik.
- Check the **SSL** box if you want to use SSL-encrypted connection. If necessary, specify the port and perform a connection test.

Go to Back

Add New Server

Name	vpn-test.uuq.pl
Maximum Number of Accounts	10
Server Group	Default
Default	Set as default server in group
DNS 1	77.87.125.10
DNS 2	77.87.125.20
Assigned IP Addresses (One per line)	ether1-pub|77.87.125.206/25|192.168.101.0/24 ether1-pub|77.87.125.207/25|192.168.102.0/24 ether1-pub|77.87.125.208/25|192.168.103.0/24 ether1-pub|77.87.125.209/25|192.168.104.0/24 ether1-pub|77.87.125.210/25|192.168.105.0/24 ether1-pub|77.87.125.211/25|192.168.106.0/24 ether1-pub|77.87.125.212/25|192.168.107.0/24 ether1-pub|77.87.125.213/25|192.168.108.0/24
	`<interface>|<public_ip>/<mask>|<private_network>/<mask>`
IP Address or Domain	vpn-test.uuq.pl
Username	wisecp-dev-MWG
Password	
SSL	Connect using SSL
Port	443 Change standard port
Test Connection	Test Connection

Add New Server

Revision #1

Created 25 November 2023 07:55:45 by Ruslan

Updated 25 November 2023 15:44:33 by Ruslan