

# Admin Area

- [Order Detail](#)

# Order Detail

## Mikrotik WireGuard VPN module **WISECP**

[Order now](#) | [Download](#) | [FAQ](#)

Navigate to the service you want to manage, then go to the '**Core**' tab.


API Module

PUQ Mikrotik WireGuard VPN

Reset VPN Interface

API answer OK

publicKey	Status	EndPoint	Latest handshake	Transfer RX	Transfer TX
X386BmlbADlkEh77it7x73amX/g7ZWbdOxZJA3O3SkM=	enabled	184.151.246.219:38059	1m53s	363.1 KB	1.51 MB



[Interface]

Address = 192.168.88.2  
DNS = 8.8.8.8,1.1.1.1  
PrivateKey = oCzuOvKrg8s955HVzINtk0xmZJCPIr3ITnqEU8AmQWA=

[Peer]

PersistentKeepalive = 25  
Endpoint = vpn-test.uuq.pl:13232  
PublicKey = QwQRKYAA3TTHkR8/c7JuOwGoJ9Gdjfn0SswXXDXZARg=  
AllowedIPs = 0.0.0.0/0, ::/0

Public Key

X386BmlbADlkEh77it7x73amX/g7ZWbdOxZJA3O3SkM=

Private Key

oCzuOvKrg8s955HVzINtk0xmZJCPIr3ITnqEU8AmQWA=

Server

vpn-test.uuq.pl

Dedicated IP

192.168.88.2

Overwrite package settings

☐ Overwriting the package settings is necessary to personalize the service if you need it.

Send changes to server

☐ To apply the changes on the server, it is necessary to check this checkbox.

Update


In the opened tab, you have a view of the online status of the service. The available online information includes:

- Connection status to the API
- Information about the VPN account on the **MikroTik** router
- Information about the account

Also, below are fields with the client's personal data.

You can also individually override package options for the client by checking the '**Overwrite package settings**' box.

After modifying the configuration options, check the '**Send changes to server**' box to save the data to the **MikroTik** server.



[Peer]

PersistentKeepalive = 25  
Endpoint = vpn-test.uuq.pl:13232  
PublicKey = QwQRKYAA3TTHkR8/c7Ju0wGo39GdjfnOSsuXXDXZARg=  
AllowedIPs = 0.0.0.0/0, ::/0

Public Key	X386BmlbADikEh77it7x73amX/g7ZWbdOxZJA3O35KM=	Private Key	oCzuOvKrg8s955HVziNtkOxnZICPlr3ITnqEU8AmQWA=
Server	vpn-test.uuq.pl	Dedicated IP	192.168.88.2
Server Group	Default (Servers: 1)	WireGuard Server	wireguard2
Bandwidth Download	5 in megabits (M)	Bandwidth Upload	5 in megabits (M)
Comment prefix	wisecp Will be attached to a comment on Mikrotik	Persistent Keepalive	25
AllowedIPs	0.0.0.0/0		
Link to instruction	https://puq.pl/ A link to the instruction will be reflected in the client area.	Link to VPN clients	https://puq.pl/ A link to the instruction will be reflected in the client area.
Overwrite package settings	<input checked="" type="checkbox"/> Overwriting the package settings is necessary to personalize the service if you need it.		
Send changes to server	<input type="checkbox"/> To apply the changes on the server, it is necessary to check this checkbox.		

Update