

Admin Area

- [Order Detail](#)

Order Detail

Mikrotik WireGuard VPN module **WISECP**

[Order now](#) | [Download](#) | [FAQ](#)

Navigate to the service you want to manage, then go to the '**Core**' tab.


API Module

PUQ Mikrotik WireGuard VPN

Reset VPN Interface

API answer OK

| publicKey | Status | EndPoint | Latest handshake | Transfer RX | Transfer TX |
|--|---------|-----------------------|------------------|-------------|-------------|
| X386BmlbADlkEh77it7x73amX/g7ZWbdOxZJA3O3SkM= | enabled | 184.151.246.219:38059 | 1m53s | 363.1 KB | 1.51 MB |



[Interface]

Address = 192.168.88.2
DNS = 8.8.8.8,1.1.1.1
PrivateKey = oCzuOvKrg8s955HVzINtk0xmZJCPIr3ITnqEU8AmQWA=

[Peer]

PersistentKeepalive = 25
Endpoint = vpn-test.uuq.pl:13232
PublicKey = QwQRKYAA3IThKR8/c7JuOwGoJ9Gdjfn0SswXXDXZARg=
AllowedIPs = 0.0.0.0/0, ::/0

Public Key

X386BmlbADlkEh77it7x73amX/g7ZWbdOxZJA3O3SkM=

Private Key

oCzuOvKrg8s955HVzINtk0xmZJCPIr3ITnqEU8AmQWA=

Server

vpn-test.uuq.pl

Dedicated IP

192.168.88.2

Overwrite package settings

☐ Overwriting the package settings is necessary to personalize the service if you need it.

Send changes to server

☐ To apply the changes on the server, it is necessary to check this checkbox.

Update


In the opened tab, you have a view of the online status of the service. The available online information includes:

- Connection status to the API
- Information about the VPN account on the **MikroTik** router
- Information about the account

Also, below are fields with the client's personal data.

You can also individually override package options for the client by checking the '**Overwrite package settings**' box.

After modifying the configuration options, check the '**Send changes to server**' box to save the data to the **MikroTik** server.



[Peer]

PersistentKeepalive = 25
Endpoint = vpn-test.uuq.pl:13232
PublicKey = QwQRKYAA3TTHkR8/c7Ju0wGo39GdjfnOSsuXXDXZARg=
AllowedIPs = 0.0.0.0/0, ::/0

| | | | |
|----------------------------|--|----------------------|--|
| Public Key | X386BmlbADikEh77it7x73amX/g7ZWbdOxZJA3O35KM= | Private Key | oCzuOvKrg8s955HVziNtkOxnZICPlr3ITnqEU8AmQWA= |
| Server | vpn-test.uuq.pl | Dedicated IP | 192.168.88.2 |
| Server Group | Default (Servers: 1) | WireGuard Server | wireguard2 |
| Bandwidth Download | 5 in megabits (M) | Bandwidth Upload | 5 in megabits (M) |
| Comment prefix | wisecp Will be attached to a comment on Mikrotik | Persistent Keepalive | 25 |
| AllowedIPs | 0.0.0.0/0 | | |
| Link to instruction | https://puq.pl/ A link to the instruction will be reflected in the client area. | Link to VPN clients | https://puq.pl/ A link to the instruction will be reflected in the client area. |
| Overwrite package settings | <input checked="" type="checkbox"/> Overwriting the package settings is necessary to personalize the service if you need it. | | |
| Send changes to server | <input type="checkbox"/> To apply the changes on the server, it is necessary to check this checkbox. | | |

Update