

# Installation and configuration guide

- [WHMCS setup\(install/update\)](#)
- [Setup guide: WHMCS setup](#)
- [Email Template \(puqownCloud notification disk limit\)](#)
- [Add server \(ownCloud server\)](#)
- [Product Configuration](#)

# WHMCS setup(install/update)

## ownCloud module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#)

To install and update a module, you must perform one and the same action.

### 1. Download the latest version of the module.

PHP 8.1

```
wget http://download.puqcloud.com/WHMCS/servers/PUQ_WHMCS-ownCloud/PUQ_WHMCS-ownCloud-latest.zip
```

PHP 7.4

```
wget http://download.puqcloud.com/WHMCS/servers/PUQ_WHMCS-ownCloud/php74/PUQ_WHMCS-ownCloud-latest.zip
```

All versions are available via link:

[http://download.puqcloud.com/WHMCS/servers/PUQ\\_WHMCS-ownCloud/](http://download.puqcloud.com/WHMCS/servers/PUQ_WHMCS-ownCloud/)

### 2. Unzip the archive with the module.

```
unzip PUQ_WHMCS-ownCloud-latest.zip
```

### 3. Copy and Replace "puqownCloud" to

"WHMCS\_WEB\_DIR/modules/servers/"

# Setup guide: WHMCS setup

## ownCloud module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#)

### 1. Download the latest version of the module.

PHP 8.1

```
wget http://download.puqcloud.com/WHMCS/servers/PUQ_WHMCS-ownCloud/PUQ_WHMCS-ownCloud-latest.zip
```

PHP 7.4

```
wget http://download.puqcloud.com/WHMCS/servers/PUQ_WHMCS-ownCloud/php74/PUQ_WHMCS-ownCloud-latest.zip
```

All versions are available via link:

[http://download.puqcloud.com/WHMCS/servers/PUQ\\_WHMCS-ownCloud/](http://download.puqcloud.com/WHMCS/servers/PUQ_WHMCS-ownCloud/)

### 2. Unzip the archive with the module.

```
unzip PUQ_WHMCS-ownCloud-latest.zip
```

### 3. Copy "puqownCloud" to "WHMCS\_WEB\_DIR/modules/servers/"

### 4. Create new server ownCloud in WHMCS (System Settings->Products/Services->Servers)

```
System Settings->Servers->Add New Server
```

- Enter the correct **Name** and

## Hostname

Name	<input type="text" value="owncloud-test.uuq.pl"/>
Hostname	<input type="text" value="owncloud-test.uuq.pl"/>
IP Address	<input type="text"/>
Assigned IP Addresses (One per line)	<div style="border: 1px solid #ccc; height: 100px;"></div>
Monthly Cost	<input type="text" value="0.00"/>
Datacenter/NOC	<input type="text"/>
Maximum No. of Accounts	<input type="text" value="200"/>
Server Status Address	<input type="text"/> <small>To display this server on the server status page, enter the full path to the server status folder (required to be uploaded to each server you want to monitor) - eg. <a href="https://www.example.com/status/">https://www.example.com/status/</a></small>
Enable/Disable	<input type="checkbox"/> Check to disable this server

- In the **Server Details** section, select the "**PUQ ownCloud**" module and enter the correct **username** and **password** for the **ownCloud web interface**.
- To check, click the "**Test connection**" button

### Server Details

Module	<input type="text" value="PUQ ownCloud"/> <input type="button" value="Test Connection"/>
	<div style="background-color: #e6ffe6; padding: 2px;">✓ Connection successful. Some values have been auto-filled.</div>
Username	<input type="text" value="whmcs"/>
Password	<input type="password" value="....."/>
Access Hash	<div style="border: 1px solid #ccc; height: 100px;"></div>
Secure	<input checked="" type="checkbox"/> Check to use SSL Mode for Connections
Port	<input type="text" value="443"/> <input type="checkbox"/> Override with Custom Port

## 5. Create a new Products/Services

System Settings->Products/Services->Create a New Product

In the **Module settings** section, select the **"PUQ ownCloud"** module

Details	Pricing	Module Settings	Custom Fields	Configurable Options	Upgrades	Free Domain	Cross-sells	Other	Links
Module Name	PUQ ownCloud								
Server Group	owncloud								
License key	3165D1 [REDACTED] YIQC1Y success: 2023-04-03T13:25:13+02:00				Unit	GigaByte Unit of measure in the product			
Disk space size	1	in unit	Notification disk limit email template			none			
Notification, used disk space X %	80		Username prefix			own-	Will be attached to the beginning of username. Only small letters and numbers and symbol "-"		
Username suffix	-Cloud Will be appended to the end of username. Only small letters and numbers and symbol "-"				Group	USERS10			
Save usage history (days)	0	0 - all history	Link to instruction			<a href="https://doc.puq.info/books/owncloud-whmcs-module">https://doc.puq.info/books/owncloud-whmcs-module</a> A link to the instruction will be reflected in the client area.			

- **License key:** A pre-purchased license key for the **"PUQ ownCloud"** module. For the module to work correctly, the key must be active
- **Unit:** Packet disk space units
- **Disk space size:** Disk size in this product
- **Notification disk limit email template:** Email template that will be sent when the disk quota is exceeded in %
- **Notification, used disk space X %:** Sets a percentage parameter, after exceeding this parameter a notification will be sent to the user
- **Username prefix/Username suffix:** Necessary in order to generate a username for the service, in the format: **prefix<client\_id>-<service\_id>suffix**
- **Group:** The group that will be assigned to the user on the server side of the ownCloud
- **Save usage history (days):** The number of days it takes to save user disk usage statistics
- **Link to instruction:** Link to the instruction, if filled out, it will be reflected in the client area

# Email Template (puqownCloud notification disk limit)

ownCloud module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#)

Create an email template for customer notifications.

System Settings->Email Templates->Create New Email Template

- **Email Type:** Product/service
- **Unique Name:** puqownCloud Notification disk limit

**Subject:** Create New Email Template

Disk space usage {\$disk\_used\_percentage} % - {\$username}

**Body:** Product/Service

Dear {\$client\_name},

This letter informs you that the disk space usage limit is coming to an end.

Product/Service: {\$service\_product\_name}

Due Date: {\$service\_next\_due\_date}

Username: {\$username}

Disk limit: {\$disk\_limit\_bytes\*\$unit\_coefficient} {\$unit}

Disk used: {\$disk\_used\_unit} {\$unit} ({\$disk\_used\_percentage} %)

Disk free: {\$disk\_free\_unit} {\$unit} ({\$disk\_free\_percentage} %)

{signature}

Subject:

Disk space usage {disk\_used\_percentage} % - {username}

File ▾ Edit ▾ View ▾ Insert ▾ Format ▾ Table ▾ Help ▾

Document    Word    Table           

# Add server (ownCloud server)

## ownCloud module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#)

Add a new server to the system WHMCS.

System Settings->Servers->Add New Server

- Enter the correct **Name** and **Hostname**

- In the **Server Details** section, select the "**PUQ ownCloud**" module and enter the correct **username** and **password** for the **ownCloud web interface**.

- To check, click the "**Test connection**" button

### Server Details

Module	PUQ ownCloud	<input type="button" value="Test Connection"/>
✓ Connection successful. Some values have been auto-filled.		
Username	whmcs	
Password	.....	
Access Hash	<input type="text"/>	
Secure	<input checked="" type="checkbox"/> Check to use SSL Mode for Connections	
Port	443	<input type="checkbox"/> Override with Custom Port

# Product Configuration

## ownCloud module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#)

### Add new product to WHMCS

System Settings->Products/Services->Create a New Product

In the **Module settings** section, select the "**PUQ ownCloud**" module

Edit Product

Details Pricing Module Settings Custom Fields Configurable Options Upgrades Free Domain Cross-sells Other Links

Module Name: PUQ ownCloud  
Server Group: owncloud

License key: 3165D1-...-Y1QC1Y success: 2024-04-03T13:25:13+02:00	Unit: GigaByte Unit of measure in the product
Disk space size: 2 in unit	Notification disk limit email template: puqNextcloud Notification disk li
Notification, used disk space X %: 80	Username prefix: own- Will be attached to the beginning of username. Only small letters and numbers and symbol "-"
Username suffix: -Cloud Will be appended to the end of username. Only small letters and numbers and symbol "-"	Group: USERS20
Save usage history (days): 0 0 - all history	Link to instruction: https://puqcloud.com/ A link to the instruction will be reflected in the client area.
Client Area: Show Password: Show button Show service password in the client area	

- **License key:** A pre-purchased license key for the "**PUQ ownCloud**" module. For the module to work correctly, the key must be active
- **Unit:** Packet disk space units
- **Disk space size:** Disk size in this product
- **Notification disk limit email template:** Email template that will be sent when the disk quota is exceeded in %
- **Notification, used disk space X %:** Sets a percentage parameter, after exceeding this parameter a notification will be sent to the user
- **Username prefix/Username suffix:** Necessary in order to generate a username for the service, in the format: **prefix<client\_id>-<service\_id>suffix**
- **Group:** The group that will be assigned to the user on the server side of the **ownCloud**
- **Save usage history (days):** The number of days it takes to save user disk usage statistics
- **Link to instruction:** Link to the instruction, if filled out, it will be reflected in the client area
- **Client Area:** Client zone settings, show or not show the password in the client zone, type

how to show the password.