

# ownCloud WISECP module

The module is used to create customer accounts on the previously prepared ownCloud server. Thanks to the module, the company is able to offer public cloud services to its customers. The module enables the definition of multiple public cloud packages. The module creates a customer account according to the selected package. The client can have many independent accounts in the cloud. For the correct operation of the module, a pre-prepared ownCloud installation is required (the module does not assist in the installation of the ownCloud server and assumes that such installation is ready for operation.)

- [Description](#)
- [Changelog](#)
- [Installation and configuration guide](#)
  - [Setup \(install/update\)](#)
  - [License Activation](#)
  - [Add server \(ownCloud\) in WISECP](#)
  - [Service/Product configuration](#)
- [Admin Area](#)
  - [Order Detail](#)
- [Client Area](#)
  - [Product Home Screen](#)

# Description

## ownCloud module **WISECP**

[Order now](#) | [Download](#) | [FAQ](#)

### Requirements

WISECP: v3.1.5+, php: v8.x, Ioncube: V12+  
ownCloud 10.13 +

## Preface

Thanks to the module, the company is able to offer public cloud services to its customers based on ownCloud accounts.

The module is used to create customer accounts on the previously prepared ownCloud server. The module enables You to define multiple public cloud packages and sell them at different prices. The module creates a customer account according to the selected package. The client can have many independent accounts in the cloud.

For the correct operation of the module, a pre-prepared ownCloud installation is required (the module does not assist in the installation of the ownCloud server and assumes that such installation is ready for operation through API.) Module use ownCloud API to manage clients account.

We have prepared a detailed installation manual for the module, including all the steps needed to implement the module, including the preparation of the ownCloud server, including all installation steps such as NGNIX, PHP, ownCloud, SSL certificates etc.

## Functions:

- Auto create and deploy client account

- The module uses only the API to manage the accounts
- Module supports multilingualism (**Arabic, Bosnian, Czech, German, Greek, English, Spanish, Persian, French, Hungarian, Indonesian, Italian, Georgian, Latvian, Dutch, Polish, Portuguese, Romanian, Ukrainian**)
- The module shows the current data usage by the user
- Link to instructions for setting up the service in the client area.


## Available options in the admin panel:

- Create users
- Suspend users
- Terminate users
- Unsuspend users
- Change users password
- Change Package
- API connection status
- ownCloud Disk status



## Available options in the client panel:

- Change the ownCloud user password
- ownCloud Disk status

Screenshot of the client area



General Information		Invoice #245
Service Group	Storage	
Service Name	ownCloud 10 GB	
Services Status	<div>Active</div>	
Payment Period	Monthly	
Renewed On	19.05.2024	
Next Due Date	26.06.2024	
Amount : 47,68zł		



Storage used	0.3745 GB (3.75%)
Storage free	9.6255 GB (96.26%)
Storage total	10 GB

Web interface address

https://owncloud-test.uuq.pl/

Username

wise2-156cp

Password

.....

Save

Screenshot of the Admin area

ownCloud 10 GB Order Detail

Dashboard / Orders / ownCloud 10 GB Order Detail

i

Detail

Core

Blocks

+ Order Addons

Requirements

Upgrade / Downgrade

History

Cancellation / Refund

API Module

PUQ ownCloud

API answer OK

Display Name/Email	Status	Storage	Storage used	Storage free	Storage total
Ruslan Polovyi ruslan.polovyi@puq.pl	enabled	/var/www/owncloud/data/wise2-156cp	0 GB (0%)	10 GB (100%)	10 GB (0 GB)

Server

owncloud-test.uuq.pl

Username

wise2-156cp

Password

LNuH5PSAKLON

Overwrite package settings

☐ Overwriting the package settings is necessary to personalize the service if you need it.

Send changes to server

☐ To apply the changes on the server, it is necessary to check this checkbox.

Update

# Changelog

## ownCloud module **WISECP**

[Order now](#) | [Download](#) | [FAQ](#)

### v1.2 Released 05-06-2024

- client area more adapted for mobile version
  - buttons for copying login and password have been added to the client area
- 

### v1.1 Released 15-02-2024

- Introduced a "Show" button for displaying service passwords in the Client Area.
  - Fixed a bug with some cases where it was not possible to delete the server
  - Improved security
- 

### v1.0 Released 27-12-2023

First version

# Installation and configuration guide

# Setup (install/update)

## ownCloud module **WISECP**

[Order now](#) | [Download](#) | [FAQ](#)

To install and update a module, you must perform one and the same action.

### 1. Download the latest version of the module.

```
wget http://download.puqcloud.com/WISECP/Product/PUQ_WISECP-ownCloud/PUQ_WISECP-ownCloud-latest.zip
```

All versions are available: [https://download.puqcloud.com/WISECP/Product/PUQ\\_WISECP-ownCloud/](https://download.puqcloud.com/WISECP/Product/PUQ_WISECP-ownCloud/)

### 2. Unzip the archive with the module.

```
unzip PUQ_WISECP-ownCloud-latest.zip
```

### 3. Copy and Replace "puqownCloud" from "PUQ\_WISECP-ownCloud" to "WISECP\_WEB\_DIR/coremio/modules/Product/"



# License Activation

ownCloud module **WISECP**

[Order now](#) | [Download](#) | [FAQ](#)

1. Log in to the administrative area of your **WISECP**.
2. Go to module configuration.

Services -> Service Management -> Module Settings -> Other -> All Modules -> PUQ ownCloud





Other

Initial Settings

All Modules

Other

Initial Settings

All Modules

Search Within Modules

Write something...

Q

PUQ ownCloud

3. On the open page, enter the purchased license key for this product and click the '**Check and Save**' button to validate the key and save it.

Dashboard / Module Settings / Other

Initial Settings

All Modules

PUQ ownCloud

PUQ cloud

License key

BMUJY MEQICG

2024-01-26T15:33:42+01:00

Check and Save

Version: 1.0

Web Site

Documentation

Changelog

Add New Server

Server Groups

Servers

ownCloud



# Add server (ownCloud) in WISECP

ownCloud module **WISECP**

[Order now](#) | [Download](#) | [FAQ](#)

1. Log in to the administrative area of your **WISECP**.
2. Go to module configuration.

Services -> Service Management -> Module Settings -> Other -> All Modules -> PUQ ownCloud



Other

- Initial Settings
- All Modules

Other

Initial Settings

All Modules

Search Within Modules

Write something...

Q

PUQ ownCloud

3. In the opened page, click the '**Add Server**' button.

Other

Dashboard / Module Settings / Other

Initial Settings

All Modules

PUQ ownCloud

License key

BMUIVY- -MEQICG

2024-01-26T15:33:42+01:00

Check and Save

Version: 1.0

Web Site

Documentation

Changelog

Add New Server

Server Groups

Servers ownCloud

10

Show Record

Search

#	Name	Status	Group	Default	IP/Domain	Usage Stats
9	owncloud-test.uuq.pl	active	Default	✓	owncloud-test.uuq.pl	1/10

Showing records from 1 to 1 - 1

Prev

1

Next

Turn Back

4. On the opened page, enter all the necessary information:

- **Name:** Displayed name of the server.
- **Maximum Number of Accounts:** The number of services that can be on this server.
- **Server Group:** Optionally, choose the server group.

- **IP Address or Domain:** The address of the ownCloud server you are connecting to.
- **Username/Password:** Username and Password on the ownCloud server.
- Check the **SSL** box if you want to use SSL-encrypted connection. If necessary, specify the port and perform a connection test.

Initial Settings

All Modules

PUQ ownCloud

PUQcloud

< Go to Back

Add New Server

Server Name	owncloud-test.uuq.pl
Maximum Number of Accounts	23
Server Group	Default
Default	<input type="checkbox"/> Set as default server in group
IP Address or Domain	IP address or Domain of a server
Username	admin
Password	adminpass
SSL	<input checked="" type="checkbox"/> Connect using SSL
Port	443 <input type="checkbox"/> Change standard port
Test Connection	<div>Test Connection</div>

Add New Server

<< Turn Back

# Service/Product configuration

## ownCloud module **WISECP**


[Order now](#) | [Download](#) | [FAQ](#)

If you do not have a **Service Group** where you want to place the new service, you need to create a new **Service Group**

1. Log in to the administrative area of your **WISECP**.
2. Create New Service Group

Go to

Services -> Service Management -> Add Group



Enter all the necessary data and click the '**Create Group**' button.

WISECP

Smart Search

SettingsOrdersBillingClientsToolsWAnalyticsSupportServicesSite ManagementLanguagesHelp

Create New Service Group

Dashboard / Create New Service Group

Create a new service group, you can also create new categories and manage the existing one from here.

ENUKROPTPLNLLVKAITIDHUFRAFESLEDECSBSAR

Title

Storage

Short Detail

Short Group Description

Listing Template

☒ Box List ☐ Horizontal List

Status

Enable

Background Image

(optional)

Group Colour

#FFFFFF

Order Upgrades

☐ Allow clients to upgrade to higher package in the same service group

External HTML Code

Paste your HTML code to this field (Optional)

You can optionally add external HTML code and customize it. There should not be any incorrect or incomplete HTML codes, otherwise page structure will be empty

### 3. Adding a New Service

Go to

Services -> our service group where you need to add the new service.

WISECP

Smart Search

SettingsOrdersBillingClientsToolsWAnalyticsSupportServicesSite ManagementLanguagesHelp

€0  
Today Sales (Turnover)  
Yesterday

1  
Current Month Expenses  
Yesterday

0  
Overdue Invoice  
(Total €0)

0  
Payment Date  
(Total €0 / Last 7 Days)

0  
Order in the  
(Total €0)

Service Management  
Hosting Management  
Domain Name Registration  
Software Services  
International SMS Services  
Google SEO Services  
VPN  
Media  
Storage

Recent Orders (Last 5)

In the opened window, click the '**Create New Service**' button.

Storage

+ Create New Service

Categories

Service Group Settings

Apply to selected

10

Show Record

On the opened page, enter all the necessary details for your new service and navigate to the 'Core' tab.

Select the '**PUQ ownCloud**' module from the drop-down list of modules.

Add Service Pack For Storage

Dashboard / Storage / Add Service Product

Detail

Core

Optional Addons

Requirements

Upgradeable Products

Pricing

Module

PUQ ownCloud

Server Group

Default (Servers: 1)

Disk Limit

5 in GB

Group

USERS

ownCloud group

Username prefix

puq

Will be attached to the beginning of username. Only small letters and numbers and symbol "-"

Username suffix

cloud

Link to instruction

https://\*\*\*\*\*.\*/

Will be appended to the end of username. Only small letters and numbers and symbol "-"

A link to the instruction will be reflected in the client area.

Automatic Setup

Please activate for automatic installation of the order. Otherwise, administrator approval is required.

Create Product

#### 4. Fill in the configuration options according to your preferences.

- **Server Group** is the group of servers from which a server will be chosen for provisioning the service
- **Disk Limit:** is the disk space quota that is issued to the user
- **Group:** is the group that will be assigned to the user
- **Username Prefix** will be added at the beginning of the username during user creation and is used for uniqueness
- **Username Suffix** will be added at the end of the username during user creation and is also used for uniqueness
- **Link to Instruction** Provide the link to the instruction for the service, and it will be displayed in the client area as a separate button
- **Link to VPN Clients** Provide the link to the page for downloading VPN clients for the

service, and it will be displayed in the client area as a separate button

- **Automatic Setup** Please activate for automatic installation of the order. Otherwise, administrator approval is required.



# Admin Area

# Order Detail

ownCloud module **WISECP**

[Order now](#) | [Download](#) | [FAQ](#)

Navigate to the service you want to manage, then go to the '**Core**' tab.

ownCloud 10 GB Order Detail Dashboard / Orders / ownCloud 10 GB Order Detail

[Detail](#) [Core](#) [Blocks](#) [Order Addons](#) [Requirements](#) [Upgrade / Downgrade](#) [History](#) [Cancellation / Refund](#)

API Module PUQ ownCloud

✔ API answer OK

Display Name/Email	Status	Storage	Storage used	Storage free	Storage total
Ruslan Polovyi ruslan.polovyi@puq.pl	enabled	/var/www/owncloud/data/wise2-156cp	0 GB (0%)	10 GB (100%)	10 GB (0 GB)

Server owncloud-test.uuq.pl Username wise2-156cp Password LNuH5FSaKLON

Overwrite package settings ☐ Overwriting the package settings is necessary to personalize the service if you need it.

Send changes to server ☐ To apply the changes on the server, it is necessary to check this checkbox.

[Update](#)

In the opened tab, you have a view of the online status of the service. The available online information includes:

- Connection status to the API
- Information about user account on the ownCloud server
- Diagnostic information about the account

Also, below are fields with the client's personal data, such as Username, Password, Server

You can also individually override package options for the client by checking the 'Overwrite package settings' box.

Detail

Core

Blocks

Order Addons

Requirements

Upgrade / Downgrade

History

Cancellation / Refund

API Module

PUQ ownCloud

API answer OK

Display Name/Email	Status	Storage	Storage used	Storage free	Storage total
Ruslan Poloviy ruslan.poloviy@puq.pl	enabled	/var/www/owncloud/data/wise2-156cp	0 GB (0%)	10 GB (100%)	10 GB (0 GB)

Server

owncloud-test.uuq.pl

Username

wise2-156cp

Password

LNuH5FSARLON

Server Group

Default (Servers: 1)

Disk Limit

10 in GB

Group

USER5  
ownCloud group

Username prefix

wise  
Will be attached to the beginning of username. Only small letters and numbers and symbol "-"

Username suffix

cp  
Will be appended to the end of username. Only small letters and numbers and symbol "-"

Link to instruction

https://puq.pl/  
A link to the instruction will be reflected in the client area.

Overwrite package settings

☒ Overwriting the package settings is necessary to personalize the service if you need it.

Send changes to server

☒ To apply the changes on the server, it is necessary to check this checkbox.

Update

Note: When changing the Server Group, Server fields, make sure you have a user with the username as specified in the 'Username' field pre-created on the new server. Otherwise, you will need to recreate the service for your client.

# Client Area

# Product Home Screen

ownCloud module **WISECP**

[Order now](#) | [Download](#) | [FAQ](#)

Available options in the client panel:

- Links in the form of buttons to the instruction
- Round graph of used disk space
- Server and account settings
- Ability to change the password for your account

Dear Ruslan Polovyl, Welcome!

PLN

92

ownCloud 10 GB

Client Area / My Services / Storage / ownCloud 10 GB

Details

Additional Services

Upgrade

Cancellation Request

Order ID #156

Renew Now

Used space (GB)

Free

General Information

Invoice #245

Service Group	Storage
Service Name	ownCloud 10 GB
Services Status	Active
Payment Period	Monthly
Renewed On	19.05.2024
Next Due Date	26.06.2024
Amount : 47,68zł	

User manual

Storage used	0.3745 GB (3.75%)
Storage free	9.6255 GB (96.26%)
Storage total	10 GB

Web interface address

https://owncloud-test.uuq.pl/

Username

wise2-156cp

Password

Save



User manual

Used space (GB)



Storage used 0.3745 GB (3.75%)

Storage free 9.6255 GB (96.25%)

Storage total 10 GB

Web interface address

<https://owncloud-test.uuq.pl/>

Username

wise2-156cp



Password



.....



Save