

Order Detail

ownCloud module **WISECP**

[Order now](#) | [Download](#) | [FAQ](#)

Navigate to the service you want to manage, then go to the '**Core**' tab.

ownCloud 10 GB Order Detail Dashboard / Orders / ownCloud 10 GB Order Detail

[Detail](#) [Core](#) [Blocks](#) [+ Order Addons](#) [Requirements](#) [Upgrade / Downgrade](#) [History](#) [Cancellation / Refund](#)

API Module PUQ ownCloud

✓ API answer OK

Display Name/Email	Status	Storage	Storage used	Storage free	Storage total
Ruslan Polovyi ruslan.polovyi@puq.pl	enabled	/var/www/owncloud/data/wise2-156cp	0 GB (0%)	10 GB (100%)	10 GB (0 GB)

Server owncloud-test.uuq.pl Username wise2-156cp Password LNJH5FSAKLON

☐ **Overwrite package settings** Overwriting the package settings is necessary to personalize the service if you need it.

☐ **Send changes to server** To apply the changes on the server, it is necessary to check this checkbox.

[Update](#)

n the opened tab, you have a view of the online status of the service. The available online information includes:

- Connection status to the API
- Information about user account on the ownCloud server
- Diagnostic information about the account

Also, below are fields with the client's personal data, such as Username, Password, Server

You can also individually override package options for the client by checking the 'Overwrite package settings' box.

Detail

Core

Blocks

Order Addons

Requirements

Upgrade / Downgrade

History

Cancellation / Refund

API Module

PUQ ownCloud

API answer OK

Display Name/Email	Status	Storage	Storage used	Storage free	Storage total
Ruslan Poloviy ruslan.poloviy@puq.pl	enabled	/var/www/owncloud/data/wise2-156cp	0 GB (0%)	10 GB (100%)	10 GB (0 GB)

Server

owncloud-test.uuq.pl

Username

wise2-156cp

Password

LNuH5FSARLON

Server Group

Default (Servers: 1)

Disk Limit

10
in GB

Group

USER5
ownCloud group

Username prefix

wise
Will be attached to the beginning of username. Only small letters and numbers and symbol "-"

Username suffix

cp
Will be appended to the end of username. Only small letters and numbers and symbol "-"

Link to instruction

https://puq.pl/
A link to the instruction will be reflected in the client area.

Overwrite package settings

☒ Overwriting the package settings is necessary to personalize the service if you need it.

Send changes to server

☒ To apply the changes on the server, it is necessary to check this checkbox.

Update

Note: When changing the Server Group, Server fields, make sure you have a user with the username as specified in the 'Username' field pre-created on the new server. Otherwise, you will need to recreate the service for your client.

Revision #1
Created 26 December 2023 18:32:33 by Ruslan
Updated 26 December 2023 18:34:07 by Ruslan