

Client Area

- [Home screen](#)
- [Add DNS Zone](#)
- [Managing DNS Records](#)
- [PTR IPv4 and IPv6](#)

Home screen

PowerDNS module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#)

On the product's home page in the client area, there is a list of NS servers that the client needs to set up on their domain in the registrar's settings. There is also a list of zones with the ability to manage them.

Information



Zones

2 / 6



Name server 1

ns1.puqcloud.com



Name server 2

ns2.puqcloud.com



Name server 3

ns3.puqcloud.com



Name server 4

ns4.puqcloud.com



Actions

[+ Add DNS Zone](#)

Show entries

Search:



Zone Name

Status

Actions

puq.info

active

[Records](#)



puqcloud.com

active

[Records](#)



Showing 1 to 2 of 2 entries

[Previous](#)

1


[Next](#)

Add DNS Zone

PowerDNS module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#)

When the "Add DNS Zone" button is clicked, a wizard for adding a new zone will open in a pop-up window.



Managing DNS Records


PowerDNS module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#)

To manage records, you need to click the "**Records**" button on the selected zone, and on the page that opens, you will be able to manage the records.

[◀ All DNS Zones](#) [+ Add Record](#) [↻ Reload DNS Zone](#)

puq.info







☰	SOA	ns1.puqcloud.com. admin.puqcloud.com. 1725212565 8640 720 360000 360			
☰	NS	ns1.puqcloud.com			
☰	NS	ns2.puqcloud.com			
☰	NS	ns3.puqcloud.com			
☰	NS	ns4.puqcloud.com			

Show

50

 entries

Search:

Type	Name	Content	TTL	Actions
A	puq.info	192.168.0.1	3600	 
AAAA	puq.info	2001:db8:85a3::8a2e:370:7334	3600	 
MX	puq.info	10 mx.puqcloud.com.	3600	 

[Previous](#) **1** [Next](#)

Add Record .puq.info

Type

Name (required)

TTL

A



1 hr



Use @ for root

IPv4 address (required)

E.g. 192.168.0.1

✕ Cancel

📁 Add Record

Type	Name	Content	TTL	Actions
A	puq.info	192.168.0.1	3600	
AAAA	puq.info	2001:db8:85a3::8a2e:370:7334	3600	
MX	puq.info	10 mx.puqcloud.com.	3600	

Previous

1

Next

Add Record .puq.info

Type

Name (required)

TTL

DNSKEY

1 hr

Use @ for root

Flags (required)

0 - 65535

Protocol (required)

0 - 255

Algorithm (required)

0 - 255

Public Key (required)

Cancel

Add Record

ne

20 360000 360

Actions

Previous

1

Next

English / \$ USD

Edit records

Edit Record

Type

Name (required)

TTL

MX

puq.info

1 hr

Use @ for root

Mail server (required)

Priority (required)

mx.puqcloud.com







10

E.g. mx1.example.com

0 - 65535

Cancel

Edit Record

Type	Name	Content	TTL	Actions
A	puq.info	192.168.0.1	3600	 
AAAA	puq.info	2001:db8:85a3::8a2e:370:7334	3600	 
MX	puq.info	10 mx.puqcloud.com.	3600	 

PTR IPv4 and IPv6

PowerDNS module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#)

Module support PTR IPv4 and IPv6

The screenshot displays the WHMCS PowerDNS module interface. A modal window titled "Add Record .2.0.192.in-addr.arpa" is open, showing a form to add a new DNS record. The "Type" dropdown menu is open, with "PTR" highlighted by a red box. The form includes fields for "Name (required)" and "TTL" (set to 1 hr). Below the form are "Cancel" and "Add Record" buttons.

In the background, a table lists existing PTR records:

Type	Name	Content	TTL	Actions
PTR	3.2.0.192.in-addr.arpa	server3.example.com.	3600	[Edit] [Delete]
PTR	2.2.0.192.in-addr.arpa	server2.example.com.	3600	[Edit] [Delete]
PTR	1.2.0.192.in-addr.arpa	server1.example.com.	3600	[Edit] [Delete]

At the bottom of the interface, it says "Powered by WHMCompleteSolution".

[◀ All DNS Zones](#)[+ Add Record](#)[↻ Reload DNS Zone](#)

2.0.192.in-addr.arpa



SOA

ns1.puqcloud.com. admin.puqcloud.com. 1732013636 86400 7200 3600000
3600

NS

ns1.puqcloud.com



NS

ns2.puqcloud.com



NS

ns3.puqcloud.com



NS

ns4.puqcloud.com

Show entries

Search:



Type	Name	Content	TTL	Actions
PTR	3.2.0.192.in-addr.arpa	server3.example.com.	3600	
PTR	2.2.0.192.in-addr.arpa	server2.example.com.	3600	
PTR	1.2.0.192.in-addr.arpa	server1.example.com.	3600	

[Previous](#)

1

[Next](#)Powered by [WHMCompleteSolution](#)

Edit Record

Type

Name (required)

TTL

PTR

1.1.1.0.0.8.b.d.0.1.0.0.2.ip6.arpa

1 hr

Use @ for root

Domain name (required)

host1.example.com

E.g. www.example.com

Cancel

Edit Record

Show 50 entries

Search:

Type	Name	Content	TTL	Actions
PTR	1.1.1.0.0.8.b.d.0.1.0.0.2.i...	host1.example.com.	3600	<div><div></div><div></div></div>

Previous

1

Next