

Client Area

- [Home screen](#)
- [Add DNS Zone](#)
- [Managing DNS Records](#)
- [PTR IPv4 and IPv6](#)

Home screen

PowerDNS module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#)

On the product's home page in the client area, there is a list of NS servers that the client needs to set up on their domain in the registrar's settings. There is also a list of zones with the ability to manage them.

Information

	Zones	2 / 6
	Name server 1	ns1.puqcloud.com
	Name server 2	ns2.puqcloud.com
	Name server 3	ns3.puqcloud.com
	Name server 4	ns4.puqcloud.com
	Actions	+ Add DNS Zone



Show

10

 entries

Search:



Zone Name	Status	Actions
puq.info	active	Records 
puqcloud.com	active	Records 

Showing 1 to 2 of 2 entries


[Previous](#) **1** [Next](#)

Add DNS Zone

PowerDNS module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#)

When the "Add DNS Zone" button is clicked, a wizard for adding a new zone will open in a pop-up window.



Managing DNS Records

PowerDNS module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#)

To manage records, you need to click the "**Records**" button on the selected zone, and on the page that opens, you will be able to manage the records.

◀ All DNS Zones

+ Add Record

↻ Reload DNS Zone

puq.info

☰	SOA	ns1.puqcloud.com. admin.puqcloud.com. 1725212565 8640 720 360000 360	✎
☰	NS	ns1.puqcloud.com	
☰	NS	ns2.puqcloud.com	
☰	NS	ns3.puqcloud.com	
☰	NS	ns4.puqcloud.com	

Show 50 ▾ entries

Search:

Type ▾	Name ▾	Content ▾	TTL ▾	Actions ▾
A	puq.info	192.168.0.1	3600	✎
AAAA	puq.info	2001:db8:85a3::8a2e:370:7334	3600	✎
MX	puq.info	10 mx.puqcloud.com.	3600	✎

Previous 1 Next

Add Record .puq.info

Type

Name (required)

TTL

A



1 hr



Use @ for root

IPv4 address (required)

E.g. 192.168.0.1

✕ Cancel

📁 Add Record

Type	Name	Content	TTL	Actions
A	puq.info	192.168.0.1	3600	
AAAA	puq.info	2001:db8:85a3::8a2e:370:7334	3600	
MX	puq.info	10 mx.puqcloud.com.	3600	

Previous

1

Next

Add Record .puq.info

Type

DNSKEY

Name (required)

Use @ for root

TTL

1 hr

Flags (required)

0 - 65535

Protocol (required)

0 - 255

Algorithm (required)

0 - 255

Public Key (required)

Cancel

Add Record

ne

20 360000 360

Actions

Previous

1

Next

English / \$ USD

Edit records

Edit Record

Type

Name (required)

TTL

MX

puq.info

1 hr

Use @ for root

Mail server (required)

Priority (required)

mx.puqcloud.com







10

E.g. mx1.example.com

0 - 65535

Cancel

Edit Record

Type	Name	Content	TTL	Actions
A	puq.info	192.168.0.1	3600	 
AAAA	puq.info	2001:db8:85a3::8a2e:370:7334	3600	 
MX	puq.info	10 mx.puqcloud.com.	3600	 

PTR IPv4 and IPv6

PowerDNS module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#)

Module support PTR IPv4 and IPv6

The screenshot displays the WHMCS PowerDNS module interface. A modal window titled "Add Record .2.0.192.in-addr.arpa" is open, showing a form with fields for "Type", "Name (required)", and "TTL". The "Type" dropdown menu is open, listing various DNS record types: A, AAAA, CNAME, MX, TXT, SRV, PTR (highlighted with a red box), CAA, DNSKEY, DS, NAPTR, and TLSA. The "Name" field has a placeholder "Use @ for root" and a "required" label. The "TTL" field is set to "1 hr". Below the form are "Cancel" and "Add Record" buttons.

In the background, a table of existing PTR records is visible. The table has columns for "Type", "Name", "Content", "TTL", and "Actions". It lists three PTR records for the domain "ns4.puqcloud.com".

Type	Name	Content	TTL	Actions
PTR	3.2.0.192.in-addr.arpa	server3.example.com.	3600	[Edit] [Delete]
PTR	2.2.0.192.in-addr.arpa	server2.example.com.	3600	[Edit] [Delete]
PTR	1.2.0.192.in-addr.arpa	server1.example.com.	3600	[Edit] [Delete]

At the bottom of the interface, there is a pagination bar with "Previous", "1", and "Next" buttons, and a footer that reads "Powered by WHMCompleteSolution".

[◀ All DNS Zones](#)[+ Add Record](#)[↻ Reload DNS Zone](#)

2.0.192.in-addr.arpa



SOA

ns1.puqcloud.com. admin.puqcloud.com. 1732013636 86400 7200 3600000
3600

NS

ns1.puqcloud.com



NS

ns2.puqcloud.com



NS

ns3.puqcloud.com



NS

ns4.puqcloud.com

Show entries

Search:



Type	Name	Content	TTL	Actions
PTR	3.2.0.192.in-addr.arpa	server3.example.com.	3600	
PTR	2.2.0.192.in-addr.arpa	server2.example.com.	3600	
PTR	1.2.0.192.in-addr.arpa	server1.example.com.	3600	

[Previous](#)

1

[Next](#)Powered by [WHMCompleteSolution](#)

Edit Record

Type

Name (required)

TTL

PTR

1.1.1.0.0.8.b.d.0.1.0.0.2.ip6.arpa

1 hr

Use @ for root

Domain name (required)

host1.example.com

E.g. www.example.com

Cancel

Edit Record

Show 50 entries

Search:

Type	Name	Content	TTL	Actions
PTR	1.1.1.0.0.8.b.d.0.1.0.0.2.i...	host1.example.com.	3600	<div><div></div><div></div></div>

Previous

1

Next