

Managing DNS Records

PowerDNS module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#)

To manage records, you need to click the "**Records**" button on the selected zone, and on the page that opens, you will be able to manage the records.

The screenshot displays the WHMCS interface for managing DNS records. At the top, there are three buttons: "All DNS Zones" (with a left arrow), "Add Record" (green), and "Reload DNS Zone" (yellow). Below these is a header for the zone "puq.info".

The main content area shows a list of records for the zone:

Type	Name	Content	TTL	Actions
SOA	ns1.puqcloud.com.	admin.puqcloud.com. 1725212565 8640 720 360000 360		
NS	ns1.puqcloud.com			
NS	ns2.puqcloud.com			
NS	ns3.puqcloud.com			
NS	ns4.puqcloud.com			

Below this list, there is a "Show 50 entries" dropdown and a "Search:" input field with a magnifying glass icon.

The bottom section shows a table of records:

Type	Name	Content	TTL	Actions
A	puq.info	192.168.0.1	3600	
AAAA	puq.info	2001:db8:85a3::8a2e:370:7334	3600	
MX	puq.info	10 mx.puqcloud.com.	3600	

At the bottom right, there is a pagination control with "Previous", "1" (selected), and "Next" buttons.

Add Record .puq.info



Type

Name (required)

TTL

A

1 hr

Use @ for root

IPv4 address (required)

E.g. 192.168.0.1

Cancel

Add Record

Type	Name	Content	TTL	Actions
A	puq.info	192.168.0.1	3600	
AAAA	puq.info	2001:db8:85a3::8a2e:370:7334	3600	
MX	puq.info	10 mx.puqcloud.com.	3600	

Previous

1

Next

Add Record .puq.info ×

Type	Name (required)	TTL
DNSKEY ▾	<input type="text"/> <small>Use @ for root</small>	1 hr ▾
Flags (required) <input type="text"/> <small>0 - 65535</small>		
Protocol (required) <input type="text"/> <small>0 - 255</small>		
Algorithm (required) <input type="text"/> <small>0 - 255</small>		
Public Key (required) <input type="text"/>		

✕ Cancel Add Record

ne
20 360000 360 ✎

Actions

✎ 🗑

✎ 🗑

✎ 🗑

Previous 1 Next

English / \$ USD

Edit records

Edit Record ✕

Type: MX Name (required): TTL: 1 hr
Use @ for root

Mail server (required): Priority (required):
E.g. mx1.example.com 0 - 65535

✕ Cancel Edit Record

Type	Name	Content	TTL	Actions
A	puq.info	192.168.0.1	3600	
AAAA	puq.info	2001:db8:85a3::8a2e:370:7334	3600	
MX	puq.info	10 mx.puqcloud.com.	3600	

Previous **1** Next

Powered by WHMCompleteSolution

Revision #1

Created 1 September 2024 18:19:05 by Ruslan

Updated 1 September 2024 18:23:18 by Ruslan