

Managing DNS Records

PowerDNS module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#)

To manage records, you need to click the "**Records**" button on the selected zone, and on the page that opens, you will be able to manage the records.

◀ All DNS Zones

+ Add Record

↻ Reload DNS Zone

puq.info

☰

SOA

ns1.puqcloud.com. admin.puqcloud.com. 1725212565 8640 720 360000 360

✎

☰

NS

ns1.puqcloud.com

☰

NS

ns2.puqcloud.com

☰

NS

ns3.puqcloud.com

☰

NS

ns4.puqcloud.com

Show 50 entries

Search:

Type	Name	Content	TTL	Actions
A	puq.info	192.168.0.1	3600	<div><div>✎</div><div>🗑</div></div>
AAAA	puq.info	2001:db8:85a3::8a2e:370:7334	3600	<div><div>✎</div><div>🗑</div></div>
MX	puq.info	10 mx.puqcloud.com.	3600	<div><div>✎</div><div>🗑</div></div>

Previous

1

Next

Add Record .puq.info

Type

Name (required)

TTL

A



1 hr



Use @ for root

IPv4 address (required)

E.g. 192.168.0.1

✕ Cancel

📁 Add Record

Type	Name	Content	TTL	Actions
A	puq.info	192.168.0.1	3600	
AAAA	puq.info	2001:db8:85a3::8a2e:370:7334	3600	
MX	puq.info	10 mx.puqcloud.com.	3600	

Previous

1

Next

Add Record .puq.info

Type

Name (required)

TTL

DNSKEY

1 hr

Use @ for root

Flags (required)

0 - 65535

Protocol (required)

0 - 255

Algorithm (required)

0 - 255

Public Key (required)

Cancel

Add Record

ne

20 360000 360

Actions

Previous

1

Next

English / \$ USD

Edit records

Edit Record

Type

MX

Name (required)

puq.info

Use @ for root

TTL

1 hr

Mail server (required)

mx.puqcloud.com

E.g. mx1.example.com

Priority (required)

10

0 - 65535

Cancel

Edit Record

Type	Name	Content	TTL	Actions
A	puq.info	192.168.0.1	3600	<div></div> <div></div>
AAAA	puq.info	2001:db8:85a3::8a2e:370:7334	3600	<div></div> <div></div>
MX	puq.info	10 mx.puqcloud.com.	3600	<div></div> <div></div>

Previous

1

Next

Powered by WHMCompleteSolution

Revision #1
Created 1 September 2024 18:19:05 by Ruslan
Updated 1 September 2024 18:23:18 by Ruslan