

# Install VNCproxy and noVNC

## Proxmox KVM module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#)

## Preface

The module supports the ability to connect to and use a browser-based console to manage a specific KVM virtual machine. To connect to the VM console we use third-party software.

**noVNC** — the open-source VNC client. noVNC is both a VNC client JavaScript library and an application built on top of that library. It runs well in any modern browser, including mobile browsers (iOS and Android).

- Project site: <https://novnc.com>
- Project GitHub: <https://github.com/novnc/noVNC>

“ As we only use an external project, we do not take any responsibility for data leaks, hacks, etc.

The PUQ `vncwebproxy` binary itself is written in Go and uses the following libraries:

- [go-vncproxy](#) (MIT License)
- [gin](#) (MIT License)
- [golang.org/x/net/websocket](https://golang.org/x/net/websocket) (BSD License)

## How it works

The `vncwebproxy` sits between the client browser and your Proxmox server. It terminates the WebSocket from noVNC and forwards traffic to the Proxmox VNC port.

- The proxy must have stable network connectivity to the Proxmox server; TCP ports **5900–5999** to Proxmox are sufficient.
- If you use a **domain name** (not an IP) for the Proxmox server in the WHMCS server settings, that domain must resolve correctly **from the vncproxy host as well**.
- Each console session uses a one-time authentication ticket generated on demand and validated by the Proxmox API before the connection is established.
- All traffic between the client browser and the proxy is encrypted with SSL/TLS.

## Public PUQcloud proxy (default)

If you have any difficulties setting up your own proxy, you can use the public PUQcloud vncproxy server. **However, we strongly recommend setting up and using your own vncproxy server** — this way you retain full control over performance and security.

Setting	Value
noVNC WEB proxy server	vncproxy.puqcloud.com
noVNC WEB proxy key	puqcloud
WEB ports	80   /   443
VNC ports	5900–5999

These values go into the WHMCS product settings under **Module Settings → Integrations Configuration**:

Setting	Description
<b>noVNC Proxy Domain</b>	The URL of your noVNC proxy (e.g.   https://vncproxy.puqcloud.com  )
<b>noVNC Proxy Key</b>	Authentication key configured on the proxy (e.g.   puqcloud   )

## Installation process — your own VNCproxy server

The sections below describe the full installation of a dedicated vncproxy server. The example uses **Debian 11** and the domain | vncproxy.puqcloud.com | — in your own deployment, substitute your domain everywhere.

# Step 1: Domain definition

First, choose a domain name for the vncproxy server (in our example: `vncproxy.puqcloud.com`). Create an `A/AAAA` record in your DNS pointing to the server's public IP address. Wait until the record propagates before requesting the SSL certificate.

# Step 2: Prepare the server

Provision a VM or dedicated host with your favorite Linux distribution — the example uses **Debian 11**. Make sure the server can reach your Proxmox nodes on TCP ports `5900–5999`, and that inbound ports `80/443` are open for clients.

Update the package database:

```
sudo apt update
```

Install the NGINX web server, Certbot and `zip`:

```
sudo apt install certbot nginx python3-certbot-nginx zip -y
```

# Step 3: Download the noVNC client

```
cd /root/  
wget https://github.com/novnc/noVNC/archive/refs/tags/v1.3.0.zip  
unzip v1.3.0.zip  
cp -R noVNC-1.3.0/* /var/www/html/  
rm v1.3.0.zip  
rm -r noVNC-1.3.0/
```

After this step, opening `http://vncproxy.puqcloud.com/vnc.html` will load the noVNC client page.

# Step 4: Generate an SSL certificate with Certbot

```
certbot --nginx -d vncproxy.puqcloud.com
```

To renew the certificate automatically, add a cron job:

```
crontab -e
```

```
0 12 * * * /usr/bin/certbot renew --quiet
```

## Step 5: NGINX virtual host configuration

Edit the default site configuration:

```
nano /etc/nginx/sites-available/default
```

Use the following config — remember to replace `vncproxy.puqcloud.com` with your own domain:

```
server {
    listen 80 default_server;
    listen [::]:80 default_server;

    root /var/www/html;

    index index.html index.htm index.nginx-debian.html;

    server_name _;

    location / {
        try_files $uri $uri/ =404;
    }
}

server {

    root /var/www/html;

    index index.html index.htm index.nginx-debian.html;
    server_name vncproxy.puqcloud.com; # managed by Certbot

    location / {
        try_files $uri $uri/ =404;
    }
}
```

```

listen [::]:443 ssl ipv6only=on; # managed by Certbot
listen 443 ssl; # managed by Certbot
ssl_certificate /etc/letsencrypt/live/vncproxy.puqcloud.com/fullchain.pem; # managed by
Certbot
ssl_certificate_key /etc/letsencrypt/live/vncproxy.puqcloud.com/privkey.pem; # managed by
Certbot
include /etc/letsencrypt/options-ssl-nginx.conf; # managed by Certbot
ssl_dhparam /etc/letsencrypt/ssl-dhparams.pem; # managed by Certbot

location /vncproxy {
    proxy_pass http://127.0.0.1:8080/vncproxy;
    proxy_http_version 1.1;
    proxy_set_header Upgrade $http_upgrade;
    proxy_set_header Connection "Upgrade";
    proxy_set_header Host $host;
    proxy_set_header X-Real-IP $remote_addr;
    proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
}
}

server {
    if ($host = vncproxy.puqcloud.com) {
        return 301 https://$host$request_uri;
    } # managed by Certbot

    listen 80 ;
    listen [::]:80 ;
    server_name vncproxy.puqcloud.com;
    return 404; # managed by Certbot
}

```

Reload NGINX:

```
service nginx restart
```

## Step 6: Install the `vncwebproxy` binary

Download the PUQ `vncwebproxy` binary from the official download server and make it executable:

```
apt-get install screen -y
cd /root/
wget https://download.puqcloud.com/WHMCS/servers/PUQ_WHMCS-Proxmox-KVM/vncproxy/vncwebproxy
chmod +x vncwebproxy
```

## Step 7: Run the proxy

Run the script inside a `screen` session so it keeps running in the background. The **first argument** is a unique key — this is exactly the value you will later put into the **noVNC Proxy Key** field in the WHMCS module.

```
screen
./vncwebproxy puqcloud
```

After a successful launch you can watch the request log directly in the console:

```
root@vncproxy: ~# ./vncwebproxy puqcloud
[./vncwebproxy puqcloud]
proxmox- test.uuq.pl59002022/09/11 19:11:08 [vncproxy][debug] ServeWS
2022/09/11 19:11:08 [vncproxy][debug] request url: /vncproxy/proxmox-
test.uuq.pl/5900/d91bac199c2ce79392d8e175076e3780
2022/09/11 19:11:13 [vncproxy][info] close peer
[GIN] 2022/09/11 - 19:11:13 | 200 | 4.740249024s | 79.184.10.217 | GET
"/vncproxy/proxmox- test.uuq.pl/5900/d91bac199c2ce79392d8e175076e3780"
```

Detach from `screen` with `Ctrl+A` then `D`. Reattach later with `screen -r`.

## Step 8: Configure WHMCS

In the WHMCS product settings, under **Module Settings → Integrations Configuration**, fill in:


- **noVNC Proxy Domain** → `https://vncproxy.your-domain.tld`
- **noVNC Proxy Key** → the key you passed to `./vncwebproxy` (in our example: `puqcloud`)

Save the product and try opening the console from the client area.

## Client Access

When noVNC is configured, clients see a **Console** button in their VM management area. Clicking it

opens a new browser window with the noVNC console, providing full keyboard and mouse access to the virtual machine.



# Security

The security configuration of the vncproxy server should meet your own standards. A few mandatory points:

- Allow inbound TCP **80/443** from the internet (clients need HTTPS access to noVNC).
- Allow outbound TCP **5900-5999** from the vncproxy host to your Proxmox nodes.
- Keep the OS, NGINX and the `vncwebproxy` binary up to date.
- Each console session uses a **one-time ticket** — tickets are generated on demand, expire after a short period, and are validated against the Proxmox API before the connection is established.
- All traffic between the client browser and the proxy is encrypted via SSL/TLS (Let's Encrypt certificate).

Do not forget that for correct operation you must allow HTTPS to the proxy and outgoing connections from the proxy to the Proxmox server.

---

Revision #6

Created 10 April 2026 19:07:33 by Ruslan

Updated 14 May 2026 18:30:55 by Ruslan