

Installation/Update and configuration guide

PUQ Customization module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#)

Module is coded ionCube v13

Supported php version:

- php 7.4 WHMCS 8.11.0 -
- php 8.1 WHMCS 8.11.0 +
- php 8.2 WHMCS 8.11.0 +

To install and update a module, you must perform one and the same action.

1. Download the latest version of the module.

PHP 8.2

```
wget http://download.puqcloud.com/WHMCS/addons/PUQ-Customization/php82/PUQ-Customization-latest.zip
```

PHP 8.1

```
wget http://download.puqcloud.com/WHMCS/addons/PUQ-Customization/php81/PUQ-Customization-latest.zip
```

PHP 7.4

```
wget http://download.puqcloud.com/WHMCS/addons/PUQ-Customization/php74/PUQ-Customization-latest.zip
```

All versions are available via link: <http://download.puqcloud.com/WHMCS/addons/PUQ-Customization/>

2. Unzip the archive with the module.

```
unzip PUQ-Customization-latest.zip
```

3. Copy and Replace "puq_customization" to "WHMCS_WEB_DIR/modules/addons/"

4. Login to the admin zone of your WHMCS and go to "Configuration->Addons Modules"

Configuration

- General Settings
- Apps & Integrations
- Sign-In Integrations
- Automation Settings
- MarketConnect
- Notifications
- Storage Settings
- Application Links
- OpenID Connect
- Email Templates
- Addons Modules**
- Client Groups
- Custom Client Fields
- Fraud Protection

Staff Management

- Administrator Users
- Administrator Roles
- Two-Factor Authentication
- Manage API Credentials

Payments

- Currencies
- Payment Gateways
- Tax Configuration
- Promotions

Products/Services

- Products/Services
- Configurable Options
- Product Addons
- Product Bundles
- Domain Pricing
- Domain Registrars
- Servers

Support

- Support Departments
- Ticket Statuses
- Escalation Rules
- Form Control

Addons

This is where you can activate and manage addon modules in your WHMCS installation. Older legacy modules will still allow you to activate/deactivate and configure access rights, but will not be able to show any configuration options, version or author information.

Module	Version	Author	Active	Deactivate	Configure
PUQ Customization	1.0	PUQ cloud	Activate	Deactivate	Configure

5. From the list of modules, select the "**PUQ Customization**" module and click the "**Activate**" button. After these actions, the module will be activated and will create the necessary tables in the database for

work.


Note that deactivating a module will delete all tables created by the module.

6. After activation, don't forget to configure module access rights and enter a license key if you want to use all extensions without restrictions.

» PUQ Customization

The configuration of the WHMCS system

1.0



Activate

Deactivate

Configure

License key	<div>21D2CL-XXXXXXXXXXXX-YLTCIT</div> <div>error: License key not submitted for verification.</div>
Access Control	<div>Choose the admin role groups to permit access to this module:</div> <div><input checked="" type="checkbox"/> Full Administrator <input checked="" type="checkbox"/> Sales Operator <input checked="" type="checkbox"/> Support Operator</div>

Save Changes