

Create and Manage an Attribute Group

PUQcloud Panel

[Order Now](#) | [Download](#) | [FAQ](#)

Product Attribute Groups are collections of attributes (e.g., IPv4, IPv6, 10 Gbps) you can later attach to products. They help standardize feature flags and technical capabilities across multiple products.

Overview


- **Path:** **Menu** → **Products** → **Attribute Groups**
- **You can:** Create groups, localize names/descriptions, upload images, add/edit/delete attributes in a group, and control group visibility.
- **Who:** Admins with product management permissions.

A **Product Attribute** is a single capability/flag (e.g., `IPv6`). An **Attribute Group** is a labeled collection of such attributes.

Attribute Groups List


The list shows **Icon**, **Key**, **Visible**, and **Attributes** (count) with actions **Edit** and **Delete**. Use **Search** to filter.

(Screenshot reference: *Attribute Groups list*)



Actions

- **+ Create** — add a new attribute group. (Screenshot: Create Group modal)



- **Edit** — open tabs **General** / **Images** / **Attributes**.
- **Delete** — remove the group (does **not** remove attributes already linked to products).

Create an Attribute Group

1. Click **+ Create**.
2. Enter a unique **Key** (e.g., `proxmox-lxc-pn`) and **Save**.

Configure the Group

Use the tabs across the top.

General tab

- **Key** — internal identifier (read-only after creation).
- **Hidden** — hide/show the entire group from selection lists.
- **Localized content** — **Name**, **Short Description**, and **Description** per language.
- **Notes** — internal notes for admins.

Click **Save**.

(Screenshot: Attribute Group → General tab)


The screenshot displays the PUQcloud interface for editing a Product Attribute Group. The left sidebar contains a menu with categories: MENU (Dashboard, Clients, Finance, Products, Monitoring), SETTINGS (Staff, Automation, Email & Notifications, General, Add-ons), and CUSTOMIZATION (Admin Template, Client Template, PUQ Proxmox, PUQ Nextcloud, PUQ Samole Plugin). The main content area is titled 'Product Attribute Group' and includes a breadcrumb trail: / Dashboard / Product Attribute Groups / 12008a09-9d95-4c48-b2c8-dd355c600119 / Product Attribute Group. A 'Save' button is in the top right. The 'General' tab is active, showing a 'Key' field with 'proxmox-lxc-pn' and a 'Hidden' toggle set to 'No'. Below are language-specific sections for English, Ukrainian, Polish, and French. The English section has 'Name' (Public Network), 'Short Description', and 'Description' fields. A 'Notes' field is at the bottom. Footer links include 'Report a Bug', 'Documentation', and 'About Us'.

Images tab

Upload visuals representing the group:

- **Icon Image** — small logo used in lists/cards.
 - **Background Image** — larger banner image.
- Drag & drop files or **Browse**, then **Save**.

(Screenshot: Attribute Group → Images tab)



Attributes tab (inside the group)

Add and manage the individual attributes that belong to this group.

You'll see columns **Key** and **Visible** with actions **Edit** and **Delete** for each attribute.


Add an attribute

1. Click **+ Create** (top-right while on the group).
2. Fill out the attribute details (e.g., **Key** `proxmox-lxc-pn-ipv6`, Name `IPv6`).
3. Set **Visible** as needed and **Save**.

Edit / Delete

- Use the **Edit** (pencil) or **Delete** (trash) on a row.

(Screenshot: Attribute Group → Attributes tab showing IPv4, IPv6, 10 Gbps)



Using Attributes in Products

Once your attributes exist, attach them to products.

1. Open **Products** → **Products**, select a product.
2. Go to the product's **Attributes** tab.
3. Click **+ Add Attribute** and pick from available attributes (they are organized by their groups).
4. **Save** the product.

Tip: Consistent keys (e.g., `|proxmox-lxc-pn-ipv4|`) make it easier for modules/automation to reference attributes programmatically.

Best Practices

- **Plan the taxonomy**: create groups by domain (e.g., Networking, Storage, CPU features).
- **Keep keys stable**: avoid renaming keys after products reference them.
- **Localize** names/descriptions so storefronts are consistent across languages.
- **Use visibility** to stage new attributes before making them selectable.

Troubleshooting

- **Attribute not selectable on a product** → Ensure the attribute **exists**, is **Visible**, and you're on the product's **Attributes** tab.
- **Old attribute still appears** → It may be linked on products; unlink from those products before deletion.
- **Module fails expecting a flag** → Verify the attribute **Key** matches what the module/integration expects (case-sensitive).

Screenshot References

- Attribute Groups list page.
- **Create** Attribute Group modal.
- Attribute Group → **General** tab.
- Attribute Group → **Images** tab.
- Attribute Group → **Attributes** tab with items (IPv4, IPv6, 10 Gbps).

Revision #5

Created 11 September 2025 07:02:46 by Yuliia Noha

Updated 28 October 2025 09:35:46 by Yuliia Noha