

One-time link

- [Basic concepts One-time link](#)
- [Basic settings and customization](#)
- [Active Links List](#)
- [Config WireGuard section](#)
- [Config IKEv2 section](#)
- [Get One-time link](#)

Basic concepts One-time link

[Order now](#) | [Download](#) | [FAQ](#)

One-time link helps to transfer the VPN connection configuration to the client in a secure way and allows you to greatly simplify the setup of a new connection.

In order for one-time links to work, you need to have an SSL certificate installed on the PUQVPNCP panel.

Otherwise, the connection will not be encrypted, which means that the transmitted data about the VPN connection is at risk of being intercepted.

It is possible to automatically generate links via API. If you have a panel license, you can use it. There is also a [ready-made solution for the WHMCS panel](#) that allows you to automate this process.

Attention, it is strongly recommended not to send one-time links through public messengers or mail systems. Such systems tend to enter this link for analysis, and naturally, after such an action, this link will not work for the end user.

One-time link is fully customizable, you can insert your logo, text, links to instructions, links to VPN clients, etc.

What does a one-time link look like?

SO:

<https://dev.softkeel.com/otl/6d0ab61682230552427c45ba50f5c925439ac7c6334f6477cdd4a1e745c>

**This is a one-time link with
configuration options**

WireGuard

Download client Android

Download client iOS

Download client
Windows

Download client macOS

Official clients
WireGuard



Download config file

```
[Interface]
Address = 10.0.101.14/24
DNS = 8.8.8.8,1.1.1.1
PrivateKey = qACDeAa0eCgGgTkHWgpfWmJTEjru+a7gsgz/ibLyVXw=

[Peer]
AllowedIPs = 0.0.0.0/0
Endpoint = 77.87.125.200:51922
PublicKey = RvVwYQSHnDtmz4jCC8u+tJh497zacLYKS864VKK8ZGk=
```

IKEv2

Download Certificate CA

Server: dev.softkeel.com

Username: user_256

Password: K9YK@Q2!8C

Download Profile

Download client Android

Download client
Debian/Ubuntu

Official clients
strongSwan

doc.puq.info
www.puqcloud.com

PUQ sp. z o.o.

To get One-time link, you need to generate it per client manually (if you do not use the automation mechanisms mentioned earlier). Go to VPN Accounts and add/edit an account.

VPN accounts / Edit VPN account

SaveDeleteCreate one-time link

Name

peer_252

Wireguard

https://dev.softkeel.com/otl/a128485d6948145afafa13fb1bd6ebaf5f417dace17709d2fceb0ae08441c4c2f21b91048e

Copy text

Basic settings and customization

[Order now](#) | [Download](#) | [FAQ](#)

One-time link is needed in order to transfer the VPN connection configuration to the client in a secure way.

One-time link configuration is available in the menu item **Settings->One-time link**

The screenshot shows the 'One-time link' configuration page in the PUQVPNCP web interface. The left sidebar contains a menu with items: Dashboard, VPN servers, VPN accounts, Settings (highlighted), System, Firewall, DNS, One-time link (highlighted with a red box), System users, API, License, and About us. The main content area is titled 'One-time link' and includes several sections for configuration:

- Buttons:** Save, Set default, Active Links List, Wireguard section, IKEv2 section.
- Lifetime in day:** A text input field containing '10'.
- Title:** A text input field containing 'One-time link'.
- CSS:** A text area containing CSS code for styling the link page.
- Before body:** A text area containing HTML code for the page header.
- After body:** A text area containing HTML code for the page footer.
- Not relevant text:** A text area containing HTML code for a message when the link is no longer relevant.

The top right of the interface shows a user profile 'ruslan (79.184.3.204)' and a 'Logout' button.

Lifetime in day - Time in days during which a one-time link will be available

Title - The title of the one-time link page

The **CSS** field contains the CSS style that will be used on the one-time link page.

In the **Before body** field, the text that will be inserted on top of the entire page of the one-time link

In the **After body** field, the text that will be inserted at the bottom of the entire page of the one-time link

Not relevant text - The text that will be shown if the one-time link is not available or there is no link.


To reset the default settings, click the **Set default** button

Active Links List

[Order now](#) | [Download](#) | [FAQ](#)

To view the list of active one-time links, click the **Active Links List** button.

Option is available in menu> Settings>One-Time link.



One-time link

[Save](#) [Set default](#) [Active Links List](#) [Wireguard section](#) [IKEv2 section](#)

PUQVPNCP [? HELP ?](#) [ruslan \(79.184.3.204\)](#) [Logout](#)

One-time link / Active Links List

| Account | CreatedData | Lifetime | Key |
|----------------|-------------|------------|--|
| ruslan_windows | 2022-12-09 | 2022-12-19 | 05fcdebdbd5744aa4df6b72386cacc0bea2b452475d5d31ff25744695c7372a2a3adaed3988382b8 |
| dimon_telefon | 2022-12-13 | 2022-12-23 | 0a2a1b940abef042f82c3eeddab0249f678832c006c810800601ab168257dc5059c01f1b7c72624d |
| peer_101 | 2022-12-09 | 2022-12-19 | 569a3095db4c2251491e0dc19c302b1a9d5f64a67f83d53040cde52a108ea970d940926ca0eb58dc |
| peer_252 | 2022-12-13 | 2022-12-23 | 6d0ab61682230552427c45ba50f5c925439ac7c6df6f6477cdd4a1e745c57425d9b9f8cc4379dda8 |
| ruslan_windows | 2022-12-09 | 2022-12-19 | 84cb3a75982f739f68458e72e361ee3eae6f419400ce28713f88a371ff254a3f3db4392cf405a00f |
| ruslan_windows | 2022-12-09 | 2022-12-19 | 8d0fa51763d06ebe7db4d82e6f5a521421087b4a13e6b7fb1f5c1f6939171926437d23c8d66402ef |
| peer_252 | 2022-12-13 | 2022-12-23 | 9fff1d1a86d7debdcec30b9c3e107d8e348b08fc9aeebcd0767856bc2ed8ce0374633dfcf3d2a9c3 |
| peer_252 | 2022-12-13 | 2022-12-23 | b866423bcd39415094e0668c1f5ab50c6beb8570e37dea5fa054f4e50df734fbb6babfa88cff8c5a |
| ruslan_windows | 2022-12-09 | 2022-12-19 | b91361407612aec12803ecac999bba70a3b4b1466caa50c61344e93acac86f8f1caa7cc1f8bcdfdc |
| ruslan_dom_pc | 2022-12-10 | 2022-12-20 | dbfa0ab6ba04d3c186031cd6b276c7405d030d12c6524e52acc4cd32e2e68554cf6fecabfb56c1e |

The information that is available is: The account to which this link is intended, date of creation, date of expiration and key.

Config WireGuard section

[Order now](#) | [Download](#) | [FAQ](#)

To go to the WireGuard sections, click on the **Wireguard section** button



PUQVPNCP? HELP ?ruslan (79.184.3.204)Logout

[Dashboard](#)[VPN servers](#)[VPN accounts](#)[Settings](#)[About us](#)

One-time link / Config Wireguard section

[Save](#)[Set default](#)

| | | |
|---|----------------------|---|
| Enable | YES | ▼ |
| Enable Config QR | YES | ▼ |
| Enable Config Text | YES | ▼ |
| Download config button label | Download config file | |
| <i>*If not filled will not be shown</i> | | |
| Button 1 | Label | Download client Android |
| <i>*If not filled will not be shown</i> | | |
| | Link | https://play.google.com/store/apps/details?id=com.wireguard.android |
| Button 2 | Label | Download client iOS |
| <i>*If not filled will not be shown</i> | | |
| | Link | https://apps.apple.com/us/app/wireguard/id1441195209 |
| Button 3 | Label | Download client Windows |
| <i>*If not filled will not be shown</i> | | |
| | Link | https://download.wireguard.com/windows-client/wireguard-installer.exe |
| Button 4 | Label | Download client macOS |
| <i>*If not filled will not be shown</i> | | |
| | Link | https://itunes.apple.com/us/app/wireguard/id1451685025 |
| Button 5 | Label | Official clients WireGuard |
| <i>*If not filled will not be shown</i> | | |
| | Link | https://www.wireguard.com/install/ |
| Button 6 | Label | Button 6 label |
| <i>*If not filled will not be shown</i> | | |
| | Link | Button 6 link |

Enable - Whether or not to show the **WireGuard** section in a one-time link

Enable Config QR - Whether or not to show the **WireGuard** configuration QR code section in a one-time link

Enable Config Text - Whether or not to show the **WireGuard** configuration text section in a one-time link


Download config button label - The name of the button that allows you to download the WireGuard configuration (if not filled, the button will not be shown)

Button 1-6 - Custom buttons in the **WireGuard** section (if not filled, the button will not be shown)

Config IKEv2 section

[Order now](#) | [Download](#) | [FAQ](#)

To go to the WireGuard sections, click on the **IKEv2 section** button



PUQVPNCP ? HELP ? ruslan (79.184.3.204) Logout

Dashboard
VPN servers
VPN accounts
Settings
About us

One-time link / Config IKEv2 section

[Save](#) [Set default](#)

| | | | | | |
|---|---|--------------|--|-------------|---|
| Enable | <input type="text" value="YES"/> | | | | |
| Download certificate button label <small>*If not filled will not be shown</small> | <input type="text" value="Download Certificate CA"/> | | | | |
| Download profile button label <small>*If not filled will not be shown</small> | <input type="text" value="Download Profile"/> | | | | |
| Button 1 <small>*If not filled will not be shown</small> | <table><tr><td>Label</td><td><input type="text" value="Download client Android"/></td></tr><tr><td>Link</td><td><input type="text" value="https://play.google.com/store/apps/details?id=org.strongswan.android"/></td></tr></table> | Label | <input type="text" value="Download client Android"/> | Link | <input type="text" value="https://play.google.com/store/apps/details?id=org.strongswan.android"/> |
| Label | <input type="text" value="Download client Android"/> | | | | |
| Link | <input type="text" value="https://play.google.com/store/apps/details?id=org.strongswan.android"/> | | | | |
| Button 2 <small>*If not filled will not be shown</small> | <table><tr><td>Label</td><td><input type="text" value="Download client Debian/Ubuntu"/></td></tr><tr><td>Link</td><td><input type="text" value="https://download.strongswan.org/NetworkManager/"/></td></tr></table> | Label | <input type="text" value="Download client Debian/Ubuntu"/> | Link | <input type="text" value="https://download.strongswan.org/NetworkManager/"/> |
| Label | <input type="text" value="Download client Debian/Ubuntu"/> | | | | |
| Link | <input type="text" value="https://download.strongswan.org/NetworkManager/"/> | | | | |
| Button 3 <small>*If not filled will not be shown</small> | <table><tr><td>Label</td><td><input type="text" value="Official clients strongSwan"/></td></tr><tr><td>Link</td><td><input type="text" value="https://download.strongswan.org/"/></td></tr></table> | Label | <input type="text" value="Official clients strongSwan"/> | Link | <input type="text" value="https://download.strongswan.org/"/> |
| Label | <input type="text" value="Official clients strongSwan"/> | | | | |
| Link | <input type="text" value="https://download.strongswan.org/"/> | | | | |
| Button 4 <small>*If not filled will not be shown</small> | <table><tr><td>Label</td><td><input type="text" value="Button 4 label"/></td></tr><tr><td>Link</td><td><input type="text" value="Button 4 link"/></td></tr></table> | Label | <input type="text" value="Button 4 label"/> | Link | <input type="text" value="Button 4 link"/> |
| Label | <input type="text" value="Button 4 label"/> | | | | |
| Link | <input type="text" value="Button 4 link"/> | | | | |
| Button 5 <small>*If not filled will not be shown</small> | <table><tr><td>Label</td><td><input type="text" value="Button 5 label"/></td></tr><tr><td>Link</td><td><input type="text" value="Button 5 link"/></td></tr></table> | Label | <input type="text" value="Button 5 label"/> | Link | <input type="text" value="Button 5 link"/> |
| Label | <input type="text" value="Button 5 label"/> | | | | |
| Link | <input type="text" value="Button 5 link"/> | | | | |
| Button 6 <small>*If not filled will not be shown</small> | <table><tr><td>Label</td><td><input type="text" value="Button 6 label"/></td></tr><tr><td>Link</td><td><input type="text" value="Button 6 link"/></td></tr></table> | Label | <input type="text" value="Button 6 label"/> | Link | <input type="text" value="Button 6 link"/> |
| Label | <input type="text" value="Button 6 label"/> | | | | |
| Link | <input type="text" value="Button 6 link"/> | | | | |

Enable - Whether or not to show the **IKEv2** section in a one-time link

Download certificate button label - The name of the button that allows you to download the **CA certificate** (if not filled, the button will not be shown)

Download profile button label - The name of the button that allows you to download the **configuration profile** (if not filled, the button will not be shown)

Button 1-6 - Custom buttons in the **IKEv2** section (if not filled, the button will not be shown)

Get One-time link

[Order now](#) | [Download](#) | [FAQ](#)

In order to get a one-time link, select the required account and click the **Create one-time link** button

PUQVPNCP

? HELP ?ruslan (79.184.3.204)Logout

Dashboard

VPN servers

VPN accounts

List of accounts

Add account

WireGuard online

IKEv2 online

Settings

About us

VPN accounts

Create

| Find By Name | Status | Find By Username | Find By IP | Download Upload | WireGuard | Mangle | | |
|---------------|--------|------------------|-------------|--------------------|---------------|--------|------|--------|
| 1-4820-dupa | Enable | user_1 | 10.0.7.66 | 3M 4M | 1-4820 | 100 | Edit | Delete |
| dimon_pc | Enable | user_219 | 10.0.110.5 | 30M 30M | 77 87 125 209 | 324 | Edit | Delete |
| dimon_telefon | Enable | dimon_telefon | 10.0.110.7 | 30M 30M | 77 87 125 209 | 110 | Edit | Delete |
| dino_pc | Enable | user_433 | 10.0.110.6 | 30M 30M | 77 87 125 209 | 538 | Edit | Delete |
| dino_telefon | Enable | dino_telefon | 10.0.110.8 | 30M 30M | 77 87 125 209 | 209 | Edit | Delete |
| galia_pc | Enable | user_11 | 10.0.110.11 | 30M 30M | 77 87 125 209 | 211 | Edit | Delete |
| peer_1 | Enable | user_10 | 10.0.96.2 | 1M 1M | Default 97 | 109 | Edit | Delete |
| peer_100 | Enable | user_101 | 10.0.100.14 | 33M 22M | Default 101 | 206 | Edit | Delete |
| peer_101 | Enable | user_102 | 10.0.110.9 | 30M 30M | 77 87 125 209 | 207 | Edit | Delete |
| peer_102 | Enable | user_103 | 10.0.101.7 | 12M 30M | Default 102 | 208 | Edit | Delete |
| peer_109 | Enable | user_110 | 10.0.103.8 | 12M 11M | Default 104 | 215 | Edit | Delete |
| peer_113 | Enable | user_114 | 10.0.103.13 | 12M 11M | Default 104 | 219 | Edit | Delete |
| peer_118 | Enable | user_119 | 10.0.170.30 | 8M 7M | Default 171 | 224 | Edit | Delete |

VPN accounts / Edit VPN account

SaveDeleteCreate one-time link

Name

dimon_pc

Wireguard

https://dev.softkeel.com/otl/4469a4089da1618c5845db4d13ad61792e800bb216bb6bc84ff29d645092451cc5801

Copy text

Copy the link and pass it on safely.