

# One-time link

[Order now](#) | [Download](#) | [FAQ](#)

## One-time link Config

**Request Structure:** `https://<puqvnpv>/api/v1/otl/config`

**Method:** `GET`

**Cookie:** `access_hash=<access_hash>`

### Example:

```
curl \
-b
"access_hash=def77a57825907131fca3ba92fc22970ffe7429fd8b49535e178f59542c42cf2be854e296941de9f"
\
-X GET https://dev.softkeel.com/api/v1/otl/config
```

### Response example:

```
{
  "error" : "",
  "msg" : {
    "after_body" : "\n<br>\n<br>\n<hr>\n<br>\n<br>\n<div class=\"intro\">\n\t<a
href=\"https://doc.puq.info\">doc.puq.info</a>\n\t<br>\n\t<a
href=\"https://www.puqcloud.com\">www.puqcloud.com</a>\n\t<hr>\n</div>\n<p>PUQ sp. z
o. o. </p>\n\t",
    "before_body" : "\n<h1>This is a one-time link with configuration
options</h1>\n\t",
    "css" : "\n* {\n\tbackground-color: #E5E5E5;\n\ttext-align:
center;\n}\n\n.wireguard,.ikev2 {\n\tmargin: auto;\n\twidth: 550px;\n\ttext-align:
center;\n}\n\n\n.qr-img{\n\ttext-align: center;\n}\n\n.config-text{\n\ttext-align:
center;\n\tdisplay: inline-block;\n}\n\n.config-text pre {\n\twidth: 550px;\n\ttext-align:
```

```

left; \n\toverflow-x: auto; \n\ttab-width: 1; \n\toverflow-x: auto; \n\twhite-space: pre-
wrap; \n\twhite-space: -moz-pre-wrap !important; \n\twhite-space: -pre-wrap; \n\twhite-space: -o-
pre-wrap; \n\tword-wrap: break-word; \n\tbackground: #fff; \n} \n\n.btn { \n\twidth:
400px; \n\tborder: none; \n\tcolor: white; \n\tpadding: 4px 10px; \n\ttext-align: center; \n\ttext-
decoration: none; \n\tdisplay: inline-block; \n\tfont-size: 20px; \n\tmargin: 5px
5px; \n\ttransition-duration: 0.5s; \n\tcursor: pointer; \n\tbackground-color: white; \n\tcolor:
black; \n\tborder: 5px solid #008CBA; \n} \n\n.btn:hover { \n\tbackground-color:
RoyalBlue; \n} \n\n.authorization_data { \n\ttext-align: center; \n\tfont-size:
20px; \n} \n\n.authorization_data table { \n\twidth: 100%; \n} \n\n@media only screen and
(orientation: portrait) { \n\t* h1 { \n\t\tfont-size: 50px; \n\t} \n\t.wireguard,.ikev2
{ \n\t\twidth: 90%; \n\t\tmargin: auto; \n\t} \n\t.btn { \n\t\twidth: 90%; \n\t\tfont-size:
50px; \n\t\tmargin: 5px 5px; \n\t} \n\t.qr-img img { \n\t\twidth: 100%; \n\t\theight:
100%; \n\t} \n\t.config-text { \n\t\twidth: 100%; \n\t} \n\t.config-text pre { \n\t\twidth:
100%; \n\t} \n\t.authorization_data { \n\t\ttext-align: center; \n\t\tfont-size:
50px; \n\t} \n} \n",
    "lifetime" : "10",
    "not_relevant" : "\n<h1>This link is no longer relevant.</h1>\n<h1>Request a new
link.</h1>\n<br>\n<div class=\"intro\">\n\t<a
href=\"https://doc.puq.info\">doc.puq.info</a>\n\t<br>\n\t<a
href=\"https://www.puqcloud.com\">www.puqcloud.com</a>\n\t<hr>\n</div>\n<p>PUQ sp. z
o. o.</p>\n\t",
    "title" : "One-time link"
  },
  "status" : "success"
}

```

## Errors:

- Not authorized

# One-time link list

**Request Structure:** `https://<puqvpnpv>/api/v1/otl/list`

**Method:** `GET`

**Cookie:** `access_hash=<access_hash>`

## Example:

```
curl \
-b
"access_hash=def77a57825907131fca3ba92fc22970ffe7429fd8b49535e178f59542c42cf2be854e296941de9f"
\
-X GET https://dev.softkeel.com/api/v1/otl/list
```

## Response example:

```
{
  "error" : "",
  "msg" : {
    "olts" : {
      "05fcdebdbd5744aa4df6b72386cacc0bea2b452475d5d31ff25744695c7372a2a3adaed3988382b8" :
      {
        "account" : "ruslan_windows",
        "created_data" : "2022-12-09",
        "key" :
        "05fcdebdbd5744aa4df6b72386cacc0bea2b452475d5d31ff25744695c7372a2a3adaed3988382b8",
        "lifetime" : "2022-12-19"
      },
      "569a3095db4c2251491e0dc19c302b1a9d5f64a67f83d53040cde52a108ea970d940926ca0eb58dc" :
      {
        "account" : "peer_101",
        "created_data" : "2022-12-09",
        "key" :
        "569a3095db4c2251491e0dc19c302b1a9d5f64a67f83d53040cde52a108ea970d940926ca0eb58dc",
        "lifetime" : "2022-12-19"
      },
      "84cb3a75982f739f68458e72e361ee3eae6f419400ce28713f88a371ff254a3f3db4392cf405a00f" :
      {
        "account" : "ruslan_windows",
        "created_data" : "2022-12-09",
        "key" :
        "84cb3a75982f739f68458e72e361ee3eae6f419400ce28713f88a371ff254a3f3db4392cf405a00f",
        "lifetime" : "2022-12-19"
      },
      "8d0fa51763d06ebe7db4d82e6f5a521421087b4a13e6b7fb1f5c1f6939171926437d23c8d66402ef" :
      {

```

```
    "account" : "ruslan_windows",
    "created_data" : "2022-12-09",
    "key" :
"8d0fa51763d06ebe7db4d82e6f5a521421087b4a13e6b7fb1f5c1f6939171926437d23c8d66402ef",
    "lifetime" : "2022-12-19"
  },
  "b91361407612aec12803ecac999bba70a3b4b1466caa50c61344e93acac86f8f1caa7cc1f8bcafdc" :
{
    "account" : "ruslan_windows",
    "created_data" : "2022-12-09",
    "key" :
"b91361407612aec12803ecac999bba70a3b4b1466caa50c61344e93acac86f8f1caa7cc1f8bcafdc",
    "lifetime" : "2022-12-19"
  },
  "dbfa0ab6ba04d3c186031cd6b276c7405d030d12c6524e52accc4cd32e2e68554cf6fecabfb56c1e" :
{
    "account" : "ruslan_dom_pc",
    "created_data" : "2022-12-10",
    "key" :
"dbfa0ab6ba04d3c186031cd6b276c7405d030d12c6524e52accc4cd32e2e68554cf6fecabfb56c1e",
    "lifetime" : "2022-12-20"
  }
}
},
"status" : "success"
}
```

#### Errors:

- Not authorized

# One-time link WireGuard Config section

**Request Structure:** `https://<puqvpnpv>/api/v1/otl/config_wireguard`

**Method:** GET

**Cookie:** access\_hash=<access\_hash>

### Example:

```
curl \
-b
"access_hash=def77a57825907131fca3ba92fc22970ffe7429fd8b49535e178f59542c42cf2be854e296941de9f"
\
-X GET https://dev.softkeel.com/api/v1/otl/config_wireguard
```

### Response example:

```
{
  "error" : "",
  "msg" : {
    "button1_label" : "Download client Android",
    "button1_link" :
"https://play.google.com/store/apps/details?id=com.wireguard.android",
    "button2_label" : "Download client iOS",
    "button2_link" : "https://apps.apple.com/us/app/wireguard/id1441195209",
    "button3_label" : "Download client Windows",
    "button3_link" : "https://download.wireguard.com/windows-client/wireguard-
installer.exe",
    "button4_label" : "Download client macOS",
    "button4_link" : "https://itunes.apple.com/us/app/wireguard/id1451685025",
    "button5_label" : "Official clients WireGuard",
    "button5_link" : "https://www.wireguard.com/install/",
    "button6_label" : "",
    "button6_link" : "",
    "download_config_button_label" : "Dowload config file",
    "enable" : true,
    "enable_config_qr" : true,
    "enable_config_text" : true
  },
  "status" : "success"
}
```

### Errors:

---

- Not authorized

# One-time link IKEv2 Config section

**Request Structure:** `https://<puqvpnpv>/api/v1/otl/config_ikev2`

**Method:** `GET`

**Cookie:** `access_hash=<access_hash>`

## Example:

```
curl \
-b
"access_hash=def77a57825907131fca3ba92fc22970ffe7429fd8b49535e178f59542c42cf2be854e296941de9f"
\
-X GET https://dev.softkeel.com/api/v1/otl/config_ikev2
```

## Response example:

```
{
  "error" : "",
  "msg" : {
    "button1_label" : "Download client Android",
    "button1_link" :
"https://play.google.com/store/apps/details?id=org.strongswan.android",
    "button2_label" : "Download client Debian/Ubuntu",
    "button2_link" : "https://download.strongswan.org/NetworkManager/",
    "button3_label" : "Official clients strongSwan",
    "button3_link" : "https://download.strongswan.org/",
    "button4_label" : "",
    "button4_link" : "",
    "button5_label" : "",
    "button5_link" : "",
    "button6_label" : "",
    "button6_link" : "",
    "download_certificate_button_label" : "Download Certificate CA",
    "download_profile_button_label" : "Download Profile",
    "enable" : true
  }
}
```

```
},  
"status" : "success"  
}
```

### Errors:

```
-Not authorized
```

---

---

Revision #13

Created 12 December 2022 06:09:48 by Ruslan

Updated 16 October 2023 03:13:47 by Yuliia Noha