

System Config

[Order now](#) | [Download](#) | [FAQ](#)

System Config

Request Structure: `https://<puqvnpv>/api/v1/system/config`

Method: `GET`

Cookie: `access_hash=<access_hash>`

Example:

```
curl \
-b
"access_hash=def77a57825907131fca3ba92fc22970ffe7429fd8b49535e178f59542c42cf2be854e296941de9f"
\
-X GET https://dev.softkeel.com/api/v1/system/config
```

Response example:

```
{
  "error" : "",
  "msg" : {
    "traffic_statistics_frequency" : 1,
    "traffic_statistics_history" : 1,
    "wireguard_handshake_uptime" : 180
  },
  "status" : "success"
}
```

Errors:

```
-Not authorized
```

System Config EDIT

Request Structure: `https://<puqvpnpv>/api/v1/system/config`

Cookie: `access_hash=<access_hash>`

Method: `PUT`

PUT data:

Options not required:

```
"traffic_statistics_frequency" = "1-1440"  
"traffic_statistics_history" = "0-2147483647"  
"wireguard_handshake_uptime" = "1-300"
```

Example:

```
curl \  
-b \  
"access_hash=def77a57825907131fca3ba92fc22970ffe7429fd8b49535e178f59542c42cf2be854e296941de9f"  
\  
-d "traffic_statistics_frequency=10\  
traffic_statistics_history=5\  
wireguard_handshake_uptime=300" \  
-X PUT https://dev.softkeel.com/api/v1/system/config
```

Response example:

```
{  
  "error" : "",  
  "msg" : {  
    "traffic_statistics_frequency" : 10,  
    "traffic_statistics_history" : 5,  
    "wireguard_handshake_uptime" : 300  
  },  
  "status" : "success"  
}
```

Errors:

```
-Not authorized
-Incorrect value Traffic Statistics Frequency (should be 1 to 2147483647)
-Incorrect value Traffic Statistics History (should be 0 to 2147483647)
-Incorrect value Wireguard Handshake Uptime (should be 1 to 300)
```

System Config Set Default

Request Structure: `https://<puqvpnpv>/api/v1/system/config/default`

Cookie: `access_hash=<access_hash>`

Method: `PUT`

PUT data:

Options not required:

Example:

```
curl \
-b
"access_hash=def77a57825907131fca3ba92fc22970ffe7429fd8b49535e178f59542c42cf2be854e296941de9f"
\
-X PUT https://dev.softkeel.com/api/v1/system/config/default
```

Response example:

```
{
  "error" : "",
  "msg" : {
    "traffic_statistics_frequency" : 5,
    "traffic_statistics_history" : 2,
    "wireguard_handshake_uptime" : 180
  },
  "status" : "success"
}
```

Errors:

-Not authorized

Revision #9

Created 11 December 2022 11:50:53 by Ruslan

Updated 16 October 2023 08:13:56 by Yuliia Noha