

Home screen

ReverseDNS module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#)

On the client area homepage of the service, clients will immediately see a list of all IP addresses assigned to their services.

Each IP has an editable rDNS record.

When a client updates a record, the change is instantly applied to the corresponding zone in **PowerDNS** — no manual action is required.

Manage Reverse DNS for IPv4

Set PTR records for your service IP addresses.

Show entries

Search:

IP	rDNS	Actions
192.168.1.1	mail.puqcloud.com.	Edit
192.168.1.10	test1.puqcloud.com.	Edit
192.168.1.100	test2.puqcloud.com.	Edit
192.168.1.101	test33.puqcloud.com.	Edit
192.168.1.102	test11.puqcloud.com.	Edit
192.168.1.103	test34.puqcloud.com.	Edit
192.168.1.104	testee.puqcloud.com.	Edit
192.168.1.105	test1.puqcloud.com.	Edit
192.168.1.106	dddd.puqcloud.com.	Edit
192.168.1.107	test1.puqcloud.com.	Edit

Showing 1 - 10 of 257

Edit rDNS



IP

192.168.1.1

rDNS

mail.puqcloud.com.

Enter the reverse DNS (PTR) record for this IP address.

Save

Close

192.168.1.10	test1.puqcloud.com.	Edit
192.168.1.100	test2.puqcloud.com.	Edit
192.168.1.101	test33.puqcloud.com.	Edit
192.168.1.102	test11.puqcloud.com.	Edit
192.168.1.103	test34.puqcloud.com.	Edit
192.168.1.104	testee.puqcloud.com.	Edit
192.168.1.105	test1.puqcloud.com.	Edit
192.168.1.106	dddd.puqcloud.com.	Edit
192.168.1.107	test1.puqcloud.com.	Edit

Showing 1 - 10 of 257

Previous

1

2

3

4

5

...

26

Next

Revision #3

Created 12 July 2025 22:51:55 by Ruslan

Updated 14 July 2025 10:26:01 by Yuliia Noha