
Image not found or type unknown

Add Web / Mail / DNS Servers

PUQ Web Hosting module **WHMCS**

Order now | Download | Community


Your fleet is managed under **Infrastructure**. The same physical servers appear under **Web Servers**, **Mail Servers** and **DNS Servers** filtered by the capabilities you give them.



Each row shows live **CPU** / **RAM** / **Disk** / **Load**, the Hestia version & OS, the panel-OK indicator, the group, the capacity used/max and the row actions. A green **OK** means the SSH/panel probe succeeded.


Add a server

Click **Add Web Server** (or Mail/DNS — they open the same editor) and fill in the connection details:



Field	Notes
Capabilities	Tick **Web**, **Mail**, **DNS** — one, two or all three. This decides which pools the node appears in and which roles can be placed on it.
Driver	`HestiaCP` (or `PowerDNS` for a DNS-only node).
Status	`active` to use it.
Hostname / IP / SSH port	The SSH endpoint.
SSH auth	Password or private key.

Lower in the editor you set per-server defaults:




- **DNS zone template** — the template used for zones created on/for this node.
- **Capacity max** — soft capacity used for least-loaded placement.
- **SSH command timeout** — override for slow nodes.
- **Default Hestia package** for new users.

Use **Test connection** before saving; the row will then show **OK** and start reporting live stats.


Capabilities = your topology

How you tick capabilities **is** your segmentation plan:

- **One node, all roles** → tick Web + Mail + DNS on a single server (great for starting out).
- **Web/mail split** → some nodes tick **Web** only, dedicated nodes tick **Mail** only.
- **Three tiers** → separate Web, Mail and **DNS** (nameserver) pools.



DNS servers are a special case — they are **independent** and attached to groups (one DNS server can serve many groups). The DNS Servers page reminds you of this:



> See **Deployment & Segmentation → Server segmentation** for the full reasoning and the role-targeted configuration that goes with these capabilities. The next page groups these servers so a product can sell from them.

Revision #8
Created 4 June 2026 15:09:41 by Ruslan
Updated 7 June 2026 20:54:03 by Ruslan