Image not found or type unknown

Settings


PUQ Web Hosting module **WHMCS**

Order now | Download | Community

Settings has three pages — **General**, **Cron** and **Vanity widget**. The General page is organised into tabs. The defaults are sensible; tune them as you scale.





General




The **General** tab itself holds API timeouts and the **task retry policy** (max attempts, back-off minutes, batch size per cron run, finished-task retention):



The remaining tabs:

Tab	Controls


Provisioning	Defaults for `nologin` for  usernames.
DNS	Record TTL (default/min/max,  module-wide **SOA defaults**.
SSL	Auto-SSL cadence interval, active-cer  **rate-limit guard**.
Mail & Security	Webmail / phpMyAdmin URL patterns, DKIM ke  auto-reply length, minimum password length.

Logging & Performance	Log download size cap, tail line limits, mail-log window, SSH heavy-bash & apt-lock timeouts. 
Integrations	Overridable upstream URLs – host fallback, PHP repos (Ond keyserver, IonCube installer. 
Notifications	Failure-ticket toggle (department + priority), clier toast/poll durations, analytics lookback windows. 
Maintenance	The schema **Check &** data-retention toggle. 

Cron

The **Cron** page picks the cron mode (WHMCS vs Standalone), shows the crontab line to install, and

lists every scheduled task with its enable/interval/last-run/status, plus concurrency limits.



Vanity widget

Generates the standalone "claim your name" shop widget — see **Vanity Mode → The vanity shop widget**.

Revision #8
Created 4 June 2026 15:10:35 by Ruslan
Updated 7 June 2026 20:54:09 by Ruslan