

# Add server (PUQVPNCP) in WHMCS

## WireGuard Business-VPN module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#)

Add a new server to the system WHMCS.

Login to Your WHMCS panel and create new server in WHMCS (*System Settings->Products/Services->Servers*)

System Settings->Servers->Add New Server

[Products/Services](#)  
• Enter the correct **Name** and **Hostname**  
[Configure the correct](#)  
[Product Addons](#)  
**Name is just for Your convenience and You can put there anything You like ie:**  
[Domain Registrar](#)  
**Mygreat-PUQVPNCP routr**  
[Domain Registrars](#)

**You can choose whatever hostname You want. Valid entries look similar to: vpn.mydomain.com, ourgreatvpn.mydomain.net. You can also dedicate whole domain ie: myVPNservices.com if You like. The important thing is to resolve the chosen IP address of the PUQVPNCP in DNS server for Your domain.**

- In the "**Assigned IP Addresses field**", enter a list of IP addresses that will be issued to users.

## Servers

### Edit Server

|   |  |
|---|--|
| Name                                    | <input type="text" value="test-puqvpncp.uuq.pl"/>  |
| Hostname                                | <input type="text" value="test-puqvpncp.uuq.pl"/>  |
| IP Address                              | <input type="text"/>   |
| Assigned IP Addresses<br>(One per line) | <input type="text" value="77.87.125.200&lt;br/&gt;77.87.125.201&lt;br/&gt;77.87.125.202&lt;br/&gt;77.87.125.203&lt;br/&gt;77.87.125.204&lt;br/&gt;77.87.125.205&lt;br/&gt;77.87.125.206&lt;br/&gt;77.87.125.207&lt;br/&gt;77.87.125.208&lt;br/&gt;77.87.125.209&lt;br/&gt;77.87.125.210"/> |
| Monthly Cost                            | <input type="text" value="0.00"/>  |
| Datacenter/NOC                          | <input type="text"/>   |
| Maximum No. of Accounts                 | <input type="text" value="200"/>   |
| Server Status Address                   | <input type="text"/><br>To display this server on the server status page, enter the full path to the server status folder (required to be uploaded to each server you want to monitor) - eg. <a href="https://www.example.com/status/">https://www.example.com/status/</a>                 |
| Enable/Disable                          | <input type="checkbox"/> Check to disable this server  |

## Enter the correct data in the Access Hash field

- In the **Server Details** section, select the "**PUQ WireGuard Business-VPN**" module and enter the correct API Access Hash.
- To check, click the "**Test connection**" button

## Server Details

|             |  |
|-------------|--|
| Module      | PUQ WireGuard Business-VPN <span>▼</span> <span>Test Connection</span>                       |
|             | ✓ Connection successful. Some values have been auto-filled.                                  |
| Username    | <input type="text"/>   |
| Password    | <input type="text"/>   |
| Access Hash | <pre>77f3f27245dfe2e27791295846bee745b8217741e8f0363b6c027d06a236b dbeec04651fcadccfd2</pre> |
| Secure      | <input checked="" type="checkbox"/> Check to use SSL Mode for Connections                    |
| Port        | <input type="text" value="443"/> <input type="checkbox"/> Override with Custom Port          |

Revision #10

Created 24 November 2022 03:38:15 by Ruslan

Updated 11 June 2024 03:01:00 by Yuliia Noha