

# Add server (PUQVPNCP) in WHMCS

## WireGuard VPN module **WHMCS**

[Order now](#) | [Download](#) | [FAQ](#)

Add a new server to the system WHMCS.

Login to Your WHMCS panel and create new server in WHMCS (*System Settings->Products/Services->Servers*)

System Settings->Servers->Add New Server

[Products/Services](#)  
• Enter the correct **Name** and **Hostname**  
[Configure the correct](#)  
[Product Addons](#)  
[Name Suggests](#)  
[Domain Pricing](#)  
[Domain Registrars](#)

**Name is just for Your convenience and You can put there anything You like ie:**  
**Mygreat-PUQVPNCP routr**

You can choose whatever hostname You want. Valid entries look similar to: **vpn.mydomain.com, ourgreatvpn.mydomain.net. You can also dedicate whole domain ie: myVPNservices.com if You like. The important thing is to resolve the choosen IP address of the PUQVPNCP in DNS server for Your domain.**

## Servers

### Edit Server

Name	<input type="text" value="WireGuardVPNServer"/>
Hostname	<input type="text" value="test-puqvpncp.uuq.pl"/>
IP Address	<input type="text"/>
Assigned IP Addresses (One per line)	<input type="text"/>
Monthly Cost	<input type="text" value="0.00"/>
Datacenter/NOC	<input type="text"/>
Maximum No. of Accounts	<input type="text" value="200"/>
Server Status Address	<input type="text"/> To display this server on the server status page, enter the full path to the server status folder (required to be uploaded to each server you want to monitor) - eg. <a href="https://www.example.com/status/">https://www.example.com/status/</a>
Enable/Disable	<input type="checkbox"/> Check to disable this server

## Enter the correct data in the Access Hash field

- In the **Server Details** section, select the "**PUQ WireGuard VPN**" module and enter the correct API Access Hash.
- To check, click the "**Test connection**" button

If you save the correct login and password for PUQVPNCP in the server settings, then the Login to PUQ VPN Control Panel button will open for you without entering a login and password.

## Server Details

Module	PUQ WireGuard VPN	<input type="button" value="Test Connection"/>
	✓ Connection successful. Some values have been auto-filled.	
Username	<input type="text"/>	
Password	<input type="text"/>	
Access Hash	73aed93685cae7325ad1b43a93c633ac1df6ba88326f7f578b0fb6516061c868cd03f0d7629d19eb	
Secure	<input checked="" type="checkbox"/> Check to use SSL Mode for Connections	
Port	<input type="text" value="443"/>	<input type="checkbox"/> Override with Custom Port

Revision #5

Created 25 November 2022 02:40:03 by Ruslan

Updated 11 June 2024 03:03:06 by Yuliia Noha