

Description

WireGuard VPN module **WISECP**

[Order now](#) | [Download](#) | [FAQ](#)

The WireGuard VPN module provides the ability to sell the Virtual Private Network service to customers.

Attention.

The module require the PUQVPNCP control panel with active license.

[PUQVPNCP Documentation](#)

[PUQVPNCP Download](#)

[PUQVPNCP Order now](#)

Requirements

WISECP: v3.1.5+, php: v8.x, Ioncube: V12+

PUQVPNCP: v1.8+

Supports protocols:

- WireGuard
- IKEv2

Module Functions:

- Auto create and deploy VPN account/accounts
- Suspend/Unsuspend/Delete/Change Package
- Module require active **PUQVPNCP** API (need separate license)

- Possibility to set Bandwidth speed limits
- Module supports multilingualism (**Arabic, Bosnian, Czech, German, Greek, English, Spanish, Persian, French, Hungarian, Indonesian, Italian, Georgian, Latvian, Dutch, Polish, Portuguese, Romanian, Ukrainian**)
- Link to instructions for setting up the service in the client area.
- Mechanism for working with servers and server groups

Available options in the admin panel:

- Create users
- Suspend users
- Unsuspend users
- Deleteusers
- Change Package
- VPN connection status

Available options in the client panel:

- Links in the form of buttons to the instruction and VPN clients
- General information about the service
- Password change option (for IKEv2)
- One-time link generation button for transmitting authorization data
- Option to download WireGuard configuration as a file
- QR code for WireGuard configuration
- Server certificate download button (for IKEv2)
- Download button for the profile for the strongSwan mobile application (for IKEv2)
- VPN connection status

Screenshot of the client area

[User manual](#)
[Download VPN client](#)

VPN Protocols	WireGuard, IKEv2
Bandwidth download/upload	5/5 M
IP address	10.0.1.6
Username	puq-2-94-cloud
Password	<input type="button" value="Generate"/> BVBXHqTN

[Create one-time link](#)
[Save](#)

WireGuard configuration

WireGuard online: **yes**
 213.134.190.109:13410
 2023-11-19 22:40:26

[DOWNLOAD CONFIG](#)


```
[Interface]
Address = 10.0.1.6/24
DNS = 10.0.1.1,77.87.125.200
PrivateKey = PHLnQ8Cvkcycgd38ZK96PTbUSHgLiGacTycipiQotik=

[Peer]
Endpoint = 77.87.125.200:51821
PublicKey = qclPpOq4zTUN40UWlfnE1St8o4HgVdAa8MIZ0Fh7nI=
AllowedIPs = 0.0.0.0/0
```

IKEv2 configuration

IKEv2 online: **not**

[DOWNLOAD CERTIFICATE](#)
[DOWNLOAD Profile](#)

Server:	dev.softkeel.com
Username:	puq-2-94-cloud
Password:	BVBXHqTN


User manual


Download VPN client

VPN Protocols	WireGuard, IKEv2
Bandwidth download/upload	5/5 M
IP address	10.0.16
Username	puq-2-94-cloud
Password	8VBXHqTN

 Generate


 Create one-time link

 Save

WireGuard configuration

WireGuard online: **yes**
213.134.190.109:13410
2023-11-19 22:40:26

 DOWNLOAD CONFIG



IKEv2 configuration

IKEv2 online: **not**

 DOWNLOAD CERTIFICATE

 DOWNLOAD Profile

 Server:	dev.softkeel.com
 Username:	puq-2-94-cloud
 Password:	8VBXHqTN

Screenshot of the Admin area

API answer OK

Name	Password	Status	IP	Speed download	Speed upload
puq-2-94-cloud	BVEXHqTN	enable	10.0.1.6	5M	5M

Online

WireGuard Online	WireGuard Endpoint	WireGuard Latest handshake	IKEv2 online	IKEv2 Endpoint	IKEv2 Uptime
YES	213.134.190.109:13410	2023-11-19 22:47:02	n/a	n/a	n/a

```

0.0.0.0/0 -> 10.0.1.6 MARK 0x1010 Pkt:0 Bytes:0
10.0.1.6 -> 0.0.0.0/0 MARK 0x0000 Pkt:0 Bytes:0

ens18 --> class htb 1:2112 root leaf 2112: prio 0 rate 10Mbit ceil 10Mbit burst 1600b cburst 1600b
Sent 13040 bytes 55 pkt (dropped 0, overlimits 3 requeues 0)
backlog 0b 0p requeues 0

ens19 --> class htb 1:2112 root leaf 2112: prio 0 rate 10Mbit ceil 10Mbit burst 1600b cburst 1600b
Sent 0 bytes 0 pkt (dropped 0, overlimits 0 requeues 0)
backlog 0b 0p requeues 0

ens18 --> class htb 1:4112 root leaf 4112: prio 0 rate 10Mbit ceil 10Mbit burst 1600b cburst 1600b
Sent 0 bytes 0 pkt (dropped 0, overlimits 0 requeues 0)
backlog 0b 0p requeues 0

ens19 --> class htb 1:4112 root leaf 4112: prio 0 rate 10Mbit ceil 10Mbit burst 1600b cburst 1600b
Sent 0 bytes 0 pkt (dropped 0, overlimits 0 requeues 0)
backlog 0b 0p requeues 0

wgi --> class htb 1:4112 root leaf 4112: prio 0 rate 5Mbit ceil 5Mbit burst 1600b cburst 1600b
Sent 20343 bytes 51 pkt (dropped 0, overlimits 10 requeues 0)
backlog 0b 0p requeues 0
  
```

Username: puq-2-94-cloud Password: BVEXHqTN

Server: dev.softkeel.com - B Dedicated IP: 10.0.1.6

Overwrite package settings Overwriting the package settings is necessary to personalize the service if you need it.

Send changes to server To apply the changes on the server, it is necessary to check this checkbox.

[Update](#)

Other

Initial Settings All Modules

PUQ cloud

License key: 58TH1Z...-1JASA 2023-12-18T10:38:13+01:00 [Check and Save](#)

Version: 1.0.1 [Web Site](#) [Documentation](#) [Changelog](#)

[+ Add New Server](#) [Server Groups](#)

Servers [PUQVPNC](#)

10 [Show Record](#) Search

#	Name	Status	Group	Default	IP/Domain	Usage Stats	
23	dev.softkeel.com - B	active	Default	✔	dev.softkeel.com	3/12	📄 🗑️
24	dev.softkeel.com - A	active	Default	✔	466	0/44	📄 🗑️

Showing records from 2 to 1 - 2 [Prev](#) 1 [Next](#)

[← Turn Back](#)

Revision #15

Created 19 November 2023 21:27:11 by Ruslan

Updated 12 December 2023 08:51:14 by Yuliia Noha