

Order Detail

WireGuard VPN module **WISECP**

[Order now](#) | [Download](#) | [FAQ](#)

Navigate to the service you want to manage, then go to the '**Core**' tab.

WireGuard VPN 5 Order Detail Dashboard / Orders / WireGuard VPN 5 Order Detail

Detail

Core

Blocks

Order Addons

Requirements

Upgrade / Downgrade

History

Cancellation / Refund

API Module

PUQ WireGuard VPN

API answer OK

Name	Password	Status	IP	Speed download	Speed upload
puq-2-94-cloud	BVBXHqTN	enable	10.0.1.6	5M	5M

Online

WireGuard Online	WireGuard Endpoint	WireGuard Latest handshake	IKEv2 online	IKEv2 Endpoint	IKEv2 Uptime
n/a	n/a	n/a	n/a	n/a	n/a

0.0.0.0/0 -> 10.0.1.6 MARK 0x1010 Pkt:0 Bytes:0
10.0.1.6 -> 0.0.0.0/0 MARK 0x1040 Pkt:0 Bytes:0

ens10 --> class htb 1:2112 root leaf 2112: prio 0 rate 10Mbit cell 10Mbit burst 1600b cburst 1600b
Sent 789950 bytes 1897 pkt (dropped 0, overlimits 284 requests 0)
backlog 0B 0p requests 0

ens19 --> class htb 1:2112 root leaf 2112: prio 0 rate 10Mbit cell 10Mbit burst 1600b cburst 1600b
Sent 0 bytes 0 pkt (dropped 0, overlimits 0 requests 0)
backlog 0B 0p requests 0

ens18 --> class htb 1:4112 root leaf 4112: prio 0 rate 10Mbit cell 10Mbit burst 1600b cburst 1600b
Sent 0 bytes 0 pkt (dropped 0, overlimits 0 requests 0)
backlog 0B 0p requests 0

ens19 --> class htb 1:4112 root leaf 4112: prio 0 rate 10Mbit cell 10Mbit burst 1600b cburst 1600b
Sent 0 bytes 0 pkt (dropped 0, overlimits 0 requests 0)
backlog 0B 0p requests 0

wg1 --> class htb 1:4112 root leaf 4112: prio 0 rate 5Mbit cell 5Mbit burst 1600b cburst 1600b
Sent 913186 bytes 1944 pkt (dropped 0, overlimits 354 requests 0)
backlog 0B 0p requests 0

Username

puq-2-94-cloud

Password

BVBXHqTN

Server

dev.softkeel.com - B

Dedicated IP

10.0.1.6

Overwrite package settings

☐

Overwriting the package settings is necessary to personalize the service if you need it.

Send changes to server

☐

To apply the changes on the server, it is necessary to check this checkbox.

Update

In the opened tab, you have a view of the online status of the service. The available online information includes:

- Connection status to the API
- Information about the VPN account on the PUQVPNC server
- Diagnostic information about the account (online status, firewall rule counters, and so on).

Also, below are fields with the client's personal data, such as Username, Password, Server, and Dedicated IP.

You can also individually override package options for the client by checking the 'Overwrite

package settings' box.

After modifying the configuration options, check the '**Send changes to server**' box to save the data to the PUQVPNCP server.

Username	<input type="text" value="puq-2-94-cloud"/>	Password	<input type="text" value="8VBXHqTN"/>
Server	<div>devsoftkeel.com - B</div>	Dedicated IP	<input type="text" value="10.0.1.6"/>
Server Group	<div>Default (Servers: 2)</div>	WireGuard Server	<div>Default</div>
Bandwidth Download	<div>5</div> <div>in megabits (M)</div>	Bandwidth Upload	<div>5</div> <div>in megabits (M)</div>
Username prefix	<div>puq-</div> <div>Will be attached to the beginning of username. Only small letters and numbers and symbol "-"</div>	Username suffix	<div>-cloud</div> <div>Will be appended to the end of username. Only small letters and numbers and symbol "-"</div>
Link to instruction	<div>https://puq.pl/</div> <div>A link to the instruction will be reflected in the client area.</div>	Link to VPN clients	<div>https://puqcloud.com/</div> <div>A link to the instruction will be reflected in the client area.</div>
Overwrite package settings	<div><input checked="" type="checkbox"/> Overwriting the package settings is necessary to personalize the service if you need it.</div>		
Send changes to server	<div><input type="checkbox"/> To apply the changes on the server, it is necessary to check this checkbox.</div>		

Update

Note: When changing the Server Group, Server, and WireGuard Server fields, make sure you have a user with the username as specified in the 'Username' field pre-created on the new server. Otherwise, you will need to recreate the service for your client.